








Author Correction: Climate-driven changes in the predictability of seasonal precipitation

Correction to: *Nature Communications*
<https://doi.org/10.1038/s41467-023-39463-9>,
published online 28 June 2023

<https://doi.org/10.1038/s41467-023-39975-4>

Published online: 18 July 2023

 Check for updates

Phong V. V. Le , James T. Randerson , Rebecca Willett, Stephen Wright, Padhraic Smyth, Clément Guilloteau, Antonios Mamalakis  & Efi Foufoula-Georgiou 

The original version of this Article contained an error in Fig. 1, in which the vertical axes in all panels showed the cumulative distribution function (“CDF”), i.e., the fraction of land surface area with Nash-Sutcliffe Efficiency (NSE) below a given threshold. Instead, they were meant to show the percentage of land surface area with NSE above a given threshold (“Land surface area (%)”) as described in the title and caption of the Figure. This has been corrected in both the PDF and HTML versions of the Article.

Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made. The images or other third party material in this article are included in the article’s Creative Commons license, unless indicated otherwise in a credit line to the material. If material is not included in the article’s Creative Commons license and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this license, visit <http://creativecommons.org/licenses/by/4.0/>.

© The Author(s) 2023