



US 20130136746A1

(19) **United States**

(12) **Patent Application Publication**  
**Schneewind et al.**

(10) **Pub. No.: US 2013/0136746 A1**

(43) **Pub. Date: May 30, 2013**

(54) **COMPOSITIONS AND METHODS RELATED TO PROTEIN A (SPA) ANTIBODIES AS AN ENHANCER OF IMMUNE RESPONSE**

(75) Inventors: **Olaf Schneewind**, Chicago, IL (US);  
**Alice Cheng**, Chicago, IL (US);  
**Dominique M. Missiakas**, Chicago, IL (US); **Hwan Keun Kim**, Naperville, IL (US)

(73) Assignee: **The University of Chicago**, Chicago, IL (US)

(21) Appl. No.: **13/639,465**

(22) PCT Filed: **Apr. 5, 2011**

(86) PCT No.: **PCT/US11/31213**

§ 371 (c)(1),  
(2), (4) Date: **Jan. 18, 2013**

**Related U.S. Application Data**

(60) Provisional application No. 61/321,050, filed on Apr. 5, 2010.

**Publication Classification**

(51) **Int. Cl.**  
**A61K 39/40** (2006.01)  
(52) **U.S. Cl.**  
CPC ..... **A61K 39/40** (2013.01)  
USPC ..... **424/139.1**

(57) **ABSTRACT**

The present invention concerns methods and compositions for treating or preventing a bacterial infection, particularly infection by a *Staphylococcus* bacterium. The invention provides methods and compositions for stimulating an immune response against the bacteria. In certain embodiments, the methods and compositions involve a non-toxicogenic Protein A (SpA) variant or an antibody directed thereto.




FIG. 1

## COMPOSITIONS AND METHODS RELATED TO PROTEIN A (SPA) ANTIBODIES AS AN ENHANCER OF IMMUNE RESPONSE

[0001] This application claims priority to U.S. Provisional Patent Application Ser. No. 61/321,050 filed Apr. 5, 2010, which is incorporated herein by reference in its entirety.

[0002] This invention was made with government support under AI057153, AI75258, AI052474, and GM007281 awarded by the National Institutes of Health. The United States government has certain rights in the invention.

### BACKGROUND OF THE INVENTION

[0003] I. Field of the Invention

[0004] The present invention relates generally to the fields of immunology, microbiology, and pathology. More particularly, it concerns methods and compositions for enhancing an immune response against a bacterial antigen.

[0005] II. Background

[0006] The number of both community acquired and hospital acquired infections have increased over recent years with the increased use of intravascular devices. Hospital acquired (nosocomial) infections are a major cause of morbidity and mortality, more particularly in the United States, where it affects more than 2 million patients annually. The most frequent infections are urinary tract infections (33% of the infections), followed by pneumonia (15.5%), surgical site infections (14.8%) and primary bloodstream infections (13%) (Emorl and Gaynes, 1993).

[0007] The major nosocomial pathogens include *Staphylococcus aureus*, coagulase-negative Staphylococci (mostly *Staphylococcus epidermidis*), *enterococcus* spp., *Escherichia coli* and *Pseudomonas aeruginosa*. Although these pathogens cause approximately the same number of infections, the severity of the disorders they can produce combined with the frequency of antibiotic resistant isolates balance this ranking towards *S. aureus* and *S. epidermidis* as being the most significant nosocomial pathogens.

[0008] Staphylococci can cause a wide variety of diseases in humans and other animals through either toxin production or invasion. Staphylococcal toxins are also a common cause of food poisoning, as the bacteria can grow in improperly stored food.

[0009] *Staphylococcus epidermidis* is a normal skin commensal, which is also an important opportunistic pathogen responsible for infections of impaired medical devices and infections at sites of surgery. Medical devices infected by *S. epidermidis* include cardiac pacemakers, cerebrospinal fluid shunts, continuous ambulatory peritoneal dialysis catheters, orthopedic devices and prosthetic heart valves.

[0010] *Staphylococcus aureus* is the most common cause of nosocomial infections with a significant morbidity and mortality. It is the cause of some cases of osteomyelitis, endocarditis, septic arthritis, pneumonia, abscesses, and toxic shock syndrome. *S. aureus* can survive on dry surfaces, increasing the chance of transmission. Any *S. aureus* infection can cause the staphylococcal scalded skin syndrome, a cutaneous reaction to exotoxin absorbed into the bloodstream. It can also cause a type of septicemia called pyaemia that can be life-threatening. Problematically, Methicillin-resistant *Staphylococcus aureus* (MRSA) has become a major cause of hospital-acquired infections.

[0011] *S. aureus* and *S. epidermidis* infections are typically treated with antibiotics, with penicillin being the drug of

choice, whereas vancomycin is used for methicillin resistant isolates. The percentage of staphylococcal strains exhibiting wide-spectrum resistance to antibiotics has become increasingly prevalent, posing a threat for effective antimicrobial therapy. In addition, the recent emergence of vancomycin resistant *S. aureus* strain has aroused fear that MRSA strains are emerging and spreading for which no effective therapy is available.

[0012] An alternative to antibiotic treatment for staphylococcal infections is under investigation that uses antibodies directed against staphylococcal antigens. This therapy involves administration of polyclonal antisera (WO00/15238, WO00/12132) or treatment with monoclonal antibodies against lipoteichoic acid (WO98/57994).

[0013] An alternative approach would be the use of active vaccination to generate an immune response against staphylococci. The *S. aureus* genome has been sequenced and many of the coding sequences have been identified (WO02/094868, EP0786519), which can lead to the identification of potential antigens. The same is true for *S. epidermidis* (WO01/34809). As a refinement of this approach, others have identified proteins that are recognized by hyperimmune sera from patients who have suffered staphylococcal infection (WO01/98499, WO02/059148).

[0014] *S. aureus* secretes a plethora of virulence factors into the extracellular milieu (Archer, 1998; Dinges et al., 2000; Foster, 2005; Shaw et al., 2004; Sibbald et al., 2006). Like most secreted proteins, these virulence factors are translocated by the Sec machinery across the plasma membrane. Proteins secreted by the Sec machinery bear an N-terminal leader peptide that is removed by leader peptidase once the pre-protein is engaged in the Sec translocon (Dalbey and Wickner, 1985; van Wely et al., 2001). Recent genome analysis suggests that Actinobacteria and members of the Firmicutes encode an additional secretion system that recognizes a subset of proteins in a Sec-independent manner (Pallen, 2002). ESAT-6 (early secreted antigen target 6 kDa) and CFP-10 (culture filtrate antigen 10 kDa) of *Mycobacterium tuberculosis* represent the first substrates of this novel secretion system termed ESX-1 or 5 nm in *M. tuberculosis* (Andersen et al., 1995; Hsu et al., 2003; Pym et al., 2003; Stanley et al., 2003). In *S. aureus*, two ESAT-6 like factors designated EsxA and EsxB are secreted by the Ess pathway (ESAT-6 secretion system) (Burts et al., 2005).

[0015] The first generation of vaccines targeted against *S. aureus* or against the exoproteins it produces have met with limited success (Lee, 1996). There remains a need to develop effective vaccines against staphylococcal infections. Additional compositions for treating staphylococcal infections are also needed.

### SUMMARY OF THE INVENTION

[0016] Protein A (SpA) (SEQ ID NO:33), a cell wall anchored surface protein of *Staphylococcus aureus*, provides for bacterial evasion from innate and adaptive immune responses. Protein A binds immunoglobulins at their Fc portion, interacts with the VH3 domain of B cell receptors inappropriately stimulating B cell proliferation and apoptosis, binds to von Willebrand factor A1 domains to activate intracellular clotting, and also binds to the TNF Receptor-1 to contribute to the pathogenesis of staphylococcal pneumonia. Due to the fact that Protein A captures immunoglobulin and displays toxic attributes, the possibility that this surface molecule may function as a vaccine in humans has not been

rigorously pursued. Here the inventors demonstrate that antibodies specific for Protein A stimulate or enhance an immune response to other bacterial antigens.

**[0017]** Embodiments include the use of antibodies that specifically bind Protein A and peptides that elicit such antibodies in methods and compositions for the treatment, attenuation, or prevention of bacterial and/or staphylococcal infection and/or pathological conditions resulting from such an infection. Furthermore, the present invention provides methods and compositions that can be used to treat (e.g., limiting staphylococcal abscess formation and/or persistence in a subject), attenuate, or prevent bacterial infection or pathological conditions resulting from such infection.

**[0018]** In certain aspects, methods for stimulating or enhancing an immune response involve administering to the subject an effective amount of an isolated protein A (SpA) specific antibody and a bacterial antigen. The bacterial antigen or immunogenic fragment can be administered before, after, and/or concurrently with the protein A specific antibody. The bacterial antigen or immunogenic fragment and the Protein A specific antibody can be administered in the same or a separate composition.

**[0019]** In a further aspect, the methods include stimulating or enhancing an immune response involving administering an SpA polypeptide variant prior to or after the administration of one or more bacterial antigens. The SpA polypeptide variant can be administered 12, 24, 48, 72 hours, or 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 days before or after administration of one or more bacterial antigen. In certain aspects, a subject administered a SpA polypeptide variant can be evaluated for production of SpA specific antibodies prior to administration of one or more bacterial antigens or bacteria. In certain embodiments a SpA polypeptide variant can be administered 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 or more times prior to or after administration of one or more bacterial antigen or bacteria. In certain embodiments the SpA variant is a full length SpA variant comprising a variant A, B, C, D, and/or E domain. In certain aspects, the SpA variant comprises or consists of the amino acid sequence that is 80, 90, 95, 98, 99, or 100% identical to the amino acid sequence of SEQ ID NO:34. In other embodiments the SpA variant comprises a segment of SpA. The SpA segment can comprise at least or at most 1, 2, 3, 4, 5 or more IgG binding domains. The IgG domains can be at least or at most 1, 2, 3, 4, 5 or more variant A, B, C, D, or E domains. In certain aspects the SpA variant comprises at least or at most 1, 2, 3, 4, 5, or more variant A domains. In a further aspect the SpA variant comprises at least or at most 1, 2, 3, 4, 5, or more variant B domains. In still a further aspect the SpA variant comprises at least or at most 1, 2, 3, 4, 5, or more variant C domains. In yet a further aspect the SpA variant comprises at least or at most 1, 2, 3, 4, 5, or more variant D domains. In certain aspects the SpA variant comprises at least or at most 1, 2, 3, 4, 5, or more variant E domains. In a further aspect the SpA variant comprises a combination of A, B, C, D, and E domains in various combinations and permutations. The combinations can include all or part of a SpA signal peptide segment, a SpA region X segment, and/or a SpA sorting signal segment. In other aspects the SpA variant does not include a SpA signal peptide segment, a SpA region X segment, and/or a SpA sorting signal segment. In certain aspects a variant A domain comprises a substitution at position(s) 7, 8, 34, and/or 35 of SEQ ID NO:4. In another aspect a variant B domain comprises a substitution at position(s) 7, 8, 34, and/or 35 of SEQ ID NO:6. In still another aspect a variant C

domain comprises a substitution at position(s) 7, 8, 34, and/or 35 of SEQ ID NO:5. In certain aspects a variant D domain comprises a substitution at position(s) 9, 10, 36, and/or 37 of SEQ ID NO:2. In a further aspect a variant E domain comprises a substitution at position(s) 6, 7, 33, and/or 34 of SEQ ID NO:3. In certain aspects, an SpA domain D variant or its equivalent can comprise a mutation at position 9 and 36; 9 and 37; 9 and 10; 36 and 37; and 36; 10 and 37; 9, 36, and 37; 10, 36, and 37, 9, 10 and 36; or 9, 10 and 37 of SEQ ID NO:2. In a further aspect, analogous mutations can be included in one or more of domains A, B, C, or E. In further aspects, the amino acid glutamine (Q) at position 9 of SEQ ID NO:2 (or its analogous amino acid in other SpA domains) can be replaced with an alanine (A), an asparagine (N), an aspartic acid (D), a cysteine (C), a glutamic acid (E), a phenylalanine (F), a glycine (G), a histidine (H), an isoleucine (I), a lysine (K), a leucine (L), a methionine (M), a proline (P), a serine (S), a threonine (T), a valine (V), a tryptophane (W), or a tyrosine (Y). In some aspects the glutamine at position 9 can be substituted with an arginine (R). In a further aspect, the glutamine at position 9 of SEQ ID NO:2, or its equivalent, can be substituted with a lysine or a glycine. Any 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, or more of the substitutions can be explicitly excluded. In another aspect, the amino acid glutamine (Q) at position 10 of SEQ ID NO:2 (or its analogous amino acid in other SpA domains) can be replaced with an alanine (A), an asparagine (N), an aspartic acid (D), a cysteine (C), a glutamic acid (E), a phenylalanine (F), a glycine (G), a histidine (H), an isoleucine (I), a lysine (K), a leucine (L), a methionine (M), a proline (P), a serine (S), a threonine (T), a valine (V), a tryptophane (W), or a tyrosine (Y). In some aspects the glutamine at position 10 can be substituted with an arginine (R). In a further aspect, the glutamine at position 10 of SEQ ID NO:2, or its equivalent, can be substituted with a lysine or a glycine. Any 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, or more of the substitutions can be explicitly excluded. In certain aspects, the aspartic acid (D) at position 36 of SEQ ID NO:2 (or its analogous amino acid in other SpA domains) can be replaced with an alanine (A), an asparagine (N), an arginine (R), a cysteine (C), a phenylalanine (F), a glycine (G), a histidine (H), an isoleucine (I), a lysine (K), a leucine (L), a methionine (M), a proline (P), a glutamine (Q), a serine (S), a threonine (T), a valine (V), a tryptophane (W), or a tyrosine (Y). In some aspects the aspartic acid at position 36 can be substituted with a glutamic acid (E). In certain aspects, an aspartic acid at position 36 of SEQ ID NO:2, or its equivalent, can be substituted with an alanine or a serine. Any 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, or more of the substitutions can be explicitly excluded. In another aspect, the aspartic acid (D) at position 37 of SEQ ID NO:2 (or its analogous amino acid in other SpA domains) can be replaced with an alanine (A), an asparagine (N), an arginine (R), a cysteine (C), a phenylalanine (F), a glycine (G), a histidine (H), an isoleucine (I), a lysine (K), a leucine (L), a methionine (M), a proline (P), a glutamine (Q), a serine (S), a threonine (T), a valine (V), a tryptophane (W), or a tyrosine (Y). In some aspects the aspartic acid at position 37 can be substituted with a glutamic acid (E). In certain aspects, an aspartic acid at position 37 of SEQ ID NO:2, or its equivalent, can be substituted with an alanine or a serine. Any 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, or more of the substitutions can be explicitly excluded. In a particular embodiment the amino at position 9 of SEQ ID NO:2 (or an analogous amino acid in another SpA domain) is replaced by an alanine (A), a glycine (G), an isoleucine (I), a leucine (L), a proline (P), a serine (S), or a

valine (V). In certain aspects the amino acid at position 9 of SEQ ID NO:2 is replaced by a glycine. In a further aspect the amino acid at position 9 of SEQ ID NO:2 is replaced by a lysine. In a particular embodiment the amino acid at position 10 of SEQ ID NO:2 (or an analogous amino acid in another SpA domain) is replaced by an alanine (A), a glycine (G), an isoleucine (I), a leucine (L), a proline (P), a serine (S), or a valine (V). In certain aspects the amino acid at position 10 of SEQ ID NO:2 is replaced by a glycine. In a further aspect the amino acid at position 10 of SEQ ID NO:2 is replaced by a lysine. In a particular embodiment the amino acid at position 36 of SEQ ID NO:2 (or an analogous amino acid in another SpA domain) is replaced by an alanine (A), a glycine (G), an isoleucine (I), a leucine (L), a proline (P), a serine (S), or a valine (V). In certain aspects the amino acid at position 36 of SEQ ID NO:2 is replaced by a serine. In a further aspect the amino acid at position 36 of SEQ ID NO:2 is replaced by an alanine. In a particular embodiment the amino acid at position 37 of SEQ ID NO:2 (or an analogous amino acid in another SpA domain) is replaced by an alanine (A), a glycine (G), an isoleucine (I), a leucine (L), a proline (P), a serine (S), or a valine (V). In certain aspects the amino acid at position 37 of SEQ ID NO:2 is replaced by a serine. In a further aspect the amino acid at position 37 of SEQ ID NO:2 is replaced by an alanine. In certain aspects the SpA variant includes a substitution of (a) one or more amino acid substitution in an IgG Fc binding sub-domain of SpA domain A, B, C, D, and/or E that disrupts or decreases binding to IgG Fc, and (b) one or more amino acid substitution in a  $V_H3$  binding sub-domain of SpA domain A, B, C, D, and/or E that disrupts or decreases binding to  $V_H3$ . In still further aspects the amino acid sequence of a SpA variant comprises an amino acid sequence that is at least 50%, 60%, 70%, 80%, 90%, 95%, or 100% identical, including all values and ranges there between, to the amino acid sequence of SEQ ID NOs:2-6. In a further aspect the SpA variant includes (a) one or more amino acid substitution in an IgG Fc binding sub-domain of SpA domain D, or at a corresponding amino acid position in other IgG domains, that disrupts or decreases binding to IgG Fc, and (b) one or more amino acid substitution in a  $V_H3$  binding sub-domain of SpA domain D, or at a corresponding amino acid position in other IgG domains, that disrupts or decreases binding to  $V_H3$ . In certain aspects amino acid residue F5, Q9, Q10, S11, F13, Y14, L17, N28, I31, and/or K35 (SEQ ID NO:2, QQNNFNKDKQSAFYEILNMPNLNEAQRNG-FIQLSKDDPSQSTNVLGEAKKLNES) of the IgG Fc binding sub-domain of domain D are modified or substituted. In certain aspects amino acid residue Q26, G29, F30, S33, D36, D37, Q40, N43, and/or E47 (SEQ ID NO:2) of the  $V_H3$  binding sub-domain of domain D are modified or substituted such that binding to Fc or  $V_H3$  is attenuated. In further aspects corresponding modifications or substitutions can be engineered in corresponding positions of the domain A, B, C, and/or E. Corresponding positions are defined by alignment of the domain D amino acid sequence with one or more of the amino acid sequences from other IgG binding domains of SpA. In certain aspects the amino acid substitution can be any of the other 20 amino acids. In a further aspect conservative amino acid substitutions can be specifically excluded from possible amino acid substitutions. In other aspects only non-conservative substitutions are included. In any event, any substitution or combination of substitutions that reduces the binding of the domain such that SpA toxicity is significantly reduced is contemplated. The significance of the reduction in

binding refers to a variant that produces minimal to no toxicity when introduced into a subject and can be assessed using in vitro methods described herein. In certain embodiments, a variant SpA comprises at least or at most 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, or more variant SpA domain D peptides. In certain aspects 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, or 19 or more amino acid residues of the variant SpA are substituted or modified—including but not limited to amino acids F5, Q9, Q10, S11, F13, Y14, L17, N28, I31, and/or K35 (SEQ ID NO:2) of the IgG Fc binding sub-domain of domain D and amino acid residue Q26, G29, F30, S33, D36, D37, Q40, N43, and/or E47 (SEQ ID NO:2) of the  $V_H3$  binding sub-domain of domain D. In one aspect of the invention glutamine residues at position 9 and/or 10 of SEQ ID NO:2 (or corresponding positions in other domains) are mutated. In another aspect, aspartic acid residues 36 and/or 37 of SEQ ID NO:2 (or corresponding positions in other domains) are mutated. In a further aspect, glutamine 9 and 10, and aspartic acid residues 36 and 37 are mutated. Purified non-toxicogenic SpA or SpA-D mutants/variants described herein are no longer able to significantly bind (i.e., demonstrate attenuated or disrupted binding affinity) Fcγ or F(ab)<sub>2</sub>  $V_H3$  and also do not stimulate B cell apoptosis. These non-toxicogenic Protein A variants can be used to enhance or stimulate an immune response against a bacterial antigen, thereby raising humoral immune responses that confer protective immunity against *S. aureus* challenge. Compared to wild-type full-length Protein A or the wild-type SpA-domain D, immunization with SpA-D variants resulted in an increase in Protein A specific antibody. Using a mouse model of staphylococcal challenge and abscess formation, it was observed that immunization with the non-toxicogenic Protein A variants generated significant protection from staphylococcal infection and abscess formation. As virtually all *S. aureus* strains express Protein A, immunization of humans with the non-toxicogenic Protein A variants can neutralize this virulence factor and thereby establish protective immunity. In certain aspects the protective immunity protects or ameliorates infection by drug resistant strains of *Staphylococcus*, such as USA300 and other MRSA strains. In certain embodiments 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 or more SpA variants can be specifically excluded from the claimed invention.

**[0020]** Bacterial antigens include, but are not limited to (i) a secreted virulence factor, and/or a cell surface protein or peptide, or (ii) a recombinant nucleic acid molecule encoding a secreted virulence factor, and/or a cell surface protein or peptide. The bacterial antigen can include one or more of at least or at most 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, or 19 additional staphylococcal antigen or immunogenic fragment thereof, including, but not limited to FnBpA, FnBpB, LukD (GI:2765304), LukE (GI:2765303), LukF (GI:12231006), SasA, SasD, SasG, SasI, SasK, SpA (and variants thereof), Eap, Ebh, Emp, EsaB, EsaC, EsxA, EsxB, SdrC, SdrD, SdrE, IsdA, IsdB, ClfA, ClfB, Coa, Hla (e.g., H35 mutants), IsdC, SasF, vWbp, vWh, 52 kDa vitronectin binding protein (WO 01/60852), Aaa (GenBank CAC80837), Aap (GenBank accession AJ249487), Ant (GenBank accession NP\_372518), autolysin glucosaminidase, autolysin amidase, Cna, collagen binding protein (U.S. Pat. No. 6,288,214), EFB (FIB), Elastin binding protein (EbpS), EPB, FbpA, fibrinogen binding protein (U.S. Pat. No. 6,008,341), Fibronectin binding protein (U.S. Pat. No. 5,840,846), FnbA, FnbB, GehD (US 2002/0169288), HarA, HBP, Immunodominant ABC transporter, IsaA/P isA, laminin receptor,

Lipase GehD, MAP, Mg<sup>2+</sup> transporter, MHC II analogue (U.S. Pat. No. 5,648,240), MRPII, Npase, RNA III activating protein (RAP), SasA, SasB, SasC, SasD, SasK, SBI, SdrF (WO 00/12689), SdrG/Fig (WO 00/12689), SdrH (WO 00/12689), SEA exotoxins (WO 00/02523), SEB exotoxins (WO 00/02523), SitC and Ni ABC transporter, SitC/MntC/saliva binding protein (U.S. Pat. No. 5,801,234), SsaA, SSP-1, SSP-2, and/or Vitronectin binding protein (see PCT publications WO2007/113222, WO2007/113223, WO2006/032472, WO2006/032475, WO2006/032500, each of which is incorporated herein by reference in their entirety). In certain aspects, the bacterial antigen is a staphylococcal antigen. The staphylococcal antigen can be selected from the group consisting of: FnBpA, FnBpB, LukD, LukE, LukF, SasA, SasD, SasG, SasI, SasK, SpA (and variants thereof), Eap, Ebh, Emp, EsaB, EsaC, EsxA, EsxB, SdrC, SdrD, SdrE, IsdA, IsdB, ClfA, ClfB, Coa, Hla (e.g., H35 mutants), IsdC, SasF, vWbp, vWh and immunogenic fragments thereof. In certain aspects the bacterial antigens include one or more of sta001, sta002, sta003, sta004, sta005, sta006, sta007, sta008, sta009, sta010, sta011, sta012, sta013, sta014, sta015, sta016, sta017, sta018, sta019, sta020, sta021, sta022, sta023, sta024, sta025, sta026, sta027, sta028, sta029, sta030, sta031, sta032, sta033, sta034, sta035, sta036, sta037, sta038, sta039, sta040, sta041, sta042, sta043, sta044, sta045, sta046, sta047, sta048, sta049, sta050, sta051, sta052, sta053, sta054, sta055, sta056, sta057, sta058, sta059, sta060, sta061, sta062, sta063, sta064, sta065, sta066, sta067, sta068, sta069, sta070, sta071, sta072, sta073, sta074, sta075, sta076, sta077, sta078, sta079, sta080, sta081, sta082, sta083, sta084, sta085, sta086, sta087, sta088, sta089, sta090, sta091, sta092, sta093, sta094, sta095, sta096, sta097, sta098, sta099, sta100, sta101, sta102, sta103, sta104, sta105, sta106, sta107, sta108, sta109, sta110, sta111, sta112, sta113, sta114, sta115, sta116, sta117, sta118, sta119, sta120, or EsxAB hybrid (SEQ ID NO:155) polypeptide or immunogenic fragment thereof (see PCT publication WO/2010/119343, which is incorporated herein by reference in its entirety).

**[0021]** In certain embodiments, the claimed invention specifically excludes 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 or more of FnBpA, FnBpB, LukD (GI:2765304), LukE (GI:2765303), LukF (GI:12231006), SasA, SasD, SasG, SasI, SasK, SpA (and variants thereof), Eap, Ebh, Emp, EsaB, EsaC, EsxA, EsxB, SdrC, SdrD, SdrE, IsdA, IsdB, ClfA, ClfB, Coa, Hla (e.g., H35 mutants), IsdC, SasF, vWbp, vWh, 52 kDa vitronectin binding protein (WO 01/60852), Aaa (GenBank CAC80837), Aap (GenBank accession AJ249487), Ant (GenBank accession NP\_372518), autolysin glucosaminidase, autolysin amidase, Cna, collagen binding protein (U.S. Pat. No. 6,288,214), EFB (FIB), Elastin binding protein (EbpS), EPB, FbpA, fibrinogen binding protein (U.S. Pat. No. 6,008,341), Fibronectin binding protein (U.S. Pat. No. 5,840,846), FnbA, FnbB, GehD (US 2002/0169288), HarA, HBP, Immunodominant ABC transporter, IsaA/P isA, laminin receptor, Lipase GehD, MAP, Mg<sup>2+</sup> transporter, MHC II analogue (U.S. Pat. No. 5,648,240), MRPII, Npase, RNA III activating protein (RAP), SasA, SasB, SasC, SasD, SasK, SBI, SdrF (WO 00/12689), SdrG/Fig (WO 00/12689), SdrH (WO 00/12689), SEA exotoxins (WO 00/02523), SEB exotoxins (WO 00/02523), SitC and Ni ABC transporter, SitC/MntC/saliva binding protein (U.S. Pat. No. 5,801,234), SsaA, SSP-1, SSP-2, and/or Vitronectin binding protein (see PCT publications WO2007/113222, WO2007/113223, WO2006/032472, WO2006/032475, WO2006/032500, each of which

is incorporated herein by reference in their entirety). In certain aspects, the bacterial antigen is a staphylococcal antigen. The staphylococcal antigen can be selected from the group consisting of: FnBpA, FnBpB, LukD, LukE, LukF, SasA, SasD, SasG, SasI, SasK, SpA (and variants thereof), Eap, Ebh, Emp, EsaB, EsaC, EsxA, EsxB, SdrC, SdrD, SdrE, IsdA, IsdB, ClfA, ClfB, Coa, Hla (e.g., H35 mutants), IsdC, SasF, vWbp, vWh and immunogenic fragments thereof. In certain aspects the bacterial antigens include one or more of sta001, sta002, sta003, sta004, sta005, sta006, sta007, sta008, sta009, sta010, sta011, sta012, sta013, sta014, sta015, sta016, sta017, sta018, sta019, sta020, sta021, sta022, sta023, sta024, sta025, sta026, sta027, sta028, sta029, sta030, sta031, sta032, sta033, sta034, sta035, sta036, sta037, sta038, sta039, sta040, sta041, sta042, sta043, sta044, sta045, sta046, sta047, sta048, sta049, sta050, sta051, sta052, sta053, sta054, sta055, sta056, sta057, sta058, sta059, sta060, sta061, sta062, sta063, sta064, sta065, sta066, sta067, sta068, sta069, sta070, sta071, sta072, sta073, sta074, sta075, sta076, sta077, sta078, sta079, sta080, sta081, sta082, sta083, sta084, sta085, sta086, sta087, sta088, sta089, sta090, sta091, sta092, sta093, sta094, sta095, sta096, sta097, sta098, sta099, sta100, sta101, sta102, sta103, sta104, sta105, sta106, sta107, sta108, sta109, sta110, sta111, sta112, sta113, sta114, sta115, sta116, sta117, sta118, sta119, sta120, or EsxAB hybrid polypeptide or immunogenic fragment thereof.

**[0022]** Certain embodiments are directed to an immunogenic composition comprising an isolated Protein A (SpA) specific antibody and a bacterial antigen, wherein the Protein A specific antibody enhances an immune response to the bacterial antigen. In certain aspects, the antibody is a polyclonal antibody, a monoclonal antibody, or an antibody fragment. In still further aspects, the bacterial antigen is comprised in or on a bacteria. The bacteria can be an attenuated bacteria, in particular an attenuated staphylococcal bacteria.

**[0023]** In certain embodiments a subject is administered an SpA polypeptide variant (before or after administering one or more bacterial antigens) or administered a protein A specific antibody in combination with one or more bacterial antigens selected from: FnBpA antigen or immunogenic fragment thereof, FnBpB antigen or immunogenic fragment thereof, LukD antigen or immunogenic fragment thereof, LukE antigen or immunogenic fragment thereof, LukF antigen or immunogenic fragment thereof, SasA antigen or immunogenic fragment thereof, SasD antigen or immunogenic fragment thereof, SasG antigen or immunogenic fragment thereof, SasI antigen or immunogenic fragment thereof, SasK antigen or immunogenic fragment thereof, SpA (and variants thereof) antigen or immunogenic fragment thereof, Eap antigen or immunogenic fragment thereof, Ebh antigen or immunogenic fragment thereof, Emp antigen or immunogenic fragment thereof, EsaB antigen or immunogenic fragment thereof, EsaC antigen or immunogenic fragment thereof, EsxA antigen or immunogenic fragment thereof, EsxB antigen or immunogenic fragment thereof, SdrC antigen or immunogenic fragment thereof, SdrD antigen or immunogenic fragment thereof, SdrE antigen or immunogenic fragment thereof, IsdA antigen or immunogenic fragment thereof, IsdB antigen or immunogenic fragment thereof, ClfA antigen or immunogenic fragment thereof, ClfB antigen or immunogenic fragment thereof, Coa antigen or immunogenic fragment thereof, Hla (e.g., H35 mutants) antigen or immunogenic fragment thereof, IsdC antigen or immunogenic fragment thereof, SasF antigen or immunogenic fragment















FnBpA, FnBpB, LukD, LukE, LukF, SasA, SasD, SasG, SasI, SasK, SpA (and variants thereof), Eap, Ebh, Emp, EsaB, EsaC, EsxA, EsxB, SdrC, SdrD, SdrE, IsdA, IsdB, ClfA, ClfB, Coa, Hla (e.g., H35 mutants), IsdC, SasF, vWh, sta001, sta002, sta003, sta004, sta005, sta006, sta007, sta008, sta009, sta010, sta011, sta012, sta013, sta014, sta015, sta016, sta017, sta018, sta019, sta020, sta021, sta022, sta023, sta024, sta025, sta026, sta027, sta028, sta029, sta030, sta031, sta032, sta033, sta034, sta035, sta036, sta037, sta038, sta039, sta040, sta041, sta042, sta043, sta044, sta045, sta046, sta047, sta048, sta049, sta050, sta051, sta052, sta053, sta054, sta055, sta056, sta057, sta058, sta059, sta060, sta061, sta062, sta063, sta064, sta065, sta066, sta067, sta068, sta069, sta070, sta071, sta072, sta073, sta074, sta075, sta076, sta077, sta078, sta079, sta080, sta081, sta082, sta083, sta084, sta085, sta086, sta087, sta088, sta089, sta090, sta091, sta092, sta093, sta094, sta095, sta096, sta097, sta098, sta099, sta100, sta101, sta102, sta103, sta104, sta105, sta106, sta107, sta108, sta109, sta110, sta111, sta112, sta113, sta114, sta115, sta116, sta117, sta118, sta119, sta120, or EsxAB hybrid polypeptide or immunogenic fragment thereof.

**[0054]** In other aspects, a subject is administered an SpA polypeptide variant (before or after one or more bacterial antigens) or administered a protein A antibody (before, concurrently or after one or more bacterial antigens) in combination with vWh and 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, or more bacterial antigens selected from FnBpA, FnBpB, LukD, LukE, LukF, SasA, SasD, SasG, SasI, SasK, SpA (and variants thereof), Eap, Ebh, Emp, EsaB, EsaC, EsxA, EsxB, SdrC, SdrD, SdrE, IsdA, IsdB, ClfA, ClfB, Coa, Hla (e.g., H35 mutants), IsdC, SasF, vWbp, sta001, sta002, sta003, sta004, sta005, sta006, sta007, sta008, sta009, sta010, sta011, sta012, sta013, sta014, sta015, sta016, sta017, sta018, sta019, sta020, sta021, sta022, sta023, sta024, sta025, sta026, sta027, sta028, sta029, sta030, sta031, sta032, sta033, sta034, sta035, sta036, sta037, sta038, sta039, sta040, sta041, sta042, sta043, sta044, sta045, sta046, sta047, sta048, sta049, sta050, sta051, sta052, sta053, sta054, sta055, sta056, sta057, sta058, sta059, sta060, sta061, sta062, sta063, sta064, sta065, sta066, sta067, sta068, sta069, sta070, sta071, sta072, sta073, sta074, sta075, sta076, sta077, sta078, sta079, sta080, sta081, sta082, sta083, sta084, sta085, sta086, sta087, sta088, sta089, sta090, sta091, sta092, sta093, sta094, sta095, sta096, sta097, sta098, sta099, sta100, sta101, sta102, sta103, sta104, sta105, sta106, sta107, sta108, sta109, sta110, sta111, sta112, sta113, sta114, sta115, sta116, sta117, sta118, sta119, sta120, or EsxAB hybrid polypeptide or immunogenic fragment thereof.

**[0055]** Certain embodiment are directed to the above listed antibody and bacterial antigen combinations comprised in a vaccine composition having a pharmaceutically acceptable excipient.

**[0056]** Further embodiments include methods of making a vaccine comprising the steps of mixing antibody and antigens to make the compositions described herein.

**[0057]** Still further embodiments include methods of preventing or treating staphylococcal infection comprising the step of administering the vaccine as described herein to a patient in need thereof.

**[0058]** Certain embodiments are directed to use of the compositions described herein in the treatment or prevention of bacterial or staphylococcal infection. Certain embodiments are directed to use of the compositions described herein in the

treatment or prevention of pathological conditions resulting from bacterial or staphylococcal infection.

**[0059]** A further embodiment includes methods for treating a bacterial infection in a subject comprising providing to a subject having, suspected of having or at risk of developing a bacterial infection effective amounts of an isolated Protein A (SpA) specific antibody and one or more bacterial antigens. In certain aspects, the one or more bacterial antigens are comprised in or on a bacteria, or are isolated recombinant polypeptides or peptides. In a further aspect the bacteria comprising the antigens is an attenuated bacteria, in a particular aspect the attenuated bacteria is a staphylococcal bacteria. In certain aspects the subject is diagnosed with a staphylococcal infection. In various aspects described above, the bacterial antigen is a staphylococcal antigen. The staphylococcal antigen can be selected from the group consisting of: FnBpA, FnBpB, LukD, LukE, LukF, SasA, SasD, SasG, SasI, SasK, SpA (and variants thereof), Eap, Ebh, Emp, EsaB, EsaC, EsxA, EsxB, SdrC, SdrD, SdrE, IsdA, IsdB, ClfA, ClfB, Coa, Hla (e.g., H35 mutants), IsdC, SasF, vWbp, vWh and immunogenic fragments thereof.

**[0060]** The methods further include steps wherein two or more bacterial antigens are provided to the subject. In certain aspects the Protein A (SpA) specific antibody is provided before, after, and/or concurrently with the bacterial antigen. In certain aspects, the Protein A (SpA) specific antibody and the one or more bacterial antigens are provided in the same composition. In a further aspect, the subject is a mammal, particularly human.

**[0061]** Embodiments include methods for enhancing an immune response against a bacterium in a subject. In certain aspects the methods include providing to the subject effective amounts of an isolated Protein A (SpA) specific antibody and one or more antigens from the bacterium. In a further aspect the methods include pre-immunization with an SpA polypeptide variant followed by administration of one or more antigens from the bacterium. Still further aspects include administration of an SpA polypeptide variant after administration of one or more antigens from the bacterium. In certain aspects, one or more bacterial antigens are comprised in or on or produced by a bacteria, or are isolated recombinant polypeptides or peptides. In a further aspect the bacteria comprising the antigens is an attenuated bacteria, in a particular aspect the attenuated bacteria is a staphylococcal bacteria. In certain aspects the subject is diagnosed with a staphylococcal infection. In various aspects described above, the bacterial antigen is a staphylococcal antigen. The staphylococcal antigen can be selected from the group consisting of: FnBpA, FnBpB, LukD, LukE, LukF, SasA, SasD, SasG, SasI, SasK, SpA (and variants thereof), Eap, Ebh, Emp, EsaB, EsaC, EsxA, EsxB, SdrC, SdrD, SdrE, IsdA, IsdB, ClfA, ClfB, Coa, Hla (e.g., H35 mutants), IsdC, SasF, vWbp, vWh and immunogenic fragments thereof. In certain aspects the *staphylococcus* bacterium is a *S. aureus* bacterium. In a further aspect, the *staphylococcus* bacterium is resistant to one or more treatments, such as methicillin resistant. In certain aspects the composition is administered more than one time to the subject.

**[0062]** In certain aspects, a bacterium delivering a composition of the invention will be limited or attenuated with respect to prolonged or persistent growth or abscess formation. In yet a further aspect, bacterial antigens can be overexpressed in an attenuated bacterium to further enhance or supplement an immune response or vaccine formulation.



**[0088]** The term “Hla protein” refers to a protein that includes isolated wild-type Hla polypeptides from *staphylococcus* bacteria and segments thereof, as well as variants that stimulate an immune response against *staphylococcus* bacteria Hla proteins.

**[0089]** The term “IsdC protein” refers to a protein that includes isolated wild-type IsdC polypeptides from *staphylococcus* bacteria and segments thereof, as well as variants that stimulate an immune response against *staphylococcus* bacteria IsdC proteins.

**[0090]** The term “SasF protein” refers to a protein that includes isolated wild-type SasF polypeptides from *staphylococcus* bacteria and segments thereof, as well as variants that stimulate an immune response against *staphylococcus* bacteria SasF proteins.

**[0091]** The term “vWbp protein” refers to a protein that includes isolated wild-type vWbp (von Willebrand factor binding protein) polypeptides from *staphylococcus* bacteria and segments thereof, as well as variants that stimulate an immune response against *staphylococcus* bacteria vWbp proteins.

**[0092]** The term “vWh protein” refers to a protein that includes isolated wild-type vWh (von Willebrand factor binding protein homolog) polypeptides from *staphylococcus* bacteria and segments thereof, as well as variants that stimulate an immune response against *staphylococcus* bacteria vWh proteins.

**[0093]** An immune response refers to a humoral response, a cellular response, or both a humoral and cellular response in an organism. An immune response can be measured by assays that include, but are not limited to, assays measuring the presence or amount of antibodies that specifically recognize a protein or cell surface protein, assays measuring T-cell activation or proliferation, and/or assays that measure modulation in terms of activity or expression of one or more cytokines.

**[0094]** In still further embodiments of the invention a composition may include a polypeptide, peptide, or protein that is or is at least 70%, 75%, 80%, 85%, 90%, 95%, 96%, 97%, 98%, or 99% identical or similar to a FnBpA protein. In certain aspects the FnBpA protein will have all or part of the amino acid sequence of accession number A32192/GI:97812.

**[0095]** In still further embodiments of the invention a composition may include a polypeptide, peptide, or protein that is or is at least 70%, 75%, 80%, 85%, 90%, 95%, 96%, 97%, 98%, or 99% identical or similar to an FnBpB protein. In certain aspects the FnBpB protein will have all or part of the amino acid sequence of accession number A32192/GI:97812.

**[0096]** In still further embodiments of the invention a composition may include a polypeptide, peptide, or protein that is or is at least 70%, 75%, 80%, 85%, 90%, 95%, 96%, 97%, 98%, or 99% identical or similar to an LukD protein. In certain aspects the LukD protein will have all or part of the amino acid sequence of accession number CAA73668/GI:2765304.

**[0097]** In still further embodiments of the invention a composition may include a polypeptide, peptide, or protein that is or is at least 70%, 75%, 80%, 85%, 90%, 95%, 96%, 97%, 98%, or 99% identical or similar to an LukE protein. In certain aspects the LukE protein will have all or part of the amino acid sequence of accession number CAA73667.1/GI:2765303.

**[0098]** In still further embodiments of the invention a composition may include a polypeptide, peptide, or protein that is

or is at least 70%, 75%, 80%, 85%, 90%, 95%, 96%, 97%, 98%, or 99% identical or similar to an LukF protein. In certain aspects the LukF protein will have all or part of the amino acid sequence of accession number AAC60446.1/GI:410007.

**[0099]** In still further embodiments of the invention a composition may include a polypeptide, peptide, or protein that is or is at least 70%, 75%, 80%, 85%, 90%, 95%, 96%, 97%, 98%, or 99% identical or similar to an SasA protein. In certain aspects the SasA protein will have all or part of the amino acid sequence of accession number Q06904.2/GI:93141309.

**[0100]** In still further embodiments of the invention a composition may include a polypeptide, peptide, or protein that is or is at least 70%, 75%, 80%, 85%, 90%, 95%, 96%, 97%, 98%, or 99% identical or similar to an SasD protein. In certain aspects the SasD protein will have all or part of the amino acid sequence of accession number AAR15215.1/GI:38259745.

**[0101]** In still further embodiments of the invention a composition may include a polypeptide, peptide, or protein that is or is at least 70%, 75%, 80%, 85%, 90%, 95%, 96%, 97%, 98%, or 99% identical or similar to an SasG protein. In certain aspects the SasG protein will have all or part of the amino acid sequence of accession number Q2G2B2.1/GI:122540575.

**[0102]** In still further embodiments of the invention a composition may include a polypeptide, peptide, or protein that is or is at least 70%, 75%, 80%, 85%, 90%, 95%, 96%, 97%, 98%, or 99% identical or similar to an SasI protein. In certain aspects the SasI protein will have all or part of the amino acid sequence of accession number AAR15295.1/GI:38259905.

**[0103]** In still further embodiments of the invention a composition may include a polypeptide, peptide, or protein that is or is at least 70%, 75%, 80%, 85%, 90%, 95%, 96%, 97%, 98%, or 99% identical or similar to an SasK protein. In certain aspects the SasK protein will have all or part of the amino acid sequence of accession number ZP\_06340589.1/GI:283767674.

**[0104]** In still further embodiments of the invention a composition may include a polypeptide, peptide, or protein that is or is at least 70%, 75%, 80%, 85%, 90%, 95%, 96%, 97%, 98%, or 99% identical or similar to an EsxA protein. In certain aspects the EsxA protein will have all or part of the amino acid sequence of SEQ ID NO:11.

**[0105]** In still further embodiments of the invention a composition may include a polypeptide, peptide, or protein that is or is at least 70%, 75%, 80%, 85%, 90%, 95%, 96%, 97%, 98%, or 99% identical or similar to an EsxB protein. In certain aspects the EsxB protein will have all or part of the amino acid sequence of SEQ ID NO:12.

**[0106]** In yet still further embodiments of the invention a composition may include a polypeptide, peptide, or protein that is or is at least 70%, 75%, 80%, 85%, 90%, 95%, 96%, 97%, 98%, or 99% identical or similar to an SdrD protein. In certain aspects the SdrD protein will have all or part of the amino acid sequence of SEQ ID NO:13.

**[0107]** In further embodiments of the invention a composition may include a polypeptide, peptide, or protein that is or is at least 70%, 75%, 80%, 85%, 90%, 95%, 96%, 97%, 98%, or 99% identical or similar to an SdrE protein. In certain aspects the SdrE protein will have all or part of the amino acid sequence of SEQ ID NO:14.

**[0108]** In still further embodiments of the invention a composition may include a polypeptide, peptide, or protein that is or is at least 70%, 75%, 80%, 85%, 90%, 95%, 96%, 97%,

98%, or 99% identical or similar to an IsdA protein. In certain aspects the IsdA protein will have all or part of the amino acid sequence of SEQ ID NO:15.

**[0109]** In yet still further embodiments of the invention a composition may include a polypeptide, peptide, or protein that is or is at least 70%, 75%, 80%, 85%, 90%, 95%, 96%, 97%, 98%, or 99% identical or similar to an IsdB protein. In certain aspects the IsdB protein will have all or part of the amino acid sequence of SEQ ID NO:16.

**[0110]** Embodiments of the invention include compositions that include a polypeptide, peptide, or protein that is or is at least 70%, 75%, 80%, 85%, 90%, 95%, 96%, 97%, 98%, or 99% identical or similar to a EsaB protein. In certain aspects the EsaB protein will have all or part of the amino acid sequence of SEQ ID NO:17.

**[0111]** In a further embodiments of the invention a composition may include a polypeptide, peptide, or protein that is or is at least 70%, 75%, 80%, 85%, 90%, 95%, 96%, 97%, 98%, or 99% identical or similar to a ClfB protein. In certain aspects the ClfB protein will have all or part of the amino acid sequence of SEQ ID NO:18.

**[0112]** In still further embodiments of the invention a composition may include a polypeptide, peptide, or protein that is or is at least 70%, 75%, 80%, 85%, 90%, 95%, 96%, 97%, 98%, or 99% identical or similar to an IsdC protein. In certain aspects the IsdC protein will have all or part of the amino acid sequence of SEQ ID NO:19.

**[0113]** In yet further embodiments of the invention a composition may include a polypeptide, peptide, or protein that is or is at least 70%, 75%, 80%, 85%, 90%, 95%, 96%, 97%, 98%, or 99% identical or similar to a SasF protein. In certain aspects the SasF protein will have all or part of the amino acid sequence of SEQ ID NO:20.

**[0114]** In yet still further embodiments of the invention a composition may include a polypeptide, peptide, or protein that is or is at least 70%, 75%, 80%, 85%, 90%, 95%, 96%, 97%, 98%, or 99% identical or similar to a SdrC protein. In certain aspects the SdrC protein will have all or part of the amino acid sequence of SEQ ID NO:21.

**[0115]** In yet still further embodiments of the invention a composition may include a polypeptide, peptide, or protein that is or is at least 70%, 75%, 80%, 85%, 90%, 95%, 96%, 97%, 98%, or 99% identical or similar to a ClfA protein. In certain aspects the ClfA protein will have all or part of the amino acid sequence of SEQ ID NO:22.

**[0116]** In yet still further embodiments of the invention a composition may include a polypeptide, peptide, or protein that is or is at least 70%, 75%, 80%, 85%, 90%, 95%, 96%, 97%, 98%, or 99% identical or similar to an Eap protein. In certain aspects the Eap protein will have all or part of the amino acid sequence of SEQ ID NO:23.

**[0117]** In yet still further embodiments of the invention a composition may include a polypeptide, peptide, or protein that is or is at least 70%, 75%, 80%, 85%, 90%, 95%, 96%, 97%, 98%, or 99% identical or similar to an Ebh protein. In certain aspects the Ebh protein will have all or part of the amino acid sequence of SEQ ID NO:24.

**[0118]** In yet still further embodiments of the invention a composition may include a polypeptide, peptide, or protein that is or is at least 70%, 75%, 80%, 85%, 90%, 95%, 96%, 97%, 98%, or 99% identical or similar to an Emp protein. In certain aspects the Emp protein will have all or part of the amino acid sequence of SEQ ID NO:25.

**[0119]** In yet still further embodiments of the invention a composition may include a polypeptide, peptide, or protein that is or is at least 70%, 75%, 80%, 85%, 90%, 95%, 96%, 97%, 98%, or 99% identical or similar to an EsaC protein. In certain aspects the EsaC protein will have all or part of the amino acid sequence of SEQ ID NO:26. Sequence of EsaC polypeptides can be found in the protein databases and include, but are not limited to accession numbers ZP\_02760162 (GI:168727885), NP\_645081.1 (GI:21281993), and NP\_370813.1 (GI:15923279), each of which is incorporated herein by reference as of the priority date of this application.

**[0120]** In yet still further embodiments of the invention a composition may include a polypeptide, peptide, or protein that is or is at least 70%, 75%, 80%, 85%, 90%, 95%, 96%, 97%, 98%, or 99% identical or similar to a Coa protein. In certain aspects the Coa protein will have all or part of the amino acid sequence of SEQ ID NO:27.

**[0121]** In yet still further embodiments of the invention a composition may include a polypeptide, peptide, or protein that is or is at least 70%, 75%, 80%, 85%, 90%, 95%, 96%, 97%, 98%, or 99% identical or similar to a Hla protein. In certain aspects the Hla protein will have all or part of the amino acid sequence of SEQ ID NO:28.

**[0122]** In yet still further embodiments of the invention a composition may include a polypeptide, peptide, or protein that is or is at least 70%, 75%, 80%, 85%, 90%, 95%, 96%, 97%, 98%, or 99% identical or similar to a vWw protein. In certain aspects the vWw protein will have all or part of the amino acid sequence of SEQ ID NO:29.

**[0123]** In yet still further embodiments of the invention a composition may include a polypeptide, peptide, or protein that is or is at least 70%, 75%, 80%, 85%, 90%, 95%, 96%, 97%, 98%, or 99% identical or similar to a vWbp protein. In certain aspects the vWbp protein will have all or part of the amino acid sequence of SEQ ID NO:32.

**[0124]** In certain aspects, a polypeptide or segment/fragment can have a sequence that is at least 85%, at least 90%, at least 95%, at least 98%, or at least 99% or more identical to the amino acid sequence of the reference polypeptide. The term "similarity" refers to a polypeptide that has a sequence that has a certain percentage of amino acids that are either identical with the reference polypeptide or constitute conservative substitutions with the reference polypeptides.

**[0125]** The sta001' antigen is annotated as '5'-nucleotidase family protein'. In the NCTC 8325 strain sta001 is SAOU-HSC\_00025 and has amino acid sequence SEQ ID NO:35 (GI:88193846). In the Newman strain it is nwmn\_0022 (GI:151220234). It has also been referred to as AdsA and SasH and SA0024.

**[0126]** Useful sta001 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:35 and/or may comprise an amino acid sequence: (a) having 50%, 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more identity to SEQ ID NO: 35; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO: 35, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta001 proteins include variants of SEQ ID NO: 35. Preferred fragments of (b) comprise an epitope from SEQ ID NO: 35. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5,

6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO: 35 while retaining at least one epitope of SEQ ID NO: 35. The final 34 C-terminal amino acids of SEQ ID NO: 35 can usefully be omitted. The first 38 N-terminal amino acids of SEQ ID NO: 35 can usefully be omitted. Other fragments omit one or more protein domains.

**[0127]** The sta002 antigen is annotated as 'lipoprotein'. In the NCTC\*8325 strain sta002 is SAOUHSC 00356 and has amino acid sequence SEQ ID NO:36 (GI:88194155). In the Newman strain it is nwmm\_0364 (GI:151220576).

**[0128]** Useful sta002 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:36 and/or may comprise an amino acid sequence: (a) having 50%, 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more identity to SEQ ID NO:36; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:36, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150 or more). These sta002 proteins include variants of SEQ ID NO:36. Preferred 5 fragments of (b) comprise an epitope from SEQ ID NO:36. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:36 while retaining at least one epitope of SEQ ID NO:36. The first 18 N-terminal amino acids of SEQ ID NO:36 can usefully be omitted. Other fragments omit one or more protein domains. sta002<sub>19-187</sub> and sta002<sub>19-124</sub> are two useful fragments of SEQ ID NO:36 which reduce the antigen's similarity with human proteins.

**[0129]** The 'sta003' antigen is annotated as 'surface protein'. In the NCTC 8325 strain sta003 is SAOUHSC\_00400 and has amino acid sequence SEQ ID NO:37 (GI:88194195). In the Newman strain it is nwmm\_0401 (GI:151220613).

**[0130]** Useful sta003 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:37 and/or may comprise an amino acid sequence: (a) having 50%, 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more identity to SEQ ID NO:37; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:37, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta003 proteins include variants of SEQ ID NO:37. Preferred fragments of (b) comprise an epitope from SEQ ID NO:37. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:37 while retaining at least one epitope of SEQ ID NO:37. The first 32 N-terminal amino acids of SEQ ID NO:37 can usefully be omitted. Other fragments omit one or more protein domains.

**[0131]** The 'sta004' antigen is annotated as 'Siderophore binding protein FatB'. In the NCTC 8325 strain sta004 is SAOUHSC\_00749 and has amino acid sequence SEQ ID NO:38 (GI:88194514). In the Newman strain it is nwmm\_0705 (GI:151220917).

**[0132]** Useful sta004 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:38 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%,

98%, 99%, 99.5% or more) to SEQ ID NO:38; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:38, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta004 proteins include variants of SEQ ID NO:38. Preferred fragments of (b) comprise an epitope from SEQ ID NO:38. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:38 while retaining at least one epitope of SEQ ID NO:38. The first 18 N-terminal amino acids of SEQ ID NO:38 can usefully be omitted. Other fragments omit one or more protein domains.

**[0133]** The 'sta005' antigen is annotated as 'superantigen-like protein'. In the NCTC 8325 strain sta005 is 10 SAOUHSC\_01127 and has amino acid sequence SEQ ID NO:39 (GI:88194870). In the Newman strain it is nwmm\_1077 (GI:151221289).

**[0134]** Useful sta005 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:39 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:39; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:39, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200 or more). These sta005 proteins include variants of SEQ ID NO:39. Preferred fragments of (b) comprise an epitope from SEQ ID NO:39. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:39 while retaining at least one epitope of SEQ ID NO:39. The first 18 N-terminal amino acids of SEQ ID NO:39 can usefully be omitted. Other fragments omit one or more protein domains.

**[0135]** The 'sta006' antigen is annotated as 'ferrichrome-binding protein', and has also been referred to as 25 'FhuD2' in the literature. In the NCTC 8325 strain sta006 is SAOUHSC\_02554 and has amino acid sequence SEQ ID NO:40 (GI:88196199). In the Newman strain it is nwmm 2185 (GI:151222397).

**[0136]** Useful sta006 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:40 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:40; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:40, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta006 proteins include variants of SEQ ID NO:40. Preferred fragments of (b) comprise an epitope from SEQ ID NO:40. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:40 while retaining at least one epitope of SEQ ID NO:40. The first 17 N-terminal amino acids of SEQ ID NO:40 can usefully be omitted. Other fragments omit one or more protein domains. A sta006 antigen may be lipi-

dated e.g. with an acylated N-terminus cysteine. One useful sta006 sequence has a Met-Ala-Ser-sequence at the N-terminus.

**[0137]** The 'sta007' antigen is annotated as 'secretory antigen precursor'. In the NCTC 8325 strain sta007 is SAOUHSC\_02571 and has amino acid sequence SEQ ID NO:41 (GI:88196215). In the Newman strain it is nwmm\_2199 (GI:151222411). Proteomic analysis has revealed that this protein is secreted or surface-exposed.

**[0138]** Useful sta007 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:41 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:41; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:41, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta007 proteins include variants of SEQ ID NO:41. Preferred fragments of (b) comprise an epitope from SEQ ID NO:41. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:41 while retaining at least one epitope of SEQ ID NO:41. The first 27 N-terminal amino acids of SEQ ID NO:41 can usefully be omitted. Other fragments omit one or more protein domains.

**[0139]** The 'sta008' antigen is annotated as 'lipoprotein'. In the NCTC 8325 strain sta008 is SAOUHSC\_02650 and has amino acid sequence SEQ ID NO:42 (GI:88196290). In the Newman strain it is nwmm\_2270 (GI:151222482).

**[0140]** Useful sta008 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:42 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:42; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:42, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200 or more). These sta008 proteins include variants of SEQ ID NO:42. Preferred fragments of (b) comprise an epitope from SEQ ID NO:42. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:42 while retaining at least one epitope of SEQ ID NO:42. The first 17 N-terminal amino acids of SEQ ID NO:42 can usefully be omitted. Other fragments omit one or more protein domains.

**[0141]** The 'sta009' antigen is annotated as 'immunoglobulin G-binding protein Sbi'. In the NCTC 8325 strain sta009 is SAOUHSC\_02706 and has amino acid sequence SEQ ID NO:43 (GI:88196346). In the Newman strain it is nwmm\_2317 (GI:151222529).

**[0142]** Useful sta009 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:43 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:43; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:43, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14,

16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta009 proteins include variants of SEQ ID NO:43. Preferred fragments of (b) comprise an epitope from SEQ ID NO:43. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:43 while retaining at least one epitope of SEQ ID NO:43. The first 29 N-terminal amino acids of SEQ ID NO:43 can usefully be omitted. Other fragments omit one or more protein domains.

**[0143]** The 'sta010' antigen is annotated as 'immunodominant antigen A'. In the NCTC 8325 strain sta010 is SAOUHSC\_02887 and has amino acid sequence SEQ ID NO:44 (GI:88196515). In the Newman strain it is nwmm\_2469 (GI:151222681). Proteomic analysis has revealed that this protein is secreted or surface-exposed.

**[0144]** Useful sta010 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:44 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:44; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:44, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200 or more). These sta010 proteins include variants of SEQ ID NO:44. Preferred fragments of (b) comprise an epitope from SEQ ID NO:44. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:44 while retaining at least one epitope of SEQ ID NO:44. The first 29 N-terminal amino acids of SEQ ID NO:44 can usefully be omitted. Other fragments omit one or more protein domains.

**[0145]** The 'sta011' antigen is annotated as 'lipoprotein'. In the NCTC 8325 strain sta011 is SAOUHSC\_00052 and has amino acid sequence SEQ ID NO:45 (GI:88193872).

**[0146]** Useful sta011 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:45 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:45; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:45, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta011 proteins include variants of SEQ ID NO:45. Preferred fragments of (b) comprise an epitope from SEQ ID NO:45. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:45 while retaining at least one epitope of SEQ ID NO:45. The first 23 N-terminal amino acids of SEQ ID NO:45 can usefully be omitted. Other fragments omit one or more protein domains. A sta011 antigen may be lipidated e.g. with an acylated N-terminus cysteine.

**[0147]** The 'sta012' antigen is annotated as 'protein with leader'. In the NCTC 8325 strain sta012 is SAOUHSC\_00106 and has amino acid sequence SEQ ID NO:46 (GI:88193919).

**[0148]** Useful sta012 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:46 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:46; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:46, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta012 proteins include variants of SEQ ID NO:46. Preferred fragments of (b) comprise an epitope from SEQ ID NO:46. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:46 while retaining at least one epitope of SEQ ID NO:46. The first 21 N-terminal amino acids of SEQ ID NO:46 can usefully be omitted. Other fragments omit one or more protein domains.

**[0149]** The 'sta013' antigen is annotated as 'poly-gamma-glutamate capsule biosynthesis protein'. In the NCTC 8325 strain staOB is SAOUHSC\_00107 and has amino acid sequence SEQ ID NO:47 (GI:88193920).

**[0150]** Useful sta013 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:47 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:47; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:47, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta013 proteins include variants of SEQ ID NO:47. Preferred fragments of (b) comprise an epitope from SEQ ID NO:47. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:47 while retaining at least one epitope of SEQ ID NO:47. Other fragments omit one or more protein domains.

**[0151]** The 'sta014' antigen is annotated as 'lipoprotein'. In the NCTC 8325 strain sta014 is SAOUHSC\_00137 and has amino acid sequence SEQ ID NO:48 (GI:88193950).

**[0152]** Useful sta014 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:48 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:48; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:48, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta014 proteins include variants of SEQ ID NO:48. Preferred fragments of (b) comprise an epitope from SEQ ID NO:48. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:48 while retaining at least one epitope of SEQ ID NO:48. The first 17 N-terminal amino acids of SEQ ID NO:48 can usefully be omitted. Other fragments omit one or more protein domains.

**[0153]** The 'sta015' antigen is annotated as 'extracellular solute-binding protein; ROD containing lipoprotein'. In the NCTC 8325 strain sta015 is SAOUHSC\_00170 and has amino acid sequence SEQ ID NO:49 (GI:88193980).

**[0154]** Useful sta015 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:49 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:49; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:49, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta015 proteins include variants of SEQ ID NO:49. Preferred fragments of (b) comprise an epitope from SEQ ID NO:49. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:49 while retaining at least one epitope of SEQ ID NO:49. The first 18 N-terminal amino acids of SEQ ID NO:49 can usefully be omitted. Other fragments omit one or more protein domains.

**[0155]** The 'sta016' antigen is annotated as 'gamma-glutamyltranspeptidase'. In the NCTC 8325 strain sta016 is SAOUHSC\_00171 and has amino acid sequence SEQ ID NO:50 (GI:88193981).

**[0156]** Useful sta016 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:50 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:50; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:50, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta016 proteins include variants of SEQ ID NO:50. Preferred fragments of (b) comprise an epitope from SEQ ID NO:50. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:50 while retaining at least one epitope of SEQ ID NO:50. Other fragments omit one or more protein domains.

**[0157]** The 'sta017' antigen is annotated as 'lipoprotein'. In the NCTC 8325 strain sta017 is SAOUHSC\_00186 and has amino acid sequence SEQ ID NO:51 (GI:88193996).

**[0158]** Useful sta017 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:51 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:51; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:51, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta017 proteins include variants of SEQ ID NO:51. Preferred fragments of (b) comprise an epitope from SEQ ID NO:51. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:51 while retaining at least one epitope

of SEQ ID NO:51. The first 17 N-terminal amino acids of SEQ ID NO:51 can usefully be omitted. Other fragments omit one or more protein domains.

**[0159]** The 'sta018' antigen is annotated as 'extracellular solute-binding protein'. In the NCTC 8325 strain sta018 is SAOUHSC\_00201 and has amino acid sequence SEQ ID NO:52 (GI:88194011).

**[0160]** Useful sta018 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:52 and/or may comprise an amino acid sequence: (a) having 50%, 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more identity to SEQ ID NO:52; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:52, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta018 proteins include variants of SEQ ID NO:52. Preferred fragments of (b) comprise an epitope from SEQ ID NO:52. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:52 while retaining at least one epitope of SEQ ID NO:52. Other fragments omit one or more protein domains.

**[0161]** The 'sta019' antigen is annotated as 'peptidoglycan hydrolase'. In the NCTC 8325 strain sta019 is SAOUHSC\_00248 and has amino acid sequence SEQ ID NO:53 (GI:88194055). In the Newman strain it is nwmn\_0210 (GI:151220422).

**[0162]** Useful sta019 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:53 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:53; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:53, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta019 proteins include variants of SEQ ID NO:53. Preferred fragments of (b) comprise an epitope from SEQ ID NO:53. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:53 while retaining at least one epitope of SEQ ID NO:53. The first 25 N-terminal amino acids of SEQ ID NO:53 can usefully be omitted. Other fragments omit one or more protein domains.

**[0163]** Sta019 does not adsorb well to aluminium hydroxide adjuvants, so Sta019 present in a composition may be unadsorbed or may be adsorbed to an alternative adjuvant e.g. to an aluminium phosphate.

**[0164]** The 'sta020' antigen is annotated as 'exported protein'. In the NCTC 8325 strain sta020 is SAOUHSC\_00253 and has amino acid sequence SEQ ID NO:54 (GI:88194059).

**[0165]** Useful sta020 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:54 and/or may comprise an amino acid sequence: (a) having 50%, 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more identity to SEQ ID NO:54; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:54, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These

sta020 proteins include variants of SEQ ID NO:54. Preferred fragments of (b) comprise an epitope from SEQ ID NO:54. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:54 while retaining at least one epitope of SEQ ID NO:54. The first 30 N-terminal amino acids of SEQ ID NO:54 can usefully be omitted. Other fragments omit one or more protein domains.

**[0166]** The 'sta021' antigen is annotated as 'secretory antigen SsaA-like protein'. In the NCTC 8325 strain sta021 is SAOUHSC\_00256 and has amino acid sequence SEQ ID NO:55 (GI:88194062).

**[0167]** Useful sta021 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:55 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:55; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:55, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta021 proteins include variants of SEQ ID NO:55. Preferred fragments of (b) comprise an epitope from SEQ ID NO:55. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:55 while retaining at least one epitope of SEQ ID NO:55. The first 24 N-terminal amino acids of SEQ ID NO:55 can usefully be omitted. Other fragments omit one or more protein domains.

**[0168]** The 'sta022' antigen is annotated as 'lipoprotein'. In the NCTC 8325 strain sta022 is SAOUHSC\_00279 and has amino acid sequence SEQ ID NO:56 (GI:88194083).

**[0169]** Useful sta022 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:56 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:56; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:56, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100 or more). These sta022 proteins include variants of SEQ ID NO:56. Preferred fragments of (b) comprise an epitope from SEQ ID NO:56. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:56 while retaining at least one epitope of SEQ ID NO:56. The first 17 N-terminal amino acids of SEQ ID NO:56 can usefully be omitted. Other fragments omit one or more protein domains.

**[0170]** The 'sta023' antigen is annotated as '5'-nucleotidase; lipoprotein e(P4) family'. In the NCTC 8325 strain sta023 is SAOUHSC\_00284 and has amino acid sequence SEQ ID NO:57 (GI:88194087).

**[0171]** Useful sta023 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:57 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%,

98%, 99%, 99.5% or more) to SEQ ID NO:57; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:57, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta023 proteins include variants of SEQ ID NO:57. Preferred fragments of (b) comprise an epitope from SEQ ID NO:57. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:57 while retaining at least one epitope of SEQ ID NO:57. The first 31 N-terminal amino acids of SEQ ID NO:57 can usefully be omitted. Other fragments omit one or more protein domains.

**[0172]** The 'sta024' antigen is annotated as 'lipase precursor'. In the NCTC 8325 strain sta024 is SAOUHSC\_00300 and has amino acid sequence SEQ ID NO:58 (GI:88194101).

**[0173]** Useful sta024 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:58 and/or may comprise an amino acid sequence: (a) having 50%, 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more identity to SEQ ID NO:58; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:58, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta024 proteins include variants of SEQ ID NO:58. Preferred fragments of (b) comprise an epitope from SEQ ID NO:58. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:58 while retaining at least one epitope of SEQ ID NO:58. The first 37 N-terminal amino acids of SEQ ID NO:58 can usefully be omitted. Other fragments omit one or more protein domains.

**[0174]** The 'sta025' antigen is annotated as 'lipoprotein'. In the NCTC 8325 strain sta025 is SAOUHSC\_00362 and has amino acid sequence SEQ ID NO:59 (GI:88194160).

**[0175]** Useful sta025 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:59 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:59; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:59, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200 or more). These sta025 proteins include variants of SEQ ID NO:59. Preferred fragments of (b) comprise an epitope from SEQ ID NO:59. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:59 while retaining at least one epitope of SEQ ID NO:59. The first 19 N-terminal amino acids of SEQ ID NO:59 can usefully be omitted. Other fragments omit one or more protein domains.

**[0176]** The 'sta026' antigen is annotated as 'lipoprotein'. In the NCTC 8325 strain sta026 is SAOUHSC\_00404 and has amino acid sequence SEQ ID NO:60 (GI:88194198).

**[0177]** Useful sta026 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:60 and/or may comprise an amino acid sequence: (a)

having 50%, 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more identity to SEQ ID NO:60; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:60, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta026 proteins include variants of SEQ ID NO:60. Preferred fragments of (b) comprise an epitope from SEQ ID NO:60. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:60 while retaining at least one epitope of SEQ ID NO:60. The first 22 N-terminal amino acids of SEQ ID NO:60 can usefully be omitted. Other fragments omit one or more protein domains.

**[0178]** The 'sta027' antigen is annotated as 'probable lipase'. In the NCTC 8325 strain sta027 is SAOUHSC\_00661 and has amino acid sequence SEQ ID NO:61 (GI:88194426).

**[0179]** Useful sta027 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:61 and/or may comprise an amino acid sequence: (a) having 50%, 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more identity to SEQ ID NO:61; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:61, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta027 proteins include variants of SEQ ID NO:61. Preferred fragments of (b) comprise an epitope from SEQ ID NO:61. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:61 while retaining at least one epitope of SEQ ID NO:61. The first 23 N-terminal amino acids of SEQ ID NO:61 can usefully be omitted. Other fragments omit one or more protein domains.

**[0180]** The 'sta028' antigen is annotated as 'secretory anti-gen SsaA-like protein'. In the NCTC 8325 strain sta028 is SAOUHSC\_00671 and has amino acid sequence SEQ ID NO:62 (GI:88194436). In the Newman strain it is nwmn\_0634 (GI:151220846).

**[0181]** Useful sta028 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:62 and/or may comprise an amino acid sequence: (a) having 50%, 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more identity to SEQ ID NO:62; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:62, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta028 proteins include variants of SEQ ID NO:62. Preferred fragments of (b) comprise an epitope from SEQ ID NO:62. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:62 while retaining at least one epitope of SEQ ID NO:62. The first 25 N-terminal amino acids of SEQ ID NO:62 can usefully be omitted. Other fragments omit one or more protein domains.

**[0182]** The 'sta029' antigen is annotated as 'ferrichrome binding protein'. In the NCTC 8325 strain sta029 is SAOUHSC\_00754 and has amino acid sequence SEQ ID NO:63 (GI:88194518).

**[0183]** Useful sta029 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:63 and/or may comprise an amino acid sequence: (a) having 50%, 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more identity to SEQ ID NO:63; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:63, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta029 proteins include variants of SEQ ID NO:63. Preferred fragments of (b) comprise an epitope from SEQ ID NO:63. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:63 while retaining at least one epitope of SEQ ID NO:63. The final 25 C-terminal amino acids of SEQ ID NO:63 can usefully be omitted. The first 19 N-terminal amino acids of SEQ ID NO:63 can usefully be omitted. Other fragments omit one or more protein domains.

**[0184]** The 'sta030' antigen is annotated as 'lipoprotein'. In the NCTC 8325 strain sta030 is SAOUHSC\_00808 and has amino acid sequence SEQ ID NO:64 (GI:88194568).

**[0185]** Useful sta030 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:64 and/or may comprise an amino acid sequence: (a) having 50%, 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more identity to SEQ ID NO:64; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:64, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200 or more). These sta030 proteins include variants of SEQ ID NO:64. Preferred fragments of (b) comprise an epitope from SEQ ID NO:64. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:64 while retaining at least one epitope of SEQ ID NO:64. The first 17 N-terminal amino acids of SEQ ID NO:64 can usefully be omitted. Other fragments omit one or more protein domains.

**[0186]** The 'sta031' antigen is annotated as '5-nucleotidase family protein'. In the NCTC 8325 strain sta031 is SAOUHSC\_00860 and has amino acid sequence SEQ ID NO:65 (GI:88194617).

**[0187]** Useful sta031 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:65 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:65; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:65, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta031 proteins include variants of SEQ ID NO:65. Preferred fragments of (b) comprise an epitope from SEQ ID NO:65. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1,

2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:65 while retaining at least one epitope of SEQ ID NO:65. Other fragments omit one or more protein domains.

**[0188]** The 'sta032' antigen is annotated as 'serine protease HtrA'. In the NCTC 8325 strain sta032 is SAOUHSC\_00958 and has amino acid sequence SEQ ID NO:66 (GI:88194715).

**[0189]** Useful sta032 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:66 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:66; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:66, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta032 proteins include variants of SEQ ID NO:66. Preferred fragments of (b) comprise an epitope from SEQ ID NO:66. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:66 while retaining at least one epitope of SEQ ID NO:66. Other fragments omit one or more protein domains.

**[0190]** The 'sta033' antigen is annotated as 'cysteine protease precursor'. In the NCTC 8325 strain sta033 is SAOUHSC\_00987 and has amino acid sequence SEQ ID NO:67 (GI:88194744).

**[0191]** Useful sta033 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:67 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:67; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:67, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta033 proteins include variants of SEQ ID NO:67. Preferred fragments of (b) comprise an epitope from SEQ ID NO:67. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:67 while retaining at least one epitope of SEQ ID NO:67. The first 29 N-terminal amino acids of SEQ ID NO:67 can usefully be omitted. Other fragments omit one or more protein domains.

**[0192]** The 'sta034' antigen is annotated as 'glutamyl endopeptidase precursor'. In the NCTC 8325 strain sta034 is SAOUHSC\_00988 and has amino acid sequence SEQ ID NO:68 (GI:88194745).

**[0193]** Useful sta034 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:68 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:68; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:68, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta034 proteins include variants of SEQ ID NO:68. Preferred fragments of (b) comprise an epitope from SEQ ID NO:68. Other preferred fragments lack one or more

amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:68 while retaining at least one epitope of SEQ ID NO:68. The first 29 N-terminal amino acids of SEQ ID NO:68 can usefully be omitted. Other fragments omit one or more protein domains.

**[0194]** The 'sta035' antigen is annotated as 'fmt protein'. In the NCTC 8325 strain sta035 is SAOUHSC\_00998 and has amino acid sequence SEQ ID NO:69 (GI:88194754).

**[0195]** Useful sta035 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:69 and/or may comprise an amino acid sequence: (a) having 50%, 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more identity to SEQ ID NO:69; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:69, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta035 proteins include variants of SEQ ID NO:69. Preferred fragments of (b) comprise an epitope from SEQ ID NO:69. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:69 while retaining at least one epitope of SEQ ID NO:69. The first 25 N-terminal amino acids of SEQ ID NO:69 can usefully be omitted. Other fragments omit one or more protein domains.

**[0196]** The 'sta036' antigen is annotated as 'iron-regulated protein with leader'. In the NCTC 8325 strain sta036 is SAOUHSC\_01084 and has amino acid sequence SEQ ID NO:70 (GI:88194831).

**[0197]** Useful sta036 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:70 and/or may comprise an amino acid sequence: (a) having 50%, 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more identity to SEQ ID NO:70; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:70, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta036 proteins include variants of SEQ ID NO:70. Preferred fragments of (b) comprise an epitope from SEQ ID NO:70. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:70 while retaining at least one epitope of SEQ ID NO:70. The first 27 C-terminal amino acids of SEQ ID NO:70 can usefully be omitted. The first 32 N-terminal amino acids of SEQ ID NO:70 can usefully be omitted. Other fragments omit one or more protein domains.

**[0198]** The 'sta037' antigen is annotated as 'iron ABC transporter; iron-binding protein IsdE'. In the NCTC 8325 strain sta037 is SAOUHSC 01085 and has amino acid sequence SEQ ID NO:71 (GI:88194832).

**[0199]** Useful sta037 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:71 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%; 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:71; and/or (b) comprising a fragment of at least 'n' consecutive amino acids

of SEQ ID NO:71, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta037 proteins include variants of SEQ ID NO:71. Preferred fragments of (b) comprise an epitope from SEQ ID NO:71. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:71 while retaining at least one epitope of SEQ ID NO:71. The first 9 N-terminal amino acids of SEQ ID NO:71 can usefully be omitted. Other fragments omit one or more protein domains.

**[0200]** The 'sta038' antigen is annotated as 'NPQTN specific sortase B'. In the NCTC 8325 strain sta038 is SAOUHSC\_01088 and has amino acid sequence SEQ ID NO:72 (GI:88194835).

**[0201]** Useful sta038 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:72 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:72; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:72, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200 or more). These sta038 proteins include variants of SEQ ID NO:72. Preferred fragments of (b) comprise an epitope from SEQ ID NO:72. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:72 while retaining at least one epitope of SEQ ID NO:72. The first 21 N-terminal amino acids of SEQ ID NO:72 can usefully be omitted. Other fragments omit one or more protein domains.

**[0202]** The 'sta039' antigen is annotated as 'superantigen-like protein'. In the NCTC 8325 strain sta039 is SAOUHSC\_01124 and has amino acid sequence SEQ ID NO:73 (GI:88194868).

**[0203]** Useful sta039 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:73 and/or may comprise an amino acid sequence: (a) having 50%, 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more identity to SEQ ID NO:73; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:73, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200 or more). These sta039 proteins include variants of SEQ ID NO:73. Preferred fragments of (b) comprise an epitope from SEQ ID NO:73. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:73 while retaining at least one epitope of SEQ ID NO:73. The first 22 N-terminal amino acids of SEQ ID NO:73 can usefully be omitted. Other fragments omit one or more protein domains.

**[0204]** The 'sta040' antigen is annotated as 'superantigen-like protein'. In the NCTC 8325 strain sta040 is SAOUHSC\_011125 and has amino acid sequence SEQ ID NO:74 (GI:88194869). In the Newman strain it is nwmn\_1076 (GI:151221288).

**[0205]** Useful sta040 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:74 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:74; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:74, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200 or more). These sta040 proteins include variants of SEQ ID NO:74. Preferred fragments of (b) comprise an epitope from SEQ ID NO:74. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:74 while retaining at least one epitope of SEQ ID NO:74. The first 21 N-terminal amino acids of SEQ ID NO:74 can usefully be omitted. Other fragments omit one or more protein domains.

**[0206]** The 'sta041' antigen is annotated as 'fibronectin-binding protein A-related'. In the NCTC 8325 strain sta041 is SAOUHSC\_01175 and has amino acid sequence SEQ ID NO:75 (GI:88194914).

**[0207]** Useful sta041 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:75 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:75; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:75, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta041 proteins include variants of SEQ ID NO:75. Preferred fragments of (b) comprise an epitope from SEQ ID NO:75. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:75 while retaining at least one epitope of SEQ ID NO:75. Other fragments omit one or more protein domains.

**[0208]** The 'sta042, antigen is annotated as 'lipoprotein'. In the NCTC 8325 strain sta042 is SAOUHSC\_01180 and has amino acid sequence SEQ ID NO:76 (GI:88194919).

**[0209]** Useful sta042 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:76 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:76; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:76, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta042 proteins include variants of SEQ ID NO:76. Preferred fragments of (b) comprise an epitope from SEQ ID NO:76. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:76 while retaining at least one epitope of SEQ ID NO:76. The first 18 N-terminal amino acids of SEQ ID NO:76 can usefully be omitted. Other fragments omit one or more protein domains.

**[0210]** The 'sta043', antigen is annotated as 'cell wall hydrolase'. In the NCTC 8325 strain sta043 is SAOUHSC\_01219 and has amino acid sequence SEQ ID NO:77 (GI:88194955).

**[0211]** Useful sta043 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:77 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:77; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:77, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta043 proteins include variants of SEQ ID NO:77. Preferred fragments of (b) comprise an epitope from SEQ ID NO:77. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:77 while retaining at least one epitope of SEQ ID NO:77. The first 38 N-terminal amino acids of SEQ ID NO:77 can usefully be omitted. Other fragments omit one or more protein domains.

**[0212]** The 'sta044' antigen is annotated as 'lipoprotein'. In the NCTC 8325 strain sta044 is SAOUHSC\_01508 and has amino acid sequence SEQ ID NO:78 (GI:88195223).

**[0213]** Useful sta044 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:78 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:78; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:78, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta044 proteins include variants of SEQ ID NO:78. Preferred fragments of (b) comprise an epitope from SEQ ID NO:78. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:78 while retaining at least one epitope of SEQ ID NO:78. The first 17 N-terminal amino acids of SEQ ID NO:78 can usefully be omitted. Other fragments omit one or more protein domains.

**[0214]** The 'sta045' antigen is annotated as 'lipoprotein'. In the NCTC 8325 strain sta045 is SAOUHSC\_01627 and has amino acid sequence SEQ ID NO:79 (GI:88195337).

**[0215]** Useful sta045 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:79 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:79; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:79, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150 or more). These sta045 proteins include variants of SEQ ID NO:79. Preferred fragments of (b) comprise an epitope from SEQ ID NO:79. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:79 while retaining at least one epitope of SEQ ID

NO:79. The first 16 N-terminal amino acids of SEQ ID NO:79 can usefully be omitted. Other fragments omit one or more protein domains.

**[0216]** The 'sta046' antigen is annotated as 'Excalibur protein'. In the NCTC 8325 strain sta046 is SAOUHSC\_01918 and has amino acid sequence SEQ ID NO:80 (GI:88195613).

**[0217]** Useful sta046 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:80 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:80; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:80, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200 or more). These sta046 proteins include variants of SEQ ID NO:80. Preferred fragments of (b) comprise an epitope from SEQ ID NO:80. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:80 while retaining at least one epitope of SEQ ID NO:80. The first 53 N-terminal amino acids of SEQ ID NO:80 can usefully be omitted. Other fragments omit one or more protein domains.

**[0218]** The 'sta047' antigen is annotated as 'lipoprotein'. In the NCTC 8325 strain sta047 is SAOUHSC\_01920 and has amino acid sequence SEQ ID NO:81 (GI:88195615).

**[0219]** Useful sta047 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:81 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:81; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:81, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200 or more). These sta047 proteins include variants of SEQ ID NO:81. Preferred fragments of (b) comprise an epitope from SEQ ID NO:81. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:81 while retaining at least one epitope of SEQ ID NO:81. The first 18 N-terminal amino acids of SEQ ID NO:81 can usefully be omitted. Other fragments omit one or more protein domains.

**[0220]** The 'sta048' antigen is annotated as 'intracellular serine protease'. In the NCTC 8325 strain sta048 is SAOUHSC\_01949 and has amino acid sequence SEQ ID NO:82 (GI:88195642).

**[0221]** Useful sta048 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:82 and/or may comprise an amino acid sequence: (a) having 50%, 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more identity to SEQ ID NO:82; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:82, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta048 proteins include variants of SEQ ID NO:82. Preferred fragments of (b) comprise an epitope from SEQ ID NO:82. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the

C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:82 while retaining at least one epitope of SEQ ID NO:82. The first 27 N-terminal amino acids of SEQ ID NO:82 can usefully be omitted. Other fragments omit one or more protein domains.

**[0222]** The 'sta049' antigen is annotated as 'protein export protein PrsA'. In the NCTC 8325 strain sta049 is SAOUHSC\_01972 and has amino acid sequence SEQ ID NO:83 (GI:88195663). In the Newman strain it is nwmn\_I733 (GI:151221945).

**[0223]** Useful sta049 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:83 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:83; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:83, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta049 proteins include variants of SEQ ID NO:83. Preferred fragments of (b) comprise an epitope from SEQ ID NO:83. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:83 while retaining at least one epitope of SEQ ID NO:83. The first 25 N-terminal amino acids of SEQ ID NO:83 can usefully be omitted. Other fragments omit one or more protein domains.

**[0224]** The 'sta050' antigen is annotated as 'staphopain thiol proteinase'. In the NCTC 8325 strain sta050 is SAOUHSC\_02127 and has amino acid sequence SEQ ID NO:84 (GI:88195808).

**[0225]** Useful sta050 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:84 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:84; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:84, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta050 proteins include variants of SEQ ID NO:84. Preferred fragments of (b) comprise an epitope from SEQ ID NO:84. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:84 while retaining at least one epitope of SEQ ID NO:84. The first 25 N-terminal amino acids of SEQ ID NO:84 can usefully be omitted. Other fragments omit one or more protein domains.

**[0226]** The 'sta051' antigen is annotated as 'protein with leader'. In the NCTC 8325 strain sta051 is SAOUHSC\_02147 and has amino acid sequence SEQ ID NO:85 (GI:88195827).

**[0227]** Useful sta051 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:85 and/or may comprise an amino acid sequence: (a) having 50%, 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more identity to SEQ ID NO:85; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:85,

wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta051 proteins include variants of SEQ ID NO:85. Preferred fragments of (b) comprise an epitope from SEQ ID NO:85. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:85 while retaining at least one epitope of SEQ ID NO:85. The first 24 N-terminal amino acids of SEQ ID NO:85 can usefully be omitted. Other fragments omit one or more protein domains.

**[0228]** The 'sta052' antigen is annotated as 'ferric hydroxamate receptor I'. In the NCTC 8325 strain sta052 is SAOUHSC\_02246 and has amino acid sequence SEQ ID NO:86 (GI:88195918).

**[0229]** Useful sta052 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:86 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:86; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:86, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta052 proteins include variants of SEQ ID NO:86. Preferred fragments of (b) comprise an epitope from SEQ ID NO:86. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:86 while retaining at least one epitope of SEQ ID NO:86. The first 17 N-terminal amino acids of SEQ ID NO:86 can usefully be omitted. Other fragments omit one or more protein domains.

**[0230]** The 'sta053' antigen is annotated as 'srdH family protein'. In the NCTC 8325 strain sta053 is SAOUHSC\_02257 and has amino acid sequence SEQ ID NO:87 (GI:88195928).

**[0231]** Useful sta053 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:87 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:87; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:87, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta053 proteins include variants of SEQ ID NO:87. Preferred fragments of (b) comprise an epitope from SEQ ID NO:87. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:87 while retaining at least one epitope of SEQ ID NO:87. The first 26 N-terminal amino acids of SEQ ID NO:87 can usefully be omitted. Other fragments omit one or more protein domains.

**[0232]** The 'sta054' antigen is annotated as Probable transglycosylase isaA precursor'. In the NCTC 8325 strain sta054 is SAOUHSC\_02333 and has amino acid sequence SEQ ID NO:88 (GI:88195999).

**[0233]** Useful sta054 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID

NO:88 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:88; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:88, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200 or more). These sta054 proteins include variants of SEQ ID NO:88. Preferred fragments of (b) comprise an epitope from SEQ ID NO:88. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:88 while retaining at least one epitope of SEQ ID NO:88. The first 27 N-terminal amino acids of SEQ ID NO:88 can usefully be omitted. Other fragments omit one or more protein domains.

**[0234]** The 'sta055' antigen is annotated as 'surface hydrolyase'. In the NCTC 8325 strain sta055 is SAOUHSC\_02448 and has amino acid sequence SEQ ID NO:89 (GI:88196100).

**[0235]** Useful sta055 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:89 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:89; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:89, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta055 proteins include variants of SEQ ID NO:89. Preferred fragments of (b) comprise an epitope from SEQ ID NO:89. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:89 while retaining at least one epitope of SEQ ID NO:89. The first 31 N-terminal amino acids of SEQ ID NO:89 can usefully be omitted. Other fragments omit one or more protein domains.

**[0236]** The 'sta056' antigen is annotated as 'hyaluronate lyase'. In the NCTC 8325 strain sta056 is SAOUHSC\_02463 and has amino acid sequence SEQ ID NO:90 (GI:88196115).

**[0237]** Useful sta056 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:90 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:90; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:90, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta056 proteins include variants of SEQ ID NO:90. Preferred fragments of (b) comprise an epitope from SEQ ID NO:90. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:90 while retaining at least one epitope of SEQ ID NO:90. The first 24 N-terminal amino acids of SEQ ID NO:90 can usefully be omitted. Other fragments omit one or more protein domains.

**[0238]** The 'sta057' antigen is annotated as 'secretory antigen precursor SsaA'. In the NCTC 8325 strain sta057 is

SAOUHSC\_02576 and has amino acid sequence SEQ ID NO:91 (GI:88 196220). In the Newman strain it is nwmm\_2203 (GI:151222415).

**[0239]** Useful sta057 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:91 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:91; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:91, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150 or more). These sta057 proteins include variants of SEQ ID NO:91. Preferred fragments of (b) comprise an epitope from SEQ ID NO:91. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:91 while retaining at least one epitope of SEQ ID NO:91. The first 27 N-terminal amino acids of SEQ ID NO:91 can usefully be omitted. Other fragments omit one or more protein domains.

**[0240]** The 'sta058' antigen is annotated as 'Zn-binding lipoprotein adcA-like'. In the NCTC 8325 strain sta058 is SAOUHSC\_02690 and has amino acid sequence SEQ ID NO:92 (GI:88196330).

**[0241]** Useful sta058 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:92 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:92; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:92, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta058 proteins include variants of SEQ ID NO:92. Preferred fragments of (b) comprise an epitope from SEQ ID NO:92. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:92 while retaining at least one epitope of SEQ ID NO:92. The first 20 N-terminal amino acids of SEQ ID NO:92 can usefully be omitted. Other fragments omit one or more protein domains.

**[0242]** The 'sta059' antigen is annotated as 'gamma-hemolysin h-gamma-ii subunit'. In the NCTC 8325 strain sta059 is SAOUHSC\_02708 and has amino acid sequence SEQ ID NO:93 (GI:88196348).

**[0243]** Useful sta059 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:93 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:93; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:93, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta059 proteins include variants of SEQ ID NO:93. Preferred fragments of (b) comprise an epitope from SEQ ID NO:93. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-

terminus of SEQ ID NO:93 while retaining at least one epitope of SEQ ID NO:93. The first 20 N-terminal amino acids of SEQ ID NO:93 can usefully be omitted. Other fragments omit one or more protein domains.

**[0244]** The 'sta060' antigen is annotated as 'peptide ABC transporter; peptide-binding protein'. In the NCTC 8325 strain sta060 is SAOUHSC\_02767 and has amino acid sequence SEQ ID NO:94 (GI:88196403).

**[0245]** Useful sta060 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:94 and/or may comprise an amino acid sequence: (a) having 50%, 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more identity to SEQ ID NO:94; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:94, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta060 proteins include variants of SEQ ID NO:94. Preferred fragments of (b) comprise an epitope from SEQ ID NO:94. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:94 while retaining at least one epitope of SEQ ID NO:94. The first 20 N-terminal amino acids of SEQ ID NO:94 can usefully be omitted. Other fragments omit one or more protein domains.

**[0246]** The 'sta061' antigen is annotated as 'protein with leader'. In the NCTC 8325 strain sta061 is SAOUHSC\_02783 and has amino acid sequence SEQ ID NO:95 (GI:88196419).

**[0247]** Useful sta061 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:95 and/or may comprise an amino acid sequence: (a) having 50%, 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more identity to SEQ ID NO:95; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:95, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta061 proteins include variants of SEQ ID NO:95. Preferred fragments of (b) comprise an epitope from SEQ ID NO:95. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:95 while retaining at least one epitope of SEQ ID NO:95. The first 21 N-terminal amino acids of SEQ ID NO:95 can usefully be omitted. Other fragments omit one or more protein domains.

**[0248]** The 'sta062' antigen is annotated as 'protein with leader'. In the NCTC 8325 strain sta062 is SAOUHSC\_02788 and has amino acid sequence SEQ ID NO:96 (GI:88196424).

**[0249]** Useful sta062 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:96 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:96; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:96, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta062 proteins include variants of SEQ ID

NO:96. Preferred fragments of (b) comprise an epitope from SEQ ID NO:96. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:96 while retaining at least one epitope of SEQ ID NO:96. The first 22 N-terminal amino acids of SEQ ID NO:96 can usefully be omitted. Other fragments omit one or more protein domains.

**[0250]** The 'sta063' antigen is annotated as 'aureolysin'. In the NCTC 8325 strain sta063 is SAOUHSC\_02971 and has amino acid sequence SEQ ID NO:97 (GI:88196592).

**[0251]** Useful sta063 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:97 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:97; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:97, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta063 proteins include variants of SEQ ID NO:97. Preferred fragments of (b) comprise an epitope from SEQ ID NO:97. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:97 while retaining at least one epitope of SEQ ID NO:97. The first 16 N-terminal amino acids of SEQ ID NO:97 can usefully be omitted. Other fragments omit one or more protein domains.

**[0252]** The 'sta064' antigen is annotated as 'lipase'. In the NCTC 8325 strain sta064 is SAOUHSC\_03006 and has amino acid sequence SEQ ID NO:98 (GI:88196625). In the Newman strain it is nwmm 2569 (GI:151222781).

**[0253]** Useful sta064 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:98 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:98; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:98, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta064 proteins include variants of SEQ ID NO:98. Preferred fragments of (b) comprise an epitope from SEQ ID NO:98. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:98 while retaining at least one epitope of SEQ ID NO:98. The first 34 N-terminal amino acids of SEQ ID NO:98 can usefully be omitted. Other fragments omit one or more protein domains.

**[0254]** The 'sta065' antigen is annotated as '1-phosphatidylinositol phosphodiesterase precursor'. In the NCTC 8325 strain sta065 is SAOUHSC 00051 and has amino acid sequence SEQ ID NO:99 (GI:88193871).

**[0255]** Useful sta065 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:99 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:99; and/or (b)

comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:99, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta065 proteins include variants of SEQ ID NO:99. Preferred fragments of (b) comprise an epitope from SEQ ID NO:99. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:99 while retaining at least one epitope of SEQ ID NO:99. The first 26 N-terminal amino acids of SEQ ID NO:99 can usefully be omitted. Other fragments omit one or more protein domains.

**[0256]** The 'sta066' antigen is annotated as 'protein'. In the NCTC 8325 strain sta066 is SAOUHSC\_00172 and has amino acid sequence SEQ ID NO:100 (GI:88193982).

**[0257]** Useful sta066 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:100 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:100; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:100, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta066 proteins include variants of SEQ ID NO:100. Preferred fragments of (b) comprise an epitope from SEQ ID NO:100. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:100 while retaining at least one epitope of SEQ ID NO:100. The first 21 N-terminal amino acids of SEQ ID NO:100 can usefully be omitted. Other fragments omit one or more protein domains.

**[0258]** The 'sta067' antigen is annotated as 'bacterial extracellular solute-binding protein'. In the NCTC 8325 strain sta067 is SAOUHSC\_00176 and has amino acid sequence SEQ ID NO:101 (GI:88193986).

**[0259]** Useful sta067 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:101 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:101; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:101, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta067 proteins include variants of SEQ ID NO:101. Preferred fragments of (b) comprise an epitope from SEQ ID NO:101. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:101 while retaining at least one epitope of SEQ ID NO:101. The first 20 N-terminal amino acids of SEQ ID NO:101 can usefully be omitted. Other fragments omit one or more protein domains.

**[0260]** The 'sta068' antigen is annotated as 'iron permease FTRI'. In the NCTC 8325 strain sta068 is SAOUHSC\_00327 and has amino acid sequence SEQ ID NO:102 (GI:88194127).

**[0261]** Useful sta068 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID

NO:102 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:102; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:102, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta068 proteins include variants of SEQ ID NO:102. Preferred fragments of (b) comprise an epitope from SEQ ID NO:102. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:102 while retaining at least one epitope of SEQ ID NO:102. The final 20 C-terminal amino acids of SEQ ID NO:102 can usefully be omitted. The first 14 N-terminal amino acids of SEQ ID NO:102 can usefully be omitted. Other fragments omit one or more protein domains.

**[0262]** The 'sta069' antigen is annotated as 'autolysin precursor'. In the NCTC 8325 strain sta069 is SAOUHSC\_00427 and has amino acid sequence SEQ ID NO:103 (GI: 88194219).

**[0263]** Useful sta069 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:103 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:103; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:103, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta069 proteins include variants of SEQ ID NO:103. Preferred fragments of (b) comprise an epitope from SEQ ID NO:103. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:103 while retaining at least one epitope of SEQ ID NO:103. The first 25 N-terminal amino acids of SEQ ID NO:103 can usefully be omitted. Other fragments omit one or more protein domains.

**[0264]** The 'sta070' antigen is annotated as 'immunogenic secreted precursor-like protein (truncated)'. In the NCTC 8325 strain sta070 is SAOUHSC\_00773 and has amino acid sequence SEQ ID NO:104 (GI:88194535).

**[0265]** Useful sta070 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:104 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:104; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:104, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta070 proteins include variants of SEQ ID NO:104. Preferred fragments of (b) comprise an epitope from SEQ ID NO:104. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:104 while retaining at least one epitope of SEQ ID NO:104. The first 24 N-terminal amino acids of SEQ ID NO:104 can usefully be omitted. Other fragments omit one or more protein domains.

**[0266]** The 'sta071' antigen is annotated as 'hemolysin'. In the NCTC 8325 strain sta071 is SAOUHSC\_00854 and has amino acid sequence SEQ ID NO:105 (GI:88194612).

**[0267]** Useful sta071 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:105 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:105; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:105, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta071 proteins include variants of SEQ ID NO:105. Preferred fragments of (b) comprise an epitope from SEQ ID NO:105. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:105 while retaining at least one epitope of SEQ ID NO:105. The first 24 N-terminal amino acids of SEQ ID NO:105 can usefully be omitted. Other fragments omit one or more protein domains.

**[0268]** The 'sta072' antigen is annotated as 'extramembranal protein'. In the NCTC 8325 strain sta072 is SAOUHSC\_00872 and has amino acid sequence SEQ ID NO:106 (GI: 88194629).

**[0269]** Useful sta072 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:106 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:106; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:106, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta072 proteins include variants of SEQ ID NO:106. Preferred fragments of (b) comprise an epitope from SEQ ID NO:106. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:106 while retaining at least one epitope of SEQ ID NO:106. The first 24 N-terminal amino acids of SEQ ID NO:106 can usefully be omitted. Other fragments omit one or more protein domains.

**[0270]** The 'sta073' antigen is annotated as 'bifunctional autolysin precursor'. In the NCTC 8325 strain sta073 is SAOUHSC\_00994 and has amino acid sequence SEQ ID NO:107 (GI:88194750). In the Newman strain it is nwmn\_0922 (GI:151221134). Proteomic analysis has revealed that this protein is secreted or surface-exposed.

**[0271]** Useful sta073 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:107 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:107; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:107, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta073 proteins include variants of SEQ ID NO:107. Preferred fragments of (b) comprise an epitope from SEQ ID NO:107. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more).

from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:107 while retaining at least one epitope of SEQ ID NO:107. The first 24 N-terminal amino acids of SEQ ID NO:107 can usefully be omitted. Other fragments omit one or more protein domains.

**[0272]** A Sta073 antigen can usefully be included in a composition in combination with a Sta112. Sta073 does not adsorb well to aluminium hydroxide adjuvants, so Sta073 present in a composition may be unadsorbed or may be adsorbed to an alternative adjuvant e.g. to an aluminium phosphate.

**[0273]** The 'sta074' antigen is annotated as 'factor essential for methicillin resistance'. In the NCTC 8325 strain sta074 is SAOUHSC\_01220 and has amino acid sequence SEQ ID NO:108 (GI:88194956).

**[0274]** Useful sta074 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:108 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:108; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:108, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta074 proteins include variants of SEQ ID NO:108. Preferred fragments of (b) comprise an epitope from SEQ ID NO:108. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:108 while retaining at least one epitope of SEQ ID NO:108. Other fragments omit one or more protein domains.

**[0275]** The 'sta075' antigen is annotated as 'insulysin; peptidase family M16'. In the NCTC 8325 strain sta075 is SAOUHSC\_01256 and has amino acid sequence SEQ ID NO:109 (GI:88194989).

**[0276]** Useful sta075 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:109 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:109; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:109, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta075 proteins include variants of SEQ ID NO:109. Preferred fragments of (b) comprise an epitope from SEQ ID NO:109. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:109 while retaining at least one epitope of SEQ ID NO:109. Other fragments omit one or more protein domains.

**[0277]** The 'sta076' antigen is annotated as 'hydrolase'. In the NCTC 8325 strain sta076 is SAOUHSC\_01263 and has amino acid sequence SEQ ID NO:110 (GI:88194996).

**[0278]** Useful sta076 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:110 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%,

98%, 99%, 99.5% or more) to SEQ ID NO:110; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:110, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta076 proteins include variants of SEQ ID NO:110. Preferred fragments of (b) comprise an epitope from SEQ ID NO:110. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:110 while retaining at least one epitope of SEQ ID NO:110. The first 24 N-terminal amino acids of SEQ ID NO:110 can usefully be omitted. Other fragments omit one or more protein domains.

**[0279]** The 'sta077' antigen is annotated as 'protein'. In the NCTC 8325 strain sta077 is SAOUHSC\_01317 and has amino acid sequence SEQ ID NO:111 (GI:88195047). Proteomic analysis has revealed that this protein is secreted or surface-exposed.

**[0280]** Useful sta077 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:111 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:111; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:111, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta077 proteins include variants of SEQ ID NO:111. Preferred fragments of (b) comprise an epitope from SEQ ID NO:111. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:111 while retaining at least one epitope of SEQ ID NO:111. The first 20 N-terminal amino acids of SEQ ID NO:111 can usefully be omitted. Other fragments omit one or more protein domains.

**[0281]** The 'sta078' antigen is annotated as 'FtsK/SpoIIIE family protein'. In the NCTC 8325 strain sta078 is SAOUHSC\_01857 and has amino acid sequence SEQ ID NO:112 (GI:88195555).

**[0282]** Useful sta078 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:112 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:112; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:112, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta078 proteins include variants of SEQ ID NO:112. Preferred fragments of (b) comprise an epitope from SEQ ID NO:112. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:112 while retaining at least one epitope of SEQ ID NO:112. Other fragments omit one or more protein domains.

**[0283]** The 'sta079' antigen is annotated as 'serine protease SpIF'. In the NCTC 8325 strain sta079 is SAOUHSC\_01935 and has amino acid sequence SEQ ID NO:113 (GI:88195630).

**[0284]** Useful sta079 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:113 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:113; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:113, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200 or more). These sta079 proteins include variants of SEQ ID NO:113. Preferred fragments of (b) comprise an epitope from SEQ ID NO:113. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the 35 C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:113 while retaining at least one epitope of SEQ ID NO:113. The first 36 N-terminal amino acids of SEQ ID NO:113 can usefully be omitted. Other fragments omit one or more protein domains.

**[0285]** The 'sta080' antigen is annotated as 'serine protease SplE'. In the NCTC 8325 strain sta080 is SAOUHSC\_01936 and has amino acid sequence SEQ ID NO:114 (GI: 88195631).

**[0286]** Useful sta080 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:114 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:114; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:114, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200 or more). These sta080 proteins include variants of SEQ ID NO:114. Preferred fragments of (b) comprise an epitope from SEQ ID NO:114. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:114 while retaining at least one epitope of SEQ ID NO:114. The first 36 N-terminal amino acids of SEQ ID NO:114 can usefully be omitted. Other fragments omit one or more protein domains.

**[0287]** The 'sta081' antigen is annotated as 'serine protease SplD (EC:3.4.21.18)'. In the NCTC 8325 strain sta081 is SAOUHSC\_01938 and has amino acid sequence SEQ ID NO:154 (GI:88195633).

**[0288]** Useful sta081 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:154 and/or may comprise an amino acid sequence: (a) having 50%, 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more identity to SEQ ID NO:154; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:154, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200 or more). These sta081 proteins include variants of SEQ ID NO:154. Preferred fragments of (b) comprise an epitope from SEQ ID NO:154. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from 30 the N-terminus of SEQ ID NO:154 while retaining at least one epitope of SEQ

ID NO:154. The first 36 N-terminal amino acids of SEQ ID NO:154 can usefully be omitted. Other fragments omit one or more protein domains.

**[0289]** The 'sta082' antigen is annotated as 'serine protease SplC'. In the NCTC 8325 strain sta082 is SAOUHSC\_01939 and has amino acid sequence SEQ ID NO:115 (GI: 88195634).

**[0290]** Useful sta082 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:115 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:115; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:115, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200 or more). These sta082 proteins include variants of SEQ ID NO:115. Preferred fragments of (b) comprise an epitope from SEQ ID NO:115. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:115 while retaining at least one epitope of SEQ ID NO:115. The first 36 N-terminal amino acids of SEQ ID NO:115 can usefully be omitted. Other fragments omit one or more protein domains.

**[0291]** The 'sta083' antigen is annotated as 'serine protease SplB'. In the NCTC 8325 strain sta083 is SAOUHSC\_01941 and has amino acid sequence SEQ ID NO:116 (GI: 88195635).

**[0292]** Useful sta083 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:116 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:116; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:116, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200 or more). These sta083 proteins include variants of SEQ ID NO:116. Preferred fragments of (b) comprise an epitope from SEQ ID NO:116. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:116 while retaining at least one epitope of SEQ ID NO:116. The first 36 N-terminal amino acids of SEQ ID NO:116 can usefully be omitted. Other fragments omit one or more protein domains.

**[0293]** The 'sta084' antigen is annotated as 'serine protease SplA'. In the NCTC 8325 strain sta084 is SAOUHSC\_01942 and has amino acid sequence SEQ ID NO:117 (GI: 88195636).

**[0294]** Useful sta084 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:117 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:117; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:117, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200 or more). These sta084 proteins include variants of SEQ ID NO:117. Preferred fragments of (b) comprise an epitope from

SEQ ID NO:117. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:117 while retaining at least one epitope of SEQ ID NO:117. The first N-terminal amino acids of SEQ ID NO:117 can usefully be omitted. Other fragments omit one or more protein domains.

**[0295]** The 'sta085' antigen is annotated as 'staphylokinase precursor'. In the NCTC 8325 strain sta085 is SAOUHSC\_02171 and has amino acid sequence SEQ ID NO:118 (GI:88195848).

**[0296]** Useful sta085 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:118 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:118; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:118, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150 or more). These sta085 proteins include variants of SEQ ID NO:118. Preferred fragments of (b) comprise an epitope from SEQ ID NO:118. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:118 while retaining at least one epitope of SEQ ID NO:118. The first 27 N-terminal amino acids of SEQ ID NO:118 can usefully be omitted. Other fragments omit one or 20 more protein domains.

**[0297]** The 'sta086' antigen is annotated as 'OxaA-like protein'. In the NCTC 8325 strain sta086 is SAOUHSC\_02327 and has amino acid sequence SEQ ID NO:119 (GI:88195993).

**[0298]** Useful sta086 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:119 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:119; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:119, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta086 proteins include variants of SEQ ID NO:119. Preferred fragments of (b) comprise an epitope from SEQ ID NO:119. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:119 while retaining at least one epitope of SEQ ID NO:119. The first 19 N-terminal amino acids of SEQ ID NO:119 can usefully be omitted. Other fragments omit one or more protein domains.

**[0299]** The 'sta087' antigen is annotated as 'teicoplanin resistance protein TcaA'. In the NCTC 8325 strain sta087 is SAOUHSC\_02635 and has amino acid sequence SEQ ID NO:120 (GI:88196276).

**[0300]** Useful sta087 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:120 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:120; and/or (b)

comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:120, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta087 proteins include variants of SEQ ID NO:120. Preferred fragments of (b) comprise an epitope from SEQ ID NO:120. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:120 while retaining at least one epitope of SEQ ID NO:120. Other fragments omit one or more protein domains.

**[0301]** The 'sta088' antigen is annotated as 'esterase'. In the NCTC 8325 strain sta088 is SAOUHSC\_02844 and has amino acid sequence SEQ ID NO:121 (GI:88196477).

**[0302]** Useful sta088 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:121 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:121; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:121, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta088 proteins include variants of SEQ ID NO:121. Preferred fragments of (b) comprise an epitope from SEQ ID NO:121. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:121 while retaining at least one epitope of SEQ ID NO:121. The first 18 N-terminal amino acids of SEQ ID NO:121 can usefully be omitted. Other fragments omit one or more protein domains.

**[0303]** The 'sta089' antigen is annotated as 'LysM domain protein'. In the NCTC 8325 strain sta089 is SAOUHSC\_02855 and has amino acid sequence SEQ ID NO:122 (GI:88196486).

**[0304]** Useful sta089 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:122 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:122; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:122, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100 or more). These sta089 proteins include variants of SEQ ID NO:122. Preferred fragments of (b) comprise an epitope from SEQ ID NO:122. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:122 while retaining at least one epitope of SEQ ID NO:122. The first 20 N-terminal amino acids of SEQ ID NO:122 can usefully be omitted. Other fragments omit one or more protein domains.

**[0305]** The 'sta090' antigen is annotated as 'LysM domain protein'. In the NCTC 8325 strain sta090 is SAOUHSC\_02883 and has amino acid sequence SEQ ID NO:123 (GI:88196512).

**[0306]** Useful sta090 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:123 and/or may comprise an amino acid sequence: (a)

having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:123; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:123, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta090 proteins include variants of SEQ ID NO:123. Preferred fragments of (b) comprise an epitope from SEQ ID NO:123. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:123 while retaining at least one epitope of SEQ ID NO:123. The first 26 N-terminal amino acids of SEQ ID NO:123 can usefully be omitted. Other fragments omit one or more protein domains.

**[0307]** The 'sta091' antigen is annotated as 'lipoprotein'. In the NCTC 8325 strain sta091 is SAOUHSC\_00685 and has amino acid sequence SEQ ID NO:124 (GI:88194450).

**[0308]** Useful sta091 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:124 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:124; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:124, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100 or more). These sta091 proteins include variants of SEQ ID NO:124. Preferred fragments of (b) comprise an epitope from SEQ ID NO:124. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:124 while retaining at least one epitope of SEQ ID NO:124. The first 15 N-terminal amino acids of SEQ ID NO:124 can usefully be omitted. Other fragments omit one or more protein domains.

**[0309]** The 'sta092' antigen is annotated as 'M23/M37 peptidase domain protein'. In the NCTC 8325 strain sta092 is SAOUHSC\_00174 and has amino acid sequence SEQ ID NO:125 (GI:88193984).

**[0310]** Useful sta092 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:125 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:125; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:125, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150 or more). These sta092 proteins include variants of SEQ ID NO:125. Preferred fragments of (b) comprise an epitope from SEQ ID NO:125. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:125 while retaining at least one epitope of SEQ ID NO:125. The first 25 N-terminal amino acids of SEQ ID NO:125 can usefully be omitted. Other fragments omit one or more protein domains.

**[0311]** The 'sta093' antigen is annotated as 'protein'. In the NCTC 8325 strain sta093 is SAOUHSC\_01854 and has amino acid sequence SEQ ID NO:126 (GI:88195552).

**[0312]** Useful sta093 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:126 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:126; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:126, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta093 proteins include variants of SEQ ID NO:126. Preferred fragments of (b) comprise an epitope from SEQ ID NO:126. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:126 while retaining at least one epitope of SEQ ID NO:126. Other fragments omit one or more protein domains.

**[0313]** The 'sta094' antigen is annotated as 'protein'. In the NCTC 8325 strain sta094 is SAOUHSC\_01512 and has amino acid sequence SEQ ID NO:127 (GI:88195226).

**[0314]** Useful sta094 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:127 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:127; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:127, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta094 proteins include variants of SEQ ID NO:127. Preferred fragments of (b) comprise an epitope from SEQ ID NO:127. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:127 while retaining at least one epitope of SEQ ID NO:127. The first 17 N-terminal amino acids of SEQ ID NO:127 can usefully be omitted. Other fragments omit one or more protein domains.

**[0315]** The 'sta095' antigen is annotated as 'superantigen-like protein'. In the NCTC 8325 strain sta095 is SAOUHSC\_00383 and has amino acid sequence SEQ ID NO:128 (GI:88194180). In the Newman strain it is nwmn\_0388 (GI:151220600).

**[0316]** Useful sta095 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:128 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:128; and/or (b) comprising a fragment of at least consecutive amino acids of SEQ ID NO:128, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200 or more). These sta095 proteins include variants of SEQ ID NO:128. Preferred fragments of (b) comprise an epitope from SEQ ID NO:128. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:128 while retaining at least one epitope of SEQ ID NO:128. The first 32 N-terminal amino acids of SEQ ID NO:128 can usefully be omitted. Other fragments omit one or more protein domains.

**[0317]** The 'sta096' antigen is annotated as 'superantigen-like protein'. In the NCTC 8325 strain sta096 is SAOUHSC\_00384 and has amino acid sequence SEQ ID NO:129 (GI:88194181). Useful sta096 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:129 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:129; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:129, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200 or more). These sta096 proteins include variants of SEQ ID NO:129. Preferred fragments of (b) comprise an epitope from SEQ ID NO:129. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:129 while retaining at least one epitope of SEQ ID NO:129. The first 30 N-terminal amino acids of SEQ ID NO:129 can usefully be omitted. Other fragments omit one or more protein domains.

**[0318]** The 'sta097' antigen is annotated as 'superantigen-like protein'. In the NCTC 8325 strain sta097 is SAOUHSC\_00386 and has amino acid sequence SEQ ID NO:130 (GI:88194182).

**[0319]** Useful sta097 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:130 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:130; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:130, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta097 proteins include variants of SEQ ID NO:130. Preferred fragments of (b) comprise an epitope from SEQ ID NO:130. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:130 while retaining at least one epitope of SEQ ID NO:130. The first 30 N-terminal amino acids of SEQ ID NO:130 can usefully be omitted. Other fragments omit one or more protein domains.

**[0320]** The 'sta098' antigen is annotated as 'superantigen-like protein'. In the NCTC 8325 strain sta098 is SAOUHSC\_00389 and has amino acid sequence SEQ ID NO:131 (GI:88194184). In the Newman strain it is nwmn\_0391 (GI:151220603).

**[0321]** Useful sta098 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:131 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:131; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:131, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta098 proteins include variants of SEQ ID NO:131. Preferred fragments of (b) comprise an epitope from SEQ ID NO:131. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1,

2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:131 while retaining at least one epitope of SEQ ID NO:131. The first 30 N-terminal amino acids of SEQ ID NO:131 can usefully be omitted. Other fragments omit one or more protein domains.

**[0322]** The 'sta099' antigen is annotated as 'superantigen-like protein 5'. In the NCTC 8325 strain sta099 is SAOUHSC\_00390 and has amino acid sequence SEQ ID NO:132 (GI:88194185).

**[0323]** Useful sta099 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:132 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:132; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:132, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200 or more). These sta099 proteins include variants of SEQ ID NO:132. Preferred fragments of (b) comprise an epitope from SEQ ID NO:132. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:132 while retaining at least one epitope of SEQ ID NO:132. The first 30 N-terminal amino acids of SEQ ID NO:132 can usefully be omitted. Other fragments omit one or more protein domains.

**[0324]** The 'sta100' antigen is annotated as 'superantigen-like protein'. In the NCTC 8325 strain sta100 is SAOUHSC\_00391 and has amino acid sequence SEQ ID NO:133 (GI:88194186).

**[0325]** Useful sta100 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:133 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:133; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:133, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200 or more). These sta100 proteins include variants of SEQ ID NO:133. Preferred fragments of (b) comprise an epitope from SEQ ID NO:133. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:133 while retaining at least one epitope of SEQ ID NO:133. The first 30 N-terminal amino acids of SEQ ID NO:133 can usefully be omitted. Other fragments omit one or more protein domains.

**[0326]** The 'sta101' antigen is annotated as 'superantigen-like protein 7'. In the NCTC 8325 strain sta101 is SAOUHSC\_00392 and has amino acid sequence SEQ ID NO:134 (GI:88194187). In the Newman strain it is nwmn\_0394 (GI:151220606).

**[0327]** Useful sta101 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:134 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:134; and/or (b) comprising a fragment of at least 'n' consecutive amino acids

of SEQ ID NO:134, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200 or more).

**[0328]** These sta101 proteins include variants of SEQ ID NO:134. Preferred fragments of (b) comprise an epitope from SEQ ID NO:134. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:134 while retaining at least one epitope of SEQ ID NO:134. The first 30 N-terminal amino acids of SEQ ID NO:134 can usefully be omitted. Other fragments omit one or more protein domains.

**[0329]** The 'sta102' antigen is annotated as 'superantigen-like protein'. In the NCTC 8325 strain sta102 is SAOUHSC\_00393 and has amino acid sequence SEQ ID NO:135 (GI: 88194188).

**[0330]** Useful sta102 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:135 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:135; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:135, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200 or more). These sta102 proteins include variants of SEQ ID NO:135. Preferred fragments of (b) comprise an epitope from SEQ ID NO:135. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:135 while retaining at least one epitope of SEQ ID NO:135. The first 17 N-terminal amino acids of SEQ ID NO:135 can usefully be omitted. Other fragments omit one or more protein domains.

**[0331]** The 'sta103' antigen is annotated as 'superantigen-like protein'. In the NCTC 8325 strain sta103 is SAOUHSC\_00394 and has amino acid sequence SEQ ID NO:136 (GI: 88194189).

**[0332]** Useful sta103 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:136 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:136; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:136, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200 or more). These sta103 proteins include variants of SEQ ID NO:136. Preferred fragments of (b) comprise an epitope from SEQ ID NO:136. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:136 while retaining at least one epitope of SEQ ID NO:136. The first 23 N-terminal amino acids of SEQ ID NO:136 can usefully be omitted. Other fragments omit one or more protein domains.

**[0333]** The 'sta104' antigen is annotated as 'superantigen-like protein'. In the NCTC 8325 strain sta104 is SAOUHSC\_00395 and has amino acid sequence SEQ ID NO:137 (GI: 88194190).

**[0334]** Useful sta104 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:137 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:137; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:137, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200 or more). These sta104 proteins include variants of SEQ ID NO:137. Preferred fragments of (b) comprise an epitope from SEQ ID NO:137. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:137 while retaining at least one epitope of SEQ ID NO:137. Other fragments omit one or more protein domains.

**[0335]** The 'sta105' antigen is annotated as 'superantigen-like protein'. In the NCTC 8325 strain sta105 is 20 SAOUHSC\_00399 and has amino acid sequence SEQ ID NO:138 (GI:88194194). In the Newman strain it is nwmn\_0400 (GI: 151220612).

**[0336]** Useful sta105 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:138 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:138; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:138, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200 or more). These sta105 proteins include variants of SEQ ID NO:138. Preferred fragments of (b) comprise an epitope from SEQ ID NO:138. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:138 while retaining at least one epitope of SEQ ID NO:138. The first 30 N-terminal amino acids of SEQ ID NO:138 can usefully be omitted. Other fragments omit one or more protein domains.

**[0337]** The 'sta106' antigen is annotated as 'hypothetical protein'. In the NCTC 8325 strain sta106 is SAOUHSC\_01115 and has amino acid sequence SEQ ID NO:139 (GI: 88194861).

**[0338]** Useful sta106 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:139 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:139; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:139, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100 or more). These sta106 proteins include variants of SEQ ID NO:139. Preferred fragments of (b) comprise an epitope from SEQ ID NO:139. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:139 while retaining at least one epitope of SEQ

ID NO:139. The first 16 N-terminal amino acids of SEQ ID NO:139 can usefully be omitted. Other fragments omit one or more protein domains.

**[0339]** The 'sta107' antigen is annotated as 'hypothetical protein'. In the NCTC 8325 strain sta107 is SAOUHSC\_00354 and has amino acid sequence SEQ ID NO:140 (GI:88194153).

**[0340]** Useful sta107 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:140 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:140; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:140, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200 or more). These sta107 proteins include variants of SEQ ID NO:140. Preferred fragments of (b) comprise an epitope from SEQ ID NO:140. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:140 while retaining at least one epitope of SEQ ID NO:140. The first 35 N-terminal amino acids of SEQ ID NO:140 can usefully be omitted. Other fragments omit one or more protein domains.

**[0341]** The 'sta108' antigen is annotated as 'hypothetical protein'. In the NCTC 8325 strain sta108 is SAOUHSC\_00717 and has amino acid sequence SEQ ID NO:141 (GI:88194482).

**[0342]** Useful sta108 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:141 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:141; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:141, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100 or more). These sta108 proteins include variants of SEQ ID NO:141. Preferred fragments of (b) comprise an epitope from SEQ ID NO:141. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:141 while retaining at least one epitope of SEQ ID NO:141. The first 20 N-terminal amino acids of SEQ ID NO:141 can usefully be omitted. Other fragments omit one or more protein domains.

**[0343]** The 'sta109' antigen is annotated as 'N-acetylmuramoyl-L-alanine amidase'. In the NCTC 8325 strain sta109 is SAOUHSC\_02979 and has amino acid sequence SEQ ID NO:142 (GI:88196599).

**[0344]** Useful sta109 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:142 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:142; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:142, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta109 proteins include variants of SEQ ID NO:142. Preferred fragments of (b) comprise an epitope from

SEQ ID NO:142. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:142 while retaining at least one epitope of SEQ ID NO:142. The first 27 N-terminal amino acids of SEQ ID NO:142 can usefully be omitted. Other fragments omit one or more protein domains.

**[0345]** The 'sta110' antigen is annotated as 'hypothetical protein'. In the NCTC 8325 strain sta110 is SAOUHSC\_01039 and has amino acid sequence SEQ ID NO:143 (GI:88194791).

**[0346]** Useful sta110 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:143 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:143; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:143, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200 or more). These sta110 proteins include variants of SEQ ID NO:143. Preferred fragments of (b) comprise an epitope from SEQ ID NO:143. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:143 while retaining at least one epitope of SEQ ID NO:143. The first 19 N-terminal amino acids of SEQ ID NO:143 can usefully be omitted. Other fragments omit one or more protein domains.

**[0347]** The 'sta111' antigen is annotated as 'hypothetical protein'. In the NCTC 8325 strain sta111 is SAOUHSC\_01005 and has amino acid sequence SEQ ID NO:144 (GI:88194760).

**[0348]** Useful sta111 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:144 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:144; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:144, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100 or more). These sta111 proteins include variants of SEQ ID NO:144. Preferred fragments of (b) comprise an epitope from SEQ ID NO:144. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:144 while retaining at least one epitope of SEQ ID NO:144. The first 20 N-terminal amino acids of SEQ ID NO:144 can usefully be omitted. Other fragments omit one or more protein domains.

**[0349]** The 'sta112' antigen is annotated as a putative 'ABC transporter, substrate-binding protein'. In the NCTC 8325 strain sta112 is SAOUHSC\_00634 and has amino acid sequence SEQ ID NO:145 (GI:88194402).

**[0350]** Useful sta112 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:145 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:145; and/or (b)

comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:145, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta112 proteins include variants of SEQ ID NO:145. Preferred fragments of (b) comprise an epitope from SEQ ID NO:145. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:145 while retaining at least one epitope of SEQ ID NO:145. The first 17 N-terminal amino acids of SEQ ID NO:145 can usefully be omitted. Other fragments omit one or more protein domains.

**[0351]** The 'sta113' antigen is annotated as 'hypothetical protein'. In the NCTC 8325 strain sta113 is SAOUHSC\_00728 and has amino acid sequence SEQ ID NO:146 (GI:88194493).

**[0352]** Useful sta113 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:146 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:146; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:146, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta113 proteins include variants of SEQ ID NO:146. Preferred fragments of (b) comprise an epitope from SEQ ID NO:146. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:146 while retaining at least one epitope of SEQ ID NO:146. The first 173 N-terminal amino acids of SEQ ID NO:146 can usefully be omitted. Other fragments omit one or more protein domains.

**[0353]** The 'sta114' antigen is annotated as 'hypothetical protein'. In the NCTC 8325 strain sta114 is SAOUHSC\_00810 and has amino acid sequence SEQ ID NO:147 (GI:88194570).

**[0354]** Useful sta114 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:147 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:147; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:147, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150 or more). These sta114 proteins include variants of SEQ ID NO:147. Preferred fragments of (b) comprise an epitope from SEQ ID NO:147. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:147 while retaining at least one epitope of SEQ ID NO:147. Other fragments omit one or more protein domains.

**[0355]** The 'sta115' antigen is annotated as 'hypothetical protein'. In the NCTC 8325 strain sta115 is SAOUHSC\_00817 and has amino acid sequence SEQ ID NO:148 (GI:88194576).

**[0356]** Useful sta115 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID

NO:148 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:148; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:148, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150 or more). These sta115 proteins include variants of SEQ ID NO:148. Preferred fragments of (b) comprise an epitope from SEQ ID NO:148. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:148 while retaining at least one epitope of SEQ ID NO:148. The first 18 N-terminal amino acids of SEQ ID NO:148 can usefully be omitted. Other fragments omit one or more protein domains.

**[0357]** The 'sta116' antigen is annotated as 'formyl peptide receptor-like 1 inhibitory protein'. In the NCTC 8325 strain sta116 is SAOUHSC\_01112 and has amino acid sequence SEQ ID NO:149 (GI:88194858).

**[0358]** Useful sta116 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:149 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:149; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:149, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100 or more). These sta116 proteins include variants of SEQ ID NO:149. Preferred fragments of (b) comprise an epitope from SEQ ID NO:149. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:149 while retaining at least one epitope of SEQ ID NO:149. The first 20 N-terminal amino acids of SEQ ID NO:149 can usefully be omitted. Other fragments omit one or more protein domains.

**[0359]** The 'sta117' antigen is annotated as 'truncated beta-hemolysin'. In the NCTC 8325 strain sta117 is SAOUHSC\_02240 and has amino acid sequence SEQ ID NO:150 (GI:88195913).

**[0360]** Useful sta117 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:150 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:150; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:150, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta117 proteins include variants of SEQ ID NO:150. Preferred fragments of (b) comprise an epitope from SEQ ID NO:150. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:150 while retaining at least one epitope of SEQ ID NO:150. Other fragments omit one or more protein domains.

**[0361]** The 'sta118' antigen is annotated as 'cell division protein FtsZ'. In the NCTC 8325 strain stall 8 is SAOUHSC\_01150 and has amino acid sequence SEQ ID NO:151 (GI:88194892).

**[0362]** Useful sta118 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:151 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:151; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:151, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150, 200, 250 or more). These sta118 proteins include variants of SEQ ID NO:151. Preferred fragments of (b) comprise an epitope from SEQ ID NO:151. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:151 while retaining at least one epitope of SEQ ID NO:151. Other fragments omit one or more protein domains.

**[0363]** The 'sta119' antigen is annotated as 'thioredoxin'. In the NCTC 8325 strain sta119 is SAOUHSC\_01100 and has amino acid sequence SEQ ID NO:152 (GI:88194846).

**[0364]** Useful sta119 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:152 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:152; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:152, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100 or more). These sta119 proteins include variants of SEQ ID NO:152. Preferred fragments of (b) comprise an epitope from SEQ ID NO:152. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of SEQ ID NO:152 while retaining at least one epitope of SEQ ID NO:152. Other fragments omit one or more protein domains.

**[0365]** The 'sta120' antigen is annotated as 'alkyl hydroperoxide reductase subunit c'. In the NCTC 8325 strain sta120 is SAOUHSC\_00365 and has amino acid sequence SEQ ID NO:153 (GI:88194163).

**[0366]** Useful sta120 antigens can elicit an antibody (e.g. when administered to a human) that recognizes SEQ ID NO:153 and/or may comprise an amino acid sequence: (a) having 50% or more identity (e.g. 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, 99.5% or more) to SEQ ID NO:153; and/or (b) comprising a fragment of at least 'n' consecutive amino acids of SEQ ID NO:153, wherein 'n' is 7 or more (e.g. 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60, 70, 80, 90, 100, 150 or more). These sta120 proteins include variants of SEQ ID NO:153. Preferred fragments of (b) comprise an epitope from SEQ ID NO:153. Other preferred fragments lack one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the C-terminus and/or one or more amino acids (e.g. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25 or more) from the N-terminus of

SEQ ID NO:153 while retaining at least one epitope of SEQ ID NO:153. Other fragments omit one or more protein domains.

**[0367]** The polypeptides described herein may include 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, or more variant amino acids within at least, or at most 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 300, 400, 500, 550, 1000 or more contiguous amino acids, or any range derivable therein, of SEQ ID NO:2-30, or SEQ ID NO:32-155.

**[0368]** A polypeptide segment or immunogenic fragment as described herein may include 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 300, 400, 500, 550, 1000 or more contiguous amino acids, or any range derivable therein, of SEQ ID NO:2-30, or SEQ ID NO:33-155.

**[0369]** The immunogenic compositions of the invention may further comprise capsular polysaccharides including one or more of PIA (also known as PNAG) and/or *S. aureus* Type V and/or type VIII capsular polysaccharide and/or *S. epidermidis* Type I, and/or Type II and/or Type III capsular polysaccharide.

**[0370]** The compositions may be formulated in a pharmaceutically acceptable composition. In certain aspects of the invention the *staphylococcus* bacterium is an *S. aureus* bacterium.

**[0371]** In further aspects, a composition may be administered more than one time to the subject, and may be administered 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20 or more times. The administration of the compositions include, but is not limited

to oral, parenteral, subcutaneous, intramuscular, intravenous, or various combinations thereof, including inhalation or aspiration.

**[0372]** In still further embodiments, a composition comprises a recombinant nucleic acid molecule encoding a polypeptide described herein or segments/fragments thereof. Typically a recombinant nucleic acid molecule encoding a polypeptide described herein contains a heterologous promoter. In certain aspects, a recombinant nucleic acid molecule of the invention is a vector, in still other aspects the vector is a plasmid. In certain embodiments the vector is a viral vector. In certain aspects a composition includes a recombinant, non-*staphylococcus* bacterium containing or expressing a polypeptide described herein. In particular aspects the recombinant non-staphylococcus bacteria is *Salmonella* or another gram-positive bacteria. A composition is typically administered to mammals, such as human subjects, but administration to other animals that are capable of eliciting an immune response is contemplated. In further aspects the *staphylococcus* bacterium containing or expressing the polypeptide is *Staphylococcus aureus*. In further embodiments the immune response is a protective immune response.

**[0373]** In further embodiments a composition comprises a recombinant nucleic acid molecule encoding all or part of one or more of a SpA, SpA polypeptide variant, Eap, Ebh, Emp, EsaB, EsaC, EsxA, EsxB, SdrC, SdrD, SdrE, IsdA, IsdB, ClfA, ClfB, Coa, Hla, IsdC, SasF, SpA, vWbp, or vWh protein or peptide or variant thereof. Additional staphylococcal antigens that can be used in combination with the polypeptides described herein include, but are not limited to 52 kDa vitronectin binding protein (WO 01/60852), Aaa, Aap, Ant, autolysin glucosaminidase, autolysin amidase, Cna, collagen binding protein (U.S. Pat. No. 6,288,214), EFB (FIB), Elastin binding protein (EbpS), EPB, FbpA, fibrinogen binding protein (U.S. Pat. No. 6,008,341), Fibronectin binding protein (U.S. Pat. No. 5,840,846), FnbA, FnbB, GehD (US 2002/0169288), HarA, HBP, Immunodominant ABC transporter, IsaA/P isA, laminin receptor, Lipase GehD, MAP, Mg2+ transporter, MHC II analogue (U.S. Pat. No. 5,648,240), MRPII, Npase, RNA III activating protein (RAP), SasA, SasB, SasC, SasD, SasK, SBI, SdrF (WO 00/12689), SdrG/Fig (WO 00/12689), SdrH (WO 00/12689), SEA exotoxins (WO 00/02523), SEB exotoxins (WO 00/02523), SitC and Ni ABC transporter, SitC/MntC/saliva binding protein (U.S. Pat. No. 5,801,234), SsaA, SSP-1, SSP-2, and/or Vitronectin binding protein. In particular aspects, a bacteria is a recombinant non-staphylococcus bacteria, such as a *Salmonella* or other gram-positive bacteria. Certain embodiments include compositions comprising recombinant nucleic acid molecules encoding all or part of one or more of, sta001, sta002, sta003, sta004, sta005, sta006, sta007, sta008, sta009, sta010, sta011, sta012, sta013, sta014, sta015, sta016, sta017, sta018, sta019, sta020, sta021, sta022, sta023, sta024, sta025, sta026, sta027, sta028, sta029, sta030, sta031, sta032, sta033, sta034, sta035, sta036, sta037, sta038, sta039, sta040, sta041, sta042, sta043, sta044, sta045, sta046, sta047, sta048, sta049, sta050, sta051, sta052, sta053, sta054, sta055, sta056, sta057, sta058, sta059, sta060, sta061, sta062, sta063, sta064, sta065, sta066, sta067, sta068, sta069, sta070, sta071, sta072, sta073, sta074, sta075, sta076, sta077, sta078, sta079, sta080, sta081, sta082, sta083, sta084, sta085, sta086, sta087, sta088, sta089, sta090, sta091, sta092, sta093, sta094, sta095, sta096, sta097, sta098, sta099, sta100, sta101, sta102, sta103, sta104, sta105, sta106, sta107, sta108, sta109, sta110, sta111, sta112, sta113, sta114,

sta115, sta116, sta117, sta118, sta119, sta120, or EsxAB hybrid polypeptide or immunogenic fragment thereof.

**[0374]** Compositions of the invention are typically administered to human subjects, but administration to other animals that are capable of eliciting an immune response to a bacterium, e.g., a *staphylococcus* bacterium, is contemplated, particularly cattle, horses, goats, sheep and other domestic animals, i.e., mammals.

**[0375]** In certain aspects the *staphylococcus* bacterium is a *Staphylococcus aureus*. In further embodiments the immune response is a protective immune response. In still further aspects, the methods and compositions of the invention can be used to prevent, ameliorate, reduce, or treat infection of tissues or glands, e.g., mammary glands, particularly mastitis and other infections. Other methods include, but are not limited to prophylactically reducing bacterial burden in a subject not exhibiting signs of infection, particularly those subjects suspected of or at risk of being colonized by a target bacteria, e.g., patients that are or will be at risk or susceptible to infection during a hospital stay, treatment, and/or recovery.

**[0376]** Any embodiment discussed with respect to one aspect of the invention applies to other aspects of the invention as well. In particular, any embodiment discussed in the context of a SpA variant polypeptide, peptide, nucleic acid, or antibody may specifically exclude one or more of Eap, Ebh, Emp, EsaC, EsxA, EsxB, SdrC, SdrD, SdrE, IsdA, IsdB, ClfA, ClfB, Coa, Hla, IsdC, SasF, vWbp, vWh, 52 kDa vitronectin binding protein (WO 01/60852), Aaa, Aap, Ant, autolysin glucosaminidase, autolysin amidase, Cna, collagen binding protein (U.S. Pat. No. 6,288,214), EFB (FIB), Elastin binding protein (EbpS), EPB, FbpA, fibrinogen binding protein (U.S. Pat. No. 6,008,341), Fibronectin binding protein (U.S. Pat. No. 5,840,846), FnbA, FnbB, GehD (US 2002/0169288), HarA, HBP, Immunodominant ABC transporter, IsaA/P isA, laminin receptor, Lipase GehD, MAP, Mg2+ transporter, MHC II analogue (U.S. Pat. No. 5,648,240), MRPII, Npase, RNA III activating protein (RAP), SasA, SasB, SasC, SasD, SasK, SBI, SdrF (WO 00/12689), SdrG/Fig (WO 00/12689), SdrH (WO 00/12689), SEA exotoxins (WO 00/02523), SEB exotoxins (WO 00/02523), SitC and Ni ABC transporter, SitC/MntC/saliva binding protein (U.S. Pat. No. 5,801,234), SsaA, SSP-1, SSP-2, and/or Vitronectin binding protein (or nucleic acids), sta001, sta002, sta003, sta004, sta005, sta006, sta007, sta008, sta009, sta010, sta011, sta012, sta013, sta014, sta015, sta016, sta017, sta018, sta019, sta020, sta021, sta022, sta023, sta024, sta025, sta026, sta027, sta028, sta029, sta030, sta031, sta032, sta033, sta034, sta035, sta036, sta037, sta038, sta039, sta040, sta041, sta042, sta043, sta044, sta045, sta046, sta047, sta048, sta049, sta050, sta051, sta052, sta053, sta054, sta055, sta056, sta057, sta058, sta059, sta060, sta061, sta062, sta063, sta064, sta065, sta066, sta067, sta068, sta069, sta070, sta071, sta072, sta073, sta074, sta075, sta076, sta077, sta078, sta079, sta080, sta081, sta082, sta083, sta084, sta085, sta086, sta087, sta088, sta089, sta090, sta091, sta092, sta093, sta094, sta095, sta096, sta097, sta098, sta099, sta100, sta101, sta102, sta103, sta104, sta105, sta106, sta107, sta108, sta109, sta110, sta111, sta112, sta113, sta114, sta115, sta116, sta117, sta118, sta119, sta120, or EsxAB hybrid polypeptide or immunogenic fragment thereof and vice versa.

**[0377]** Embodiments of the invention include compositions that contain or do not contain a bacterium. A composition may or may not include an attenuated or viable or intact staphylococcal bacterium. In certain aspects, the composition comprises a bacterium that is not a staphylococcal bacterium

or does not contain staphylococcal bacteria. In certain embodiments a bacterial composition comprises an isolated or recombinantly expressed staphylococcal Protein A variant or a nucleotide encoding the same. The composition may be or include a recombinantly engineered *staphylococcus* bacterium that has been altered in a way that comprises specifically altering the bacterium with respect to a secreted virulence factor or cell surface protein. For example, the bacteria may be recombinantly modified to express more of the virulence factor or cell surface protein than it would express if unmodified.

**[0378]** The term “isolated” can refer to a nucleic acid or polypeptide that is substantially free of cellular material, bacterial material, viral material, or culture medium (when produced by recombinant DNA techniques) of their source of origin, or chemical precursors or other chemicals (when chemically synthesized). Moreover, an isolated compound refers to one that can be administered to a subject as an isolated compound; in other words, the compound may not simply be considered “isolated” if it is adhered to a column or embedded in an agarose gel. Moreover, an “isolated nucleic acid fragment” or “isolated peptide” is a nucleic acid or protein fragment that is not naturally occurring as a fragment and/or is not typically in the functional state.

**[0379]** Moieties of the invention, such as polypeptides, peptides, antigens, or immunogens, may be conjugated or linked covalently or noncovalently to other moieties such as adjuvants, proteins, peptides, supports, fluorescence moieties, or labels. The term “conjugate” or “immunoconjugate” is broadly used to define the operative association of one moiety with another agent and is not intended to refer solely to any type of operative association, and is particularly not limited to chemical “conjugation.” Recombinant fusion proteins are particularly contemplated. Compositions of the invention may further comprise an adjuvant or a pharmaceutically acceptable excipient. An adjuvant may be covalently or non-covalently coupled to a polypeptide or peptide of the invention. In certain aspects, the adjuvant is chemically conjugated to a protein, polypeptide, or peptide.

**[0380]** The term “providing” is used according to its ordinary meaning to indicate “to supply or furnish for use.” In some embodiments, the protein is provided directly by administering the protein, while in other embodiments, the protein is effectively provided by administering a nucleic acid that encodes the protein. In certain aspects the invention contemplates compositions comprising various combinations of nucleic acid, antigens, peptides, and/or epitopes.

**[0381]** The subject will have (e.g., are diagnosed with a staphylococcal infection), will be suspected of having, or will be determined to be at risk of developing a staphylococcal infection. Compositions of the present invention include immunogenic compositions wherein the antigen(s) or epitope (s) are contained in an amount effective to achieve the intended purpose. More specifically, an effective amount means an amount of active ingredients necessary to stimulate or elicit an immune response, or provide resistance to, amelioration of, or mitigation of infection. In more specific aspects, an effective amount prevents, alleviates or ameliorates symptoms of disease or infection, or prolongs the survival of the subject being treated. Determination of the effective amount is well within the capability of those skilled in the art, especially in light of the detailed disclosure provided herein. For any preparation used in the methods of the invention, an effective amount or dose can be estimated initially

from in vitro studies, cell culture, and/or animal model assays. For example, a dose can be formulated in animal models to achieve a desired immune response or circulating antibody concentration or titer. Such information can be used to more accurately determine useful doses in humans.

**[0382]** The use of the term “or” in the claims is used to mean “and/or” unless explicitly indicated to refer to alternatives only or the alternatives are mutually exclusive, although the disclosure supports a definition that refers to only alternatives and “and/or.” It is also contemplated that anything listed using the term “or” may also be specifically excluded.

**[0383]** Throughout this application, the term “about” is used to indicate that a value includes the standard deviation of error for the device or method being employed to determine the value.

**[0384]** Following long-standing patent law, the words “a” and “an,” when used in conjunction with the word “comprising” in the claims or specification, denotes one or more, unless specifically noted.

**[0385]** Other objects, features and advantages of the present invention will become apparent from the following detailed description. It should be understood, however, that the detailed description and the specific examples, while indicating specific embodiments of the invention, are given by way of illustration only, since various changes and modifications within the spirit and scope of the invention will become apparent to those skilled in the art from this detailed description.

#### DESCRIPTION OF THE DRAWINGS

**[0386]** So that the matter in which the above-recited features, advantages and objects of the invention as well as others which will become clear are attained and can be understood in detail, more particular descriptions and certain embodiments of the invention briefly summarized above are illustrated in the appended drawings. These drawings form a part of the specification. It is to be noted, however, that the appended drawings illustrate certain embodiments of the invention and therefore are not to be considered limiting in their scope.

**[0387]** FIG. 1 Immunization with SpA<sub>KKAA</sub> modifies host immune responses to staphylococcal infection. Cohorts of BALB/c mice (n=15) were immunized with SpA<sub>KKAA</sub> or with PBS/adjuvant control (mock) and then challenged by intravenous inoculation with  $5 \times 10^6$  CFU *S. aureus* USA300 LAC. Thirty days after infection, animals were bled and serum samples were analyzed for antibody responses to staphylococcal antigens. Twenty-seven recombinant, six-histidyl tagged staphylococcal proteins (ClfA, ClfB, Coa, Eap, Ehb, Emp, EsxA, EsxB, FnbpA, FnbpB, Hla, IsdA, IsdB, LukD, LukE, LukF, SdrC, SdrD, SdrE, SasA, SasD, SasF, SasG, SasI, SasK, SpA<sub>KKAA</sub> and vWbp) were purified by Ni-NTA affinity chromatography and immobilized on nitrocellulose membrane at 2  $\mu$ g. Signal intensities in sera from mice were quantified and normalized by infrared imaging. Data are the means, and error bars represent SEM ( $\pm$ ).

#### DETAILED DESCRIPTION

**[0388]** *Staphylococcus aureus* is a commensal of the human skin and nares, and the leading cause of bloodstream, skin and soft tissue infections (Klevens et al., 2007). Recent dramatic increases in the mortality of staphylococcal diseases are attributed to the spread of methicillin-resistant *S. aureus* (MRSA) strains often not susceptible to antibiotics (Kennedy

et al., 2008). In a large retrospective study, the incidence of MRSA infections was 4.6% of all hospital admissions in the United States (Klevens et al., 2007). The annual health care costs for 94,300 MRSA infected individuals in the United States exceed \$2.4 billion (Klevens et al., 2007). The current MRSA epidemic has precipitated a public health crisis that needs to be addressed by development of a preventive vaccine (Boucher and Corey, 2008). To date, an FDA licensed vaccine that prevents *S. aureus* diseases is not available.

**[0389]** The inventors describe here the use of Protein A, a cell wall anchored surface protein of staphylococci, for the generation of variants that can serve as subunit vaccines. The pathogenesis of staphylococcal infections is initiated as bacteria invade the skin or blood stream via trauma, surgical wounds, or medical devices (Lowy, 1998). Although the invading pathogen may be phagocytosed and killed, staphylococci can also escape innate immune defenses and seed infections in organ tissues, inducing inflammatory responses that attract macrophages, neutrophils, and other phagocytes (Lowy, 1998). The responsive invasion of immune cells to the site of infection is accompanied by liquefaction necrosis as the host seeks to prevent staphylococcal spread and allow for removal of necrotic tissue debris (Lam et al., 1963). Such lesions can be observed by microscopy as hypercellular areas containing necrotic tissue, leukocytes, and a central nidus of bacteria (Lam et al., 1963). Unless staphylococcal abscesses are surgically drained and treated with antibiotics, disseminated infection and septicemia produce a lethal outcome (Sheagren, 1984).

#### I. STAPHYLOCOCCAL ANTIGENS

**[0390]** A. Staphylococcal Protein A (SpA)

**[0391]** All *Staphylococcus aureus* strains express the structural gene for Protein A (*spa*) (Jensen, 1958; Said-Salim et al., 2003), a well characterized virulence factor whose cell wall anchored surface protein product (SpA) encompasses five highly homologous immunoglobulin binding domains designated E, D, A, B, and C (Sjodahl, 1977). These domains display ~80% identity at the amino acid level, are 56 to 61 residues in length, and are organized as tandem repeats (Uhlen et al., 1984). SpA is synthesized as a precursor protein with an N-terminal YSIRK/GS signal peptide and a C-terminal LPXTG motif sorting signal (DeDent et al., 2008; Schneewind et al., 1992). Cell wall anchored Protein A is displayed in great abundance on the staphylococcal surface (DeDent et al., 2007; Sjoquist et al., 1972). Each of its immunoglobulin binding domains is composed of anti-parallel  $\alpha$ -helices that assemble into a three helix bundle and bind the Fc domain of immunoglobulin G (IgG) (Deisenhofer, 1981; Deisenhofer et al., 1978), the VH3 heavy chain (Fab) of IgM (i.e., the B cell receptor) (Graillie et al., 2000), the von Willibrand factor at its A1 domain [vWF A1 is a ligand for platelets] (O'Seaghda et al., 2006) and the tumor necrosis factor  $\alpha$  (TNF- $\alpha$ ) receptor I (TNFRI) (Gomez et al., 2006), which is displayed on surfaces of airway epithelia (Gomez et al., 2004; Gomez et al., 2007).

**[0392]** SpA impedes neutrophil phagocytosis of staphylococci through its attribute of binding the Fc component of IgG (Jensen, 1958; Uhlen et al., 1984). Moreover, SpA is able to activate intravascular clotting via its binding to von Willibrand factor A1 domains (Hartleib et al., 2000). Plasma proteins such as fibrinogen and fibronectin act as bridges between staphylococci (C1fA and C1fB) and the platelet integrin GPIIb/IIIa (O'Brien et al., 2002), an activity that is

supplemented through Protein A association with vWF A1, which allows staphylococci to capture platelets via the GPIIb- $\alpha$  platelet receptor (Foster, 2005; O'Seaghda et al., 2006). SpA also binds TNFRI and this interaction contributes to the pathogenesis of staphylococcal pneumonia (Gomez et al., 2004). SpA activates proinflammatory signaling through TNFRI mediated activation of TRAF2, the p38/c-Jun kinase, mitogen activate protein kinase (MAPK) and the Rel-transcription factor NF-KB. SpA binding further induces TNFRI shedding, an activity that appears to require the TNF-converting enzyme (TACE) (Gomez et al., 2007). All of the aforementioned SpA activities are mediated through its five IgG binding domains and can be perturbed by the same amino acid substitutions, initially defined by their requirement for the interaction between Protein A and human IgG1 (Cedergren et al., 1993).

**[0393]** SpA also functions as a B cell superantigen by capturing the Fab region of VH3 bearing IgM, the B cell receptor (Gomez et al., 2007; Goodyear et al., 2003; Goodyear and Silverman, 2004; Roben et al., 1995). Following intravenous challenge, staphylococcal Protein A (SpA) mutations show a reduction in staphylococcal load in organ tissues and dramatically diminished ability to form abscesses (described herein). During infection with wildtype *S. aureus*, abscesses are formed within forty-eight hours and are detectable by light microscopy of hematoxylin-eosin stained, thin-sectioned kidney tissue, initially marked by an influx of polymorphonuclear leukocytes (PMNs). On day 5 of infection, abscesses increase in size and enclosed a central population of staphylococci, surrounded by a layer of eosinophilic, amorphous material and a large cuff of PMNs. Histopathology revealed massive necrosis of PMNs in proximity to the staphylococcal nidus at the center of abscess lesions as well as a mantle of healthy phagocytes. The inventors also observed a rim of necrotic PMNs at the periphery of abscess lesions, bordering the eosinophilic pseudocapsule that separated healthy renal tissue from the infectious lesion. Staphylococcal variants lacking Protein A are unable to establish the histopathology features of abscesses and are cleared during infection.

**[0394]** In previous studies, Cedergren et al. (1993) engineered five individual substitutions in the Fc fragment binding sub-domain of the B domain of SpA, L17D, N28A, I31A and K35A. These authors created these proteins to test data gathered from a three dimensional structure of a complex between one domain of SpA and Fe<sub>1</sub>. Cedergren et al. determined the effects of these mutations on stability and binding, but did not contemplate use of such substitutions for the production of a vaccine antigen.

**[0395]** Brown et al. (1998) describe studies designed to engineer new proteins based on SpA that allow the use of more favorable elution conditions when used as affinity ligands. The mutations studied included single mutations of Q13A, Q14H, N15A, N15H, F17H, Y18F, L21H, N32H, or K39H. Brown et al. report that Q13A, N15A, N15H, and N32H substitutions made little difference to the dissociation constant values and that the Y18F substitution resulted in a 2 fold decrease in binding affinity as compared to wild type SpA. Brown et al. also report that L21H and F17H substitutions decrease the binding affinity by five-fold and a hundred-fold respectively. The authors also studied analogous substitutions in two tandem domains. Thus, the Brown et al. studies were directed to generating a SpA with a more favorable elution profile, hence the use of His substitutions to provide a

pH sensitive alteration in the binding affinity. Brown et al. is silent on the use of SpA as a vaccine antigen.

**[0396]** Graille et al. (2000) describe a crystal structure of domain D of SpA and the Fab fragment of a human IgM antibody. Graille et al. define by analysis of a crystal structure the D domain amino acid residues that interact with the Fab fragment as residues Q26, G29, F30, Q32, S33, D36, D37, Q40, N43, E47, or L51, as well as the amino acid residues that form the interface between the domain D sub-domains. Graille et al. define the molecular interactions of these two proteins, but is silent in regard to any use of substitutions in the interacting residues in producing a vaccine antigen.

**[0397]** O'Seaghda et al. (2006) describe studies directed at elucidating which sub-domain of domain D binds vWF. The authors generated single mutations in either the Fc or VH3 binding sub-domains, i.e., amino acid residues F5A, Q9A, Q10A, F13A, Y14A, L17A, N28A, I31A, K35A, G29A, F30A, S33A, D36A, D37A, Q40A, E47A, or Q32A. The authors discovered that vWF binds the same sub-domain that binds Fc. O'Seaghda et al. define the sub-domain of domain D responsible for binding vWF, but is silent in regard to any use of substitutions in the interacting residues in producing a vaccine antigen.

**[0398]** Gomez et al. (2006) describe the identification of residues responsible for activation of the TNFR1 by using single mutations of F5A, F13A, Y14A, L17A, N21A, I31A, Q32A, and K35A. Gomez et al. is silent in regard to any use of substitutions in the interacting residues in producing a vaccine antigen.

**[0399]** Recombinant affinity tagged Protein A, a polypeptide encompassing the five IgG domains (EDCAB) (Sjodahl, 1977) but lacking the C-terminal Region X (Guss et al., 1984), was purified from recombinant *E. coli* and used as a vaccine antigen (Stranger-Jones et al., 2006). Because of the attributes of SpA in binding the Fc portion of IgG, a specific humoral immune response to Protein A could not be measured (Stranger-Jones et al., 2006). The inventors have overcome this obstacle through the generation of SpA-DQ9,10K; D36,37A. BALB/c mice immunized with recombinant Protein A (SpA) displayed significant protection against intravenous challenge with *S. aureus* strains: a 2.951 log reduction in staphylococcal load as compared to the wild-type ( $P > 0.005$ ; Student's t-test) (Stranger-Jones et al., 2006). SpA specific antibodies may cause phagocytic clearance prior to abscess formation and/or impact the formation of the aforementioned eosinophilic barrier in abscesses that separate staphylococcal communities from immune cells since these do not foam during infection with Protein A mutant strains. Each of the five SpA domains (i.e., domains formed from three helix bundles designated E, D, A, B, and C) exerts similar binding properties (Jansson et al., 1998). The solution and crystal structure of the domain D has been solved both with and without the Fc and VH3 (Fab) ligands, which bind Protein A in a non-competitive manner at distinct sites (Graille et al., 2000). Mutations in residues known to be involved in IgG binding (FS, Q9, Q10, S11, F13, Y14, L17, N28, I31 and K35) are also required for vWF AI and TNFR1 binding (Cedergren et al., 1993; Gomez et al., 2006; O'Seaghda et al., 2006), whereas residues important for the VH3 interaction (Q26, G29, F30, S33, D36, D37, Q40, N43, E47) appear to have no impact on the other binding activities (Graille et al., 2000; Jansson et al., 1998). SpA specifically targets a subset of B cells that express VH3 family related IgM on their surface, i.e., VH3 type B cell receptors (Roben et al., 1995).

Upon interaction with SpA, these B cells proliferate and commit to apoptosis, leading to preferential and prolonged deletion of innate-like B lymphocytes (i.e., marginal zone B cells and follicular B2 cells) (Goodyear et al., 2003; Goodyear et al., 2004).

**[0400]** Molecular Basis of Protein a Surface Display and Function.

**[0401]** Protein A is synthesized as a precursor in the bacterial cytoplasm and secreted via its YSIRK signal peptide at the cross wall, i.e. the cell division septum of staphylococci (FIG. 1) (DeDent et al., 2007; DeDent et al., 2008). Following cleavage of the C-terminal LPXTG sorting signal, Protein A is anchored to bacterial peptidoglycan crossbridges by sortase A (Mazmanian et al., 1999; Schneewind et al., 1995; Mazmanian et al., 2000). Protein A is the most abundant surface protein of staphylococci; the molecule is expressed by virtually all *S. aureus* strains (Cespedes et al., 2005; Kennedy et al., 2008; Said-Salim et al., 2003). Staphylococci turn over 15-20% of their cell wall per division cycle (Navarre and Schneewind, 1999). Murine hydrolases cleave the glycan strands and wall peptides of peptidoglycan, thereby releasing Protein A with its attached C-terminal cell wall disaccharide tetrapeptide into the extracellular medium (Ton-That et al., 1999). Thus, by physiological design, Protein A is both anchored to the cell wall and displayed on the bacterial surface but also released into surrounding tissues during host infection (Marraffini et al., 2006).

**[0402]** Protein A captures immunoglobulins on the bacterial surface and this biochemical activity enables staphylococcal escape from host innate and acquired immune responses (Jensen, 1958; Goodyear et al., 2004). Interestingly, region X of Protein A (Guss et al., 1984), a repeat domain that tethers the IgG binding domains to the LPXTG sorting signal /cell wall anchor, is perhaps the most variable portion of the staphylococcal genome (Said-Salim, 2003; Schneewind et al., 1992). Each of the five immunoglobulin binding domains of Protein A (SpA), formed from three helix bundles and designated E, D, A, B, and C, exerts similar structural and functional properties (Sjodahl, 1977; Jansson et al., 1998). The solution and crystal structure of the domain D has been solved both with and without the Fc and V<sub>H3</sub> (Fab) ligands, which bind Protein A in a non-competitive manner at distinct sites (Graille 2000).

**[0403]** In the crystal structure complex, the Fab interacts with helix II and helix III of domain D via a surface composed of four VH region  $\beta$ -strands (Graille 2000). The major axis of helix II of domain D is approximately 50° to the orientation of the strands, and the interhelical portion of domain D is most proximal to the CO strand. The site of interaction on Fab is remote from the Ig light chain and the heavy chain constant region. The interaction involves the following domain D residues: Asp-36 of helix II, Asp-37 and Gln-40 in the loop between helix II and helix III and several other residues (Graille 2000). Both interacting surfaces are composed predominantly of polar side chains, with three negatively charged residues on domain D and two positively charged residues on the 2A2 Fab buried by the interaction, providing an overall electrostatic attraction between the two molecules. Of the five polar interactions identified between Fab and domain D, three are between side chains. A salt bridge is foamed between Arg-H19 and Asp-36 and two hydrogen bonds are made between Tyr-H59 and Asp-37 and between Asn-H82a and Ser-33. Because of the conservation of Asp-36

and Asp-37 in all five IgG binding domains of Protein A, the inventors mutated these residues.

**[0404]** The SpA-D sites responsible for Fab binding are structurally separate from the domain surface that mediates Fcγ binding. The interaction of Fcγ with domain D primarily involves residues in helix I with lesser involvement of helix II (Gouda et al., 1992; Deisenhofer, 1981). With the exception of the Gln-32, a minor contact in both complexes, none of the residues that mediate the Fcγ interaction are involved in Fab binding. To examine the spatial relationship between these different Ig-binding sites, the SpA domains in these complexes have been superimposed to construct a model of a complex between Fab, the SpA-domain D, and the Fcγ molecule. In this ternary model, Fab and Fcγ form a sandwich about opposite faces of the helix II without evidence of steric hindrance of either interaction. These findings illustrate how, despite its small size (i.e., 56-61 aa), an SpA domain can simultaneously display both activities, explaining experimental evidence that the interactions of Fab with an individual domain are noncompetitive. Residues for the interaction between SpA-D and Fcγ are Gln-9 and Gln-10.

**[0405]** In contrast, occupancy of the Fc portion of IgG on the domain D blocks its interaction with vWF A1 and probably also TNFR1 (O'Seaghdha et al., 2006). Mutations in residues essential for IgG Fc binding (F5, Q9, Q10, S11, F13, Y14, L17, N28, I31 and K35) are also required for vWF A1 and TNFR1 binding (O'Seaghdha et al., 2006; Cedergren et al., 1993; Gomez et al., 2006), whereas residues critical for the VH3 interaction (Q26, G29, F30, S33, D36, D37, Q40, N43, E47) have no impact on the binding activities of IgG Fc, vWF A1 or TNFR1 (Jansson et al., 1998; Graille et al., 2000). The Protein A immunoglobulin Fab binding activity targets a subset of B cells that express V<sub>H</sub>3 family related IgM on their surface, i.e., these molecules function as VH3type B cell receptors (Roben et al., 1995). Upon interaction with SpA, these B cells rapidly proliferate and then commit to apoptosis, leading to preferential and prolonged deletion of innate-like B lymphocytes (i.e., marginal zone B cells and follicular B2 cells) (Goodyear and Silverman, 2004; Goodyear and Silverman, 2003). More than 40% of circulating B cells are targeted by the Protein A interaction and the V<sub>H</sub>3 family represents the largest family of human B cell receptors to impart protective humoral responses against pathogens (Goodyear and Silverman, 2004; Goodyear and Silverman, 2003). Thus, Protein A functions analogously to staphylococcal superantigens (Roben et al., 1995), albeit that the latter class of molecules, for example SEB, TSST-1, TSST-2, form complexes with the T cell receptor to inappropriately stimulate host immune responses and thereby precipitating characteristic disease features of staphylococcal infections (Roben et al., 1995; Tiedemann et al., 1995). Together these findings document the contributions of Protein A in establishing staphylococcal infections and in modulating host immune responses.

**[0406]** In sum, Protein A domains can be viewed as displaying two different interfaces for binding with host molecules and any development of Protein A based vaccines must consider the generation of variants that do not perturb host cell signaling, platelet aggregation, sequestration of immunoglobulins or the induction of B cell proliferation and apoptosis. Such Protein A variants should also be useful in analyzing vaccines for the ability of raising antibodies that block the aforementioned SpA activities and occupy the five repeat domains at their dual binding interfaces. This goal is articulated and pursued here for the first time and methods are described in

detail for the generation of Protein A variants that can be used as a safe vaccine for humans. To perturb IgG Fcγ, vWF A1 and TNFR1 binding, glutamine (Q) 9 and 10 [numbering derived from the SpA domain D as described in Uhlen et al., 1984] were mutated, and generated lysine substitutions for both glutamines with the expectation that these abolish the ligand attributes at the first binding interface. To perturb IgM Fab VH3 binding, aspartate (D) 36 and 37 were mutated, each of which is required for the association with the B cell receptor. D36 and D37 were both substituted with alanine. Q9, 10K and D36,37A mutations are here combined in the recombinant molecule SpA-DQ9, 10K; D36,37A and tested for the binding attributes of Protein A. Further, SpA-D and SpA-DQ9, 10K; D36,37A are subjected to immunization studies in mice and rabbits and analyzed for [1] the production of specific antibodies (SpA-D Ab); [2] the ability of SpA-D Ab to block the association between Protein A and its four different ligands; and, [3] the attributes of SpA-D Ab to generate protective immunity against staphylococcal infections.

**[0407]** In certain embodiments the SpA variant is a full length SpA variant comprising a variant A, B, C, D, and E domain. In certain aspects, the SpA variant comprises or consists of the amino acid sequence that is 80, 90, 95, 98, 99, or 100% identical to the amino acid sequence of SEQ ID NO:34. In other embodiments the SpA variant comprises a segment of SpA. The SpA segment can comprise at least or at most 1, 2, 3, 4, 5 or more IgG binding domains. The IgG domains can be at least or at most 1, 2, 3, 4, 5 or more variant A, B, C, D, or E domains. In certain aspects the SpA variant comprises at least or at most 1, 2, 3, 4, 5, or more variant A domains. In a further aspect the SpA variant comprises at least or at most 1, 2, 3, 4, 5, or more variant B domains. In still a further aspect the SpA variant comprises at least or at most 1, 2, 3, 4, 5, or more variant C domains. In yet a further aspect the SpA variant comprises at least or at most 1, 2, 3, 4, 5, or more variant D domains. In certain aspects the SpA variant comprises at least or at most 1, 2, 3, 4, 5, or more variant E domains. In a further aspect the SpA variant comprises a combination of A, B, C, D, and E domains in various combinations and permutations. The combinations can include all or part of a SpA signal peptide segment, a SpA region X segment, and/or a SpA sorting signal segment. In other aspects the SpA variant does not include a SpA signal peptide segment, a SpA region X segment, and/or a SpA sorting signal segment. In certain aspects a variant A domain comprises a substitution at position(s) 7, 8, 34, and/or 35 of SEQ ID NO:4. In another aspect a variant B domain comprises a substitution at position(s) 7, 8, 34, and/or 35 of SEQ ID NO:6. In still another aspect a variant C domain comprises a substitution at position(s) 7, 8, 34, and/or 35 of SEQ ID NO:5. In certain aspects a variant D domain comprises a substitution at position(s) 9, 10, 37, and/or 38 of SEQ ID NO:2. In a further aspect a variant E domain comprises a substitution at position (s) 6, 7, 33, and/or 34 of SEQ ID NO:3.

**[0408]** In certain aspects the SpA variant includes a substitution of (a) one or more amino acid substitution in an IgG Fc binding sub-domain of SpA domain A, B, C, D, and/or E that disrupts or decreases binding to IgG Fc, and (b) one or more amino acid substitution in a V<sub>H</sub>3 binding sub-domain of SpA domain A, B, C, D, and/or E that disrupts or decreases binding to V<sub>H</sub>3. In still further aspects the amino acid sequence of a SpA variant comprises an amino acid sequence that is at least 50%, 60%, 70%, 80%, 90%, 95%, or 100% identical, includ-

ing all values and ranges there between, to the amino acid sequence of SEQ ID NOs:2-6.

**[0409]** In a further aspect the SpA variant includes (a) one or more amino acid substitution in an IgG Fc binding sub-domain of SpA domain D, or at a corresponding amino acid position in other IgG domains, that disrupts or decreases binding to IgG Fc, and (b) one or more amino acid substitution in a  $V_H3$  binding sub-domain of SpA domain D, or at a corresponding amino acid position in other IgG domains, that disrupts or decreases binding to  $V_H3$ . In certain aspects amino acid residue F5, Q9, Q10, S11, F13, Y14, L17, N28, I31, and/or K35 (SEQ ID NO:2, QQNNFNKDDQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNES) of the IgG Fc binding sub-domain of domain D are modified or substituted. In certain aspects amino acid residue Q26, G29, F30, S33, D36, D37, Q40, N43, and/or E47 (SEQ ID NO:2) of the  $V_H3$  binding sub-domain of domain D are modified or substituted such that binding to Fc or  $V_H3$  is attenuated. In further aspects corresponding modifications or substitutions can be engineered in corresponding positions of the domain A, B, C, and/or E. Corresponding positions are defined by alignment of the domain D amino acid sequence with one or more of the amino acid sequences from other IgG binding domains of SpA. In certain aspects the amino acid substitution can be any of the other 20 amino acids. In a further aspect conservative amino acid substitutions can be specifically excluded from possible amino acid substitutions. In other aspects only non-conservative substitutions are included. In any event, any substitution or combination of substitutions that reduces the binding of the domain such that SpA toxicity is significantly reduced is contemplated. The significance of the reduction in binding refers to a variant that produces minimal to no toxicity when introduced into a subject and can be assessed using in vitro methods described herein.

**[0410]** In certain embodiments, a variant SpA comprises at least or at most 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, or more variant SpA domain D peptides. In certain aspects 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, or 19 or more amino acid residues of the variant SpA are substituted or modified—including but not limited to amino acids F5, Q9, Q10, S11, F13, Y14, L17, N28, I31, and/or K35 (SEQ ID NO:2) of the IgG Fc binding sub-domain of domain D and amino acid residue Q26, G29, F30, S33, D36, D37, Q40, N43, and/or E47 (SEQ ID NO:2) of the  $V_H3$  binding sub-domain of domain D. In one aspect of the invention glutamine residues at position 9 and/or 10 of SEQ ID NO:2 (or corresponding positions in other domains) are mutated. In another aspect, aspartic acid residues 36 and/or 37 of SEQ ID NO:2 (or corresponding positions in other domains) are mutated. In a further aspect, glutamine 9 and 10, and aspartic acid residues 36 and 37 are mutated. Purified non-toxicogenic SpA or SpA-D mutants/variants described herein are no longer able to significantly bind (i.e., demonstrate attenuated or disrupted binding affinity) Fc $\gamma$  or F(ab) $_2$   $V_H3$  and also do not stimulate B cell apoptosis. These non-toxicogenic Protein A variants can be used as subunit vaccines and raise humoral immune responses and confer protective immunity against *S. aureus* challenge. Compared to wild-type full-length Protein A or the wild-type SpA-domain D, immunization with SpA-D variants resulted in an increase in Protein A specific antibody. Using a mouse model of staphylococcal challenge and abscess formation, it was observed that immunization with the non-toxicogenic Protein A variants generated significant protection from staphylococcal

infection and abscess formation. As virtually all *S. aureus* strains express Protein A, immunization of humans with the non-toxicogenic Protein A variants can neutralize this virulence factor and thereby establish protective immunity. In certain aspects the protective immunity protects or ameliorates infection by drug resistant strains of *Staphylococcus*, such as USA300 and other MRSA strains.

**[0411]** In still further aspects, the bacterial antigen is multimerized, e.g., dimerized or a linear fusion of two or more polypeptides or peptide segments. In certain aspects of the invention, a composition comprises multimers or concatamers of 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20 or more isolated cell surface proteins or segments thereof. Concatamers are linear polypeptides having one or more repeating peptide units. Bacterial antigens or fragments can be consecutive or separated by a spacer or other peptide sequences, e.g., one or more additional bacterial peptide. In a further aspect, the other polypeptides or peptides contained in the multimer or concatamer can include, but are not limited to 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 of FnBpA, FnBpB, LukD, LukE, LukF, SasA, SasD, SasG, SasI, SasK, SpA (and variants thereof), Eap, Ehb, Emp, EsaB, EsaC, EsxA, EsxB, SdrC, SdrD, SdrE, IsdA, IsdB, ClfA, ClfB, Coa, Hla (e.g., H35 mutants), IsdC, SasF, vWbp, or vWh or immunogenic fragments thereof. Additional staphylococcal antigens that can be used including, but are not limited to 52 kDa vitronectin binding protein (WO 01/60852), Aaa, Aap, Ant, autolysin glucosaminidase, autolysin amidase, Cna, collagen binding protein (U.S. Pat. No. 6,288,214), EFB (FIB), Elastin binding protein (EbpS), EPB, FbpA, fibrinogen binding protein (U.S. Pat. No. 6,008,341), Fibronectin binding protein (U.S. Pat. No. 5,840,846), FnbA, FnbB, GehD (US 2002/0169288), HarA, HBP, Immunodominant ABC transporter, IsaA/P isA, laminin receptor, Lipase GehD, MAP, Mg $^{2+}$  transporter, MHC II analogue (U.S. Pat. No. 5,648,240), MRPII, Npase, RNA III activating protein (RAP), SasA, SasB, SasC, SasD, SasK, SBI, SdrF (WO 00/12689), SdrG/Fig (WO 00/12689), SdrH (WO 00/12689), SEA exotoxins (WO 00/02523), SEB exotoxins (WO 00/02523), SitC and Ni ABC transporter, SitC/MntC/saliva binding protein (U.S. Pat. No. 5,801,234), SsaA, SSP-1, SSP-2, and/or Vitronectin binding protein.

**[0412]** Yet still further embodiments include vaccines comprising a pharmaceutically acceptable composition having a combination or permutation of protein(s) or peptide(s) described herein, wherein the composition is capable of stimulating and/or enhancing an immune response against a *staphylococcus* bacterium. The vaccine may comprise an isolated protein(s) or peptide(s) described. In certain aspects of the invention the bacterial antigen, or any other combination or permutation of protein(s) or peptide(s) described are multimerized, e.g., dimerized or concatamerized. In a further aspect, the vaccine composition is contaminated by less than about 10, 9, 8, 7, 6, 5, 4, 3, 2, 1, 0.5, 0.25, 0.05% (or any range derivable therein) of other Staphylococcal proteins. A composition may further comprise an isolated protein A specific antibody or fragment thereof.

**[0413]** B. Staphylococcal Coagulases

**[0414]** Coagulases are enzymes produced by *Staphylococcus* bacteria that convert fibrinogen to fibrin. Coa and vW $_p$  activate prothrombin without proteolysis (Friedrich et al., 2003). The coagulase•prothrombin complex recognizes fibrinogen as a specific substrate, converting it directly into fibrin. The crystal structure of the active complex revealed

binding of the D1 and D2 domains to prothrombin and insertion of its Ile1-Val<sup>16</sup> N-terminus into the Ile<sup>16</sup> pocket, inducing a functional active site in the zymogen through conformational change (Friedrich et al., 2003). Exosite I of  $\alpha$ -thrombin, the fibrinogen recognition site, and proexosite I on prothrombin are blocked by the D2 of Coa (Friedrich et al., 2003). Nevertheless, association of the tetrameric (Coa•prothrombin)<sub>2</sub> complex binds fibrinogen at a new site with high affinity (Panizzi et al., 2006). This model explains the coagulant properties and efficient fibrinogen conversion by coagulase (Panizzi et al., 2006).

**[0415]** Fibrinogen is a large glycoprotein (Mr ~340,000), formed by three pairs of A $\alpha$ -, B $\beta$ -, and  $\gamma$ -chains covalently linked to form a “dimer of trimers,” where A and B designate the fibrinopeptides released by thrombin cleavage (Panizzi et al., 2006). The elongated molecule folds into three separate domains, a central fragment E that contains the N-termini of all six chains and two flanking fragments D formed mainly by the C-termini of the B $\beta$ - and  $\gamma$ -chains. These globular domains are connected by long triple-helical structures. Coagulase-prothrombin complexes, which convert human fibrinogen to the self-polymerizing fibrin, are not targeted by circulating thrombin inhibitors (Panizzi et al., 2006). Thus, staphylococcal coagulases bypass the physiological blood coagulation pathway.

**[0416]** All *S. aureus* strains secrete coagulase and vWbp (Bjerketorp et al., 2004; Field and Smith, 1945). Although early work reported important contributions of coagulase to the pathogenesis of staphylococcal infections (Ekstedt and Yotis, 1960; Smith et al., 1947), more recent investigations with molecular genetics tools challenged this view by observing no virulence phenotypes with endocarditis, skin abscess and mastitis models in mice (Moreillon et al., 1995; Phonimdaeng et al., 1990). Generating isogenic variants of *S. aureus* Newman, a fully virulent clinical isolate (Duthie et al., 1952), it is described herein that coa mutants indeed display virulence defects in a lethal bacteremia and renal abscess model in mice. In the inventors experience, *S. aureus* 8325-4 is not fully virulent and it is presumed that mutational lesions in this strain may not be able to reveal virulence defects in vivo. Moreover, antibodies raised against Coa or vWbp perturb the pathogenesis of *S. aureus* Newman infections to a degree mirroring the impact of gene deletions. Coa and vWbp contribute to staphylococcal abscess formation and lethal bacteremia and may also function as protective antigens in subunit vaccines.

**[0417]** Biochemical studies document the biological value of antibodies against Coa and vWbp. By binding to antigen and blocking its association with clotting factors, the antibodies prevent the formation of Coa•prothrombin and vWbp•prothrombin complexes. Passive transfer studies revealed protection of experimental animals against staphylococcal abscess formation and lethal challenge by Coa and vWbp antibodies. Thus, Coa and vWbp neutralizing antibodies generate immune protection against staphylococcal disease.

**[0418]** Earlier studies revealed a requirement of coagulase for resisting phagocytosis in blood (Smith et al., 1947) and the inventors observed a similar phenotype for  $\Delta$ coa mutants in lepirudin-treated mouse blood (see Example 3 below). As vWbp displays higher affinity for human prothrombin than the mouse counterpart, it is suspected the same may be true for  $\Delta$ vWbp variants in human blood. Further, expression of Coa and vWbp in abscess lesions as well as their striking

distribution in the eosinophilic pseudocapsule surrounding (staphylococcal abscess communities (SACs) or the peripheral fibrin wall, suggest that secreted coagulases contribute to the establishment of these lesions. This hypothesis was tested and, indeed,  $\Delta$ coa mutants were defective in the establishment of abscesses. A corresponding test, blocking Coa function with specific antibodies, produced the same effect. Consequently, it is proposed that the clotting of fibrin is a critical event in the establishment of staphylococcal abscesses that can be targeted for the development of protective vaccines. Due to their overlapping function on human prothrombin, both Coa and vWbp are considered excellent candidates for vaccine development.

**[0419]** C. Other Staphylococcal Antigens

**[0420]** Research over the past several decades identified *S. aureus* exotoxins, surface proteins and regulatory molecules as important virulence factors (Foster, 2005; Mazmanian et al., 2001; Novick, 2003). Much progress has been achieved regarding the regulation of these genes. For example, staphylococci perform a bacterial census via the secretion of auto-inducing peptides that bind to a cognate receptor at threshold concentration, thereby activating phospho-relay reactions and transcriptional activation of many of the exotoxin genes (Novick, 2003). The pathogenesis of staphylococcal infections relies on these virulence factors (secreted exotoxins, exopolysaccharides, and surface adhesins). The development of staphylococcal vaccines is hindered by the multifaceted nature of staphylococcal invasion mechanisms. It is well established that live attenuated micro-organisms are highly effective vaccines; immune responses elicited by such vaccines are often of greater magnitude and of longer duration than those produced by non-replicating immunogens. One explanation for this may be that live attenuated strains establish limited infections in the host and mimic the early stages of natural infection. Embodiments of the invention are directed to compositions and methods including variant SpA polypeptides and peptides, as well as other immunogenic extracellular proteins, polypeptides, and peptides (including both secreted and cell surface proteins or peptides) of gram positive bacteria for the use in mitigating or immunizing against infection. In particular embodiments the bacteria is a *staphylococcus* bacteria. Extracellular proteins, polypeptides, or peptides include, but are not limited to secreted and cell surface proteins of the targeted bacteria.

**[0421]** The human pathogen *S. aureus* secretes EsxA and EsxB, two ESAT-6 like proteins, across the bacterial envelope (Burts et al., 2005, which is incorporated herein by reference). Staphylococcal esxA and esxB are clustered with six other genes in the order of transcription: esxA esaA essA esaB essB essC esaC esxB. The acronyms esa, ess, and esx stand for ESAT-6 secretion accessory, system, and extracellular, respectively, depending whether the encoded proteins play an accessory (esa) or direct (ess) role for secretion, or are secreted (esx) in the extracellular milieu. The entire cluster of eight genes is herein referred to as the Ess cluster. EsxA, esxB, esaA, esaB, and esaC are all required for synthesis or secretion of EsxA and EsxB. Mutants that fail to produce EsxA, EsxB, and EssC display defects in the pathogenesis of *S. aureus* murine abscesses, suggesting that this specialized secretion system may be a general strategy of human bacterial pathogenesis. Secretion of non-WXG100 substrates by the ESX-1 pathway has been reported for several antigens including EspA, EspB, Rv3483c, and Rv3615c (Fortune et al., 2005; MacGurn et al., 2005; McLaughlin et al., 2007; Xu et

al., 2007). The alternate ESX-5 pathway has also been shown to secrete both WXG100 and non-WXG100 proteins in pathogenic mycobacteria (Abdallah et al., 2007; Abdallah et al., 2006).

**[0422]** The *Staphylococcus aureus* Ess pathway can be viewed as a secretion module equipped with specialized transport components (Ess), accessory factors (Esa) and cognate secretion substrates (Esx). EssA, EssB and EssC are required for EsxA and EsxB secretion. Because EssA, EssB and EssC are predicted to be transmembrane proteins, it is contemplated that these proteins form a secretion apparatus. Some of the proteins in the ess gene cluster may actively transport secreted substrates (acting as motor) while others may regulate transport (regulator). Regulation may be achieved, but need not be limited to, transcriptional or post-translational mechanisms for secreted polypeptides, sorting of specific substrates to defined locations (e.g., extracellular medium or host cells), or timing of secretion events during infection. At this point, it is unclear whether all secreted Esx proteins function as toxins or contribute indirectly to pathogenesis.

**[0423]** Staphylococci rely on surface protein mediated-adhesion to host cells or invasion of tissues as a strategy for escape from immune defenses. Furthermore, *S. aureus* utilize surface proteins to sequester iron from the host during infection. The majority of surface proteins involved in staphylococcal pathogenesis carry C-terminal sorting signals, i.e., they are covalently linked to the cell wall envelope by sortase. Further, staphylococcal strains lacking the genes required for surface protein anchoring, i.e., sortase A and B, display a dramatic defect in the virulence in several different mouse models of disease. Thus, surface protein antigens represent a validated vaccine target as the corresponding genes are essential for the development of staphylococcal disease and can be exploited in various embodiments of the invention. The sortase enzyme superfamily are Gram-positive transpeptidases responsible for anchoring surface protein virulence factors to the peptidoglycan cell wall layer. Two sortase isoforms have been identified in *Staphylococcus aureus*, SrtA and SrtB. These enzymes have been shown to recognize a LPXTG motif in substrate proteins. The SrtB isoform appears to be important in heme iron acquisition and iron homeostasis, whereas the SrtA isoform plays a critical role in the pathogenesis of Gram-positive bacteria by modulating the ability of the bacterium to adhere to host tissue via the covalent anchoring of adhesins and other proteins to the cell wall peptidoglycan. In certain embodiments the SpA variants described herein can be used in combination with other staphylococcal proteins such as Coa, Eap, Ebh, Emp, EsaC, EsaB, EsxA, EsxB, Hla, SdrC, SdrD, SdrE, IsdA, IsdB, ClfA, ClfB, IsdC, SasF, vWbp, and/or vWh proteins.

**[0424]** Certain aspects of the invention include methods and compositions concerning proteinaceous compositions including polypeptides, peptides, or nucleic acid encoding SpA variant(s) and other staphylococcal antigens such as other proteins transported by the Ess pathway, or sortase substrates. These proteins may be modified by deletion, insertion, and/or substitution.

**[0425]** The Esx polypeptides include the amino acid sequence of Esx proteins from bacteria in the *Staphylococcus* genus. The Esx sequence may be from a particular *staphylococcus* species, such as *Staphylococcus aureus*, and may be from a particular strain, such as Newman. In certain embodiments, the EsxA sequence is SAV0282 from strain Mu50

(which is the same amino acid sequence for Newman) and can be accessed using Genbank Accession Number Q99WU4 (gil68565539), which is hereby incorporated by reference. In other embodiments, the EsxB sequence is SAV0290 from strain Mu50 (which is the same amino acid sequence for Newman) and can be accessed using Genbank Accession Number Q99WT7 (gil68565532), which is hereby incorporated by reference. In further embodiments, other polypeptides transported by the Ess pathway may be used, the sequences of which may be identified by one of skill in the art using databases and internet accessible resources.

**[0426]** The sortase substrate polypeptides include, but are not limited to the amino acid sequence of SdrC, SdrD, SdrE, IsdA, IsdB, ClfA, ClfB, IsdC or SasF proteins from bacteria in the *Staphylococcus* genus. The sortase substrate polypeptide sequence may be from a particular *staphylococcus* species, such as *Staphylococcus aureus*, and may be from a particular strain, such as Newman. In certain embodiments, the SdrD sequence is from strain N315 and can be accessed using Genbank Accession Number NP\_373773.1 (gil15926240), which is incorporated by reference. In other embodiments, the SdrE sequence is from strain N315 and can be accessed using Genbank Accession Number NP\_373774.1 (gil15926241), which is incorporated by reference. In other embodiments, the IsdA sequence is SAV1130 from strain Mu50 (which is the same amino acid sequence for Newman) and can be accessed using Genbank Accession Number NP\_371654.1 (gil15924120), which is incorporated by reference. In other embodiments, the IsdB sequence is SAV1129 from strain Mu50 (which is the same amino acid sequence for Newman) and can be accessed using Genbank Accession Number NP\_371653.1 (gil15924119), which is incorporated by reference. In further embodiments, other polypeptides transported by the Ess pathway or processed by sortase may be used, the sequences of which may be identified by one of skill in the art using databases and internet accessible resources.

**[0427]** Examples of various proteins that can be used in the context of the present invention can be identified by analysis of database submissions of bacterial genomes, including but not limited to accession numbers NC\_002951 (GI:57650036 and GenBank CP000046), NC\_002758 (GI:57634611 and GenBank BA000017), NC\_002745 (GI:29165615 and GenBank BA000018), NC\_003923 (GI:21281729 and GenBank BA000033), NC\_002952 (GI:49482253 and GenBank BX571856), NC\_002953 (GI:49484912 and GenBank BX571857), NC\_007793 (GI:87125858 and GenBank CP000255), NC\_007795 (GI:87201381 and GenBank CP000253) each of which are incorporated by reference.

**[0428]** As used herein, a "protein" or "polypeptide" refers to a molecule comprising at least ten amino acid residues. In some embodiments, a wild-type version of a protein or polypeptide are employed, however, in many embodiments of the invention, a modified protein or polypeptide is employed to generate an immune response. The terms described above may be used interchangeably. A "modified protein" or "modified polypeptide" or a "variant" refers to a protein or polypeptide whose chemical structure, particularly its amino acid sequence, is altered with respect to the wild-type protein or polypeptide. In some embodiments, a modified/variant protein or polypeptide has at least one modified activity or function (recognizing that proteins or polypeptides may have multiple activities or functions). It is specifically contemplated that a modified/variant protein or polypeptide may be altered

with respect to one activity or function yet retain a wild-type activity or function in other respects, such as immunogenicity.

**[0429]** In certain embodiments the size of a protein or polypeptide (wild-type or modified) may comprise, but is not limited to, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 110, 120, 130, 140, 150, 160, 170, 180, 190, 200, 210, 220, 230, 240, 250, 275, 300, 325, 350, 375, 400, 425, 450, 475, 500, 525, 550, 575, 600, 625, 650, 675, 700, 725, 750, 775, 800, 825, 850, 875, 900, 925, 950, 975, 1000, 1100, 1200, 1300, 1400, 1500, 1750, 2000, 2250, 2500 amino molecules or greater, and any range derivable therein, or derivative of a corresponding amino sequence described or referenced herein. It is contemplated that polypeptides may be mutated by truncation, rendering them shorter than their corresponding wild-type form, but also they might be altered by fusing or conjugating a heterologous protein sequence with a particular function (e.g., for targeting or localization, for enhanced immunogenicity, for purification purposes, etc.).

**[0430]** As used herein, an “amino molecule” refers to any amino acid, amino acid derivative, or amino acid mimic known in the art. In certain embodiments, the residues of the proteinaceous molecule are sequential, without any non-amino molecule interrupting the sequence of amino molecule residues. In other embodiments, the sequence may comprise one or more non-amino molecule moieties. In particular embodiments, the sequence of residues of the proteinaceous molecule may be interrupted by one or more non-amino molecule moieties.

**[0431]** Accordingly, the term “proteinaceous composition” encompasses amino molecule sequences comprising at least one of the 20 common amino acids in naturally synthesized proteins, or at least one modified or unusual amino acid.

**[0432]** Proteinaceous compositions may be made by any technique known to those of skill in the art, including (i) the expression of proteins, polypeptides, or peptides through standard molecular biological techniques, (ii) the isolation of proteinaceous compounds from natural sources, or (iii) the chemical synthesis of proteinaceous materials. The nucleotide as well as the protein, polypeptide, and peptide sequences for various genes have been previously disclosed, and may be found in the recognized computerized databases. One such database is the National Center for Biotechnology Information’s Genbank and GenPept databases (on the World Wide Web at [ncbi.nlm.nih.gov/](http://ncbi.nlm.nih.gov/)). The coding regions for these genes may be amplified and/or expressed using the techniques disclosed herein or as would be known to those of ordinary skill in the art.

**[0433]** Amino acid sequence variants of SpA, coagulases and other polypeptides of the invention can be substitutional, insertional, or deletion variants. A variation in a polypeptide of the invention may affect 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, or more non-contiguous or contiguous amino acids of the polypeptide, as compared to wild-type. A variant can comprise an amino acid sequence that is at least 50%, 60%, 70%, 80%, or 90%, including all values and ranges there between, identical to any sequence provided or referenced herein, e.g., SEQ ID NO:2-8 or SEQ ID NO:11-30. A variant can include 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, or more substitute amino acids. A polypeptide processed or secreted by the Ess pathway or other surface proteins (see Table 1) or sortase substrates from any *staphylococcus* species and strain are contemplated for use in compositions and methods described herein.

**[0434]** Deletion variants typically lack one or more residues of the native or wild-type protein. Individual residues can be deleted or a number of contiguous amino acids can be deleted. A stop codon may be introduced (by substitution or insertion) into an encoding nucleic acid sequence to generate a truncated protein. Insertional mutants typically involve the addition of material at a non-terminal point in the polypeptide. This may include the insertion of one or more residues. Terminal additions, called fusion proteins, may also be generated. These fusion proteins include multimers or concatamers of one or more peptide or polypeptide described or referenced herein.

**[0435]** Substitutional variants typically contain the exchange of one amino acid for another at one or more sites within the protein, and may be designed to modulate one or more properties of the polypeptide, with or without the loss of other functions or properties. Substitutions may be conservative, that is, one amino acid is replaced with one of similar shape and charge. Conservative substitutions are well known in the art and include, for example, the changes of: alanine to serine; arginine to lysine; asparagine to glutamine or histidine; aspartate to glutamate; cysteine to serine; glutamine to asparagine; glutamate to aspartate; glycine to proline; histidine to asparagine or glutamine; isoleucine to leucine or valine; leucine to valine or isoleucine; lysine to arginine; methionine to leucine or isoleucine; phenylalanine to tyrosine, leucine or methionine; serine to threonine; threonine to serine; tryptophan to tyrosine; tyrosine to tryptophan or phenylalanine; and valine to isoleucine or leucine. Alternatively, substitutions may be non-conservative such that a function or activity of the polypeptide is affected. Non-conservative changes typically involve substituting a residue with one that is chemically dissimilar, such as a polar or charged amino acid for a nonpolar or uncharged amino acid, and vice versa.

TABLE 1

Exemplary surface proteins of <i>S. aureus</i> strains.								
SAV #	SA#	Surface	MW2	Mu50	N315	Newman	MRSA252*	MSSA476*
SAV0111	SA0107	Spa	492	450	450	520	516	492
SAV2503	SA2291	FnBPA	1015	1038	1038	741	—	1015
SAV2502	SA2290	FnBPP	943	961	961	677	965	957
SAV0811	SA0742	ClfA	946	935	989	933	1029	928
SAV2630	SA2423	ClfB	907	877	877	913	873	905

TABLE 1-continued

Exemplary surface proteins of <i>S. aureus</i> strains.								
SAV #	SA#	Surface	MW2	Mu50	N315	Newman	MRSA252*	MSSA476*
Np	Np	Cna	1183	—	—	—	1183	1183
SAV0561	SA0519	SdrC	955	953	953	947	906	957
SAV0562	SA0520	SdrD	1347	1385	1385	1315	—	1365
SAV0563	SA0521	SdrE	1141	1141	1141	1166	1137	1141
Np	Np	Pls	—	—	—	—	—	—
SAV2654	SA2447	SasA	2275	2271	2271	2271	1351	2275
SAV2160	SA1964	SasB	686	2481	2481	2481	2222	685
	SA1577	SasC	2186	213	2186	2186	2189	2186
SAV0134	SA0129	SasD	241	241	241	241	221	241
SAV1130	SA0977	SasE/IsdA	350	350	350	350	354	350
SAV2646	SA2439	SasF	635	635	635	635	627	635
SAV2496		SasG	1371	525	927	—	—	1371
SAV0023	SA0022	SasH	772	—	772	772	786	786
SAV1731	SA1552	SasI	895	891	891	891	534	895
SAV1129	SA0976	SasJ/IsdB	645	645	645	645	652	645
	SA2381	SasK	198	211	211	—	—	197
	Np	SasL	—	232	—	—	—	—
SAV1131	SA0978	IsdC	227	227	227	227	227	227

[0436] Proteins of the invention may be recombinant, or synthesized in vitro. Alternatively, a non-recombinant or recombinant protein may be isolated from bacteria. It is also contemplated that a bacteria containing such a variant may be implemented in compositions and methods of the invention. Consequently, a protein need not be isolated.

[0437] The term “functionally equivalent codon” is used herein to refer to codons that encode the same amino acid, such as the six codons for arginine or serine, and also refers to codons that encode biologically equivalent amino acids (see Table 2, below).

TABLE 2

Codon Table			
Amino Acids		Codons	
Alanine	Ala	A	GCA GCC GCG GCU
Cysteine	Cys	C	UGC UGU
Aspartic acid	Asp	D	GAC GAU
Glutamic acid	Glu	E	GAA GAG
Phenylalanine	Phe	F	UUC UUU
Glycine	Gly	G	GGA GGC GGG GGU
Histidine	His	H	CAC CAU
Isoleucine	Ile	I	AUA AUC AUU
Lysine	Lys	K	AAA AAG
Leucine	Leu	L	UUA UUG CUA CUC CUG CUU
Methionine	Met	M	AUG
Asparagine	Asn	N	AAC AAU
Proline	Pro	P	CCA CCC CCG CCU
Glutamine	Gln	Q	CAA CAG
Arginine	Arg	R	AGA AGG CGA CGC CGG CGU
Serine	Ser	S	AGC AGU UCA UCC UCG UCU

TABLE 2-continued

Codon Table			
Amino Acids		Codons	
Threonine	Thr	T	ACA ACC ACG ACU
Valine	Val	V	GUA GUC GUG GUU
Tryptophan	Trp	W	UGG
Tyrosine	Tyr	Y	UAC UAU

[0438] It also will be understood that amino acid and nucleic acid sequences may include additional residues, such as additional N- or C-terminal amino acids, or 5' or 3' sequences, respectively, and yet still be essentially as set forth in one of the sequences disclosed herein, so long as the sequence meets the criteria set forth above, including the maintenance of biological protein activity (e.g., immunogenicity) where protein expression is concerned. The addition of terminal sequences particularly applies to nucleic acid sequences that may, for example, include various non-coding sequences flanking either of the 5' or 3' portions of the coding region.

[0439] The following is a discussion based upon changing of the amino acids of a protein to create a variant polypeptide or peptide. For example, certain amino acids may be substituted for other amino acids in a protein structure with or without appreciable loss of interactive binding capacity with structures such as, for example, antigen-binding regions of antibodies or binding sites on substrate molecules. Since it is the interactive capacity and nature of a protein that defines that protein's functional activity, certain amino acid substitutions can be made in a protein sequence, and in its underlying DNA coding sequence, and nevertheless produce a protein with a desirable property. It is thus contemplated by the inventors that various changes may be made in the DNA sequences of genes.

[0440] It is contemplated that in compositions of the invention, there is between about 0.001 mg and about 10 mg of total polypeptide, peptide, and/or protein per ml. The concentra-

tion of protein in a composition can be about, at least about or at most about 0.001, 0.010, 0.050, 0.1, 0.2, 0.3, 0.4, 0.5, 0.6, 0.7, 0.8, 0.9, 1.0, 1.5, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0, 6.5, 7.0, 7.5, 8.0, 8.5, 9.0, 9.5, 10.0 mg/ml or more (or any range derivable therein). Of this, about, at least about, or at most about 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100% may be an SpA variant or a coagulase, and may be used in combination with other peptides or polypeptides, such as other bacterial peptides and/or antigens.

**[0441]** The present invention contemplates the administration of variant SpA polypeptides or peptides to effect a preventative therapy or therapeutic effect against the development of a disease or condition associated with infection by a *staphylococcus* pathogen.

**[0442]** In certain aspects, combinations of staphylococcal antigens are used in the production of an immunogenic composition that is effective at treating or preventing staphylococcal infection. Staphylococcal infections progress through several different stages. For example, the staphylococcal life cycle involves commensal colonization, initiation of infection by accessing adjoining tissues or the bloodstream, and/or anaerobic multiplication in the blood. The interplay between *S. aureus* virulence determinants and the host defense mechanisms can induce complications such as endocarditis, metastatic abscess formation, and sepsis syndrome. Different molecules on the surface of the bacterium are involved in different steps of the infection cycle. Combinations of certain antigens can elicit an immune response which protects against multiple stages of staphylococcal infection. The effectiveness of the immune response can be measured either in animal model assays and/or using an opsonophagocytic assay.

#### **[0443]** D. Polypeptides and Polypeptide Production

**[0444]** The present invention describes polypeptides, peptides, and proteins and immunogenic fragments thereof for use in various embodiments of the present invention. For example, specific polypeptides are assayed for or used to elicit an immune response. In specific embodiments, all or part of the proteins of the invention can also be synthesized in solution or on a solid support in accordance with conventional techniques. Various automatic synthesizers are commercially available and can be used in accordance with known protocols. See, for example, Stewart and Young, (1984); Tam et al., (1983); Merrifield, (1986); and Barany and Merrifield (1979), each incorporated herein by reference.

**[0445]** Alternatively, recombinant DNA technology may be employed wherein a nucleotide sequence which encodes a peptide of the invention is inserted into an expression vector, transformed or transfected into an appropriate host cell and cultivated under conditions suitable for expression.

**[0446]** One embodiment of the invention includes the use of gene transfer to cells, including microorganisms, for the production and/or presentation of polypeptides or peptides. The gene for the polypeptide or peptide of interest may be transferred into appropriate host cells followed by culture of cells under the appropriate conditions. The generation of recombinant expression vectors, and the elements included therein, are well known in the art and briefly discussed herein.

Alternatively, the protein to be produced may be an endogenous protein normally synthesized by the cell that is isolated and purified.

**[0447]** Another embodiment of the present invention uses autologous B lymphocyte cell lines, which are transfected with a viral vector that expresses an immunogen product, and more specifically, a protein having immunogenic activity. Other examples of mammalian host cell lines include, but are not limited to Vero and HeLa cells, other B- and T-cell lines, such as CEM, 721.221, H9, Jurkat, Raji, as well as cell lines of Chinese hamster ovary, W138, BHK, COS-7, 293, HepG2, 3T3, RIN and MDCK cells. In addition, a host cell strain may be chosen that modulates the expression of the inserted sequences, or that modifies and processes the gene product in the manner desired. Such modifications (e.g., glycosylation) and processing (e.g., cleavage) of protein products may be important for the function of the protein. Different host cells have characteristic and specific mechanisms for the post-translational processing and modification of proteins. Appropriate cell lines or host systems can be chosen to ensure the correct modification and processing of the foreign protein expressed.

**[0448]** A number of selection systems may be used including, but not limited to HSV thymidine kinase, hypoxanthine-guanine phosphoribosyltransferase, and adenine phosphoribosyltransferase genes, in tk-, hgprt- or apt- cells, respectively. Also, anti-metabolite resistance can be used as the basis of selection: for dhfr, which confers resistance to trimethoprim and methotrexate; gpt, which confers resistance to mycophenolic acid; neo, which confers resistance to the aminoglycoside G418; and hyg, which confers resistance to hygromycin.

**[0449]** Animal cells can be propagated in vitro in two modes: as non-anchorage-dependent cells growing in suspension throughout the bulk of the culture or as anchorage-dependent cells requiring attachment to a solid substrate for their propagation (i.e., a monolayer type of cell growth).

**[0450]** Non-anchorage dependent or suspension cultures from continuous established cell lines are the most widely used means of large scale production of cells and cell products. However, suspension cultured cells have limitations, such as tumorigenic potential and lower protein production than adherent cells.

**[0451]** Where a protein is specifically mentioned herein, it is preferably a reference to a native or recombinant protein or optionally a protein in which any signal sequence has been removed. The protein may be isolated directly from the staphylococcal strain or produced by recombinant DNA techniques. Immunogenic fragments of the protein may be incorporated into the immunogenic composition of the invention. These are fragments comprising at least 10 amino acids, 20 amino acids, 30 amino acids, 40 amino acids, 50 amino acids, or 100 amino acids, including all values and ranges there between, taken contiguously from the amino acid sequence of the protein. In addition, such immunogenic fragments are immunologically reactive with antibodies generated against the Staphylococcal proteins or with antibodies generated by infection of a mammalian host with Staphylococci. Immunogenic fragments also include fragments that when administered at an effective dose, (either alone or as a hapten bound to a carrier), elicit a protective or therapeutic immune response against Staphylococcal infection, in certain aspects it is protective against *S. aureus* and/or *S. epidermidis* infection. Such an immunogenic fragment may include, for example, the

protein lacking an N-terminal leader sequence, and/or a transmembrane domain and/or a C-terminal anchor domain. In a preferred aspect the immunogenic fragment according to the invention comprises substantially all of the extracellular domain of a protein which has at least 80% identity, at least 85% identity, at least 90% identity, at least 95% identity, or at least 97-99% identity, including all values and ranges there between, to a sequence selected segment of a polypeptide described or referenced herein.

**[0452]** Also included in immunogenic compositions of the invention are fusion proteins composed of one or more Staphylococcal proteins, or immunogenic fragments of staphylococcal proteins. Such fusion proteins may be made recombinantly and may comprise one portion of at least 1, 2, 3, 4, 5, or 6 staphylococcal proteins or segments. Alternatively, a fusion protein may comprise multiple portions of at least 1, 2, 3, 4 or 5 staphylococcal proteins. These may combine different Staphylococcal proteins and/or multiples of the same protein or protein fragment, or immunogenic fragments in the same protein (forming a multimer or a concatamer). Alternatively, the invention also includes individual fusion proteins of Staphylococcal proteins or immunogenic fragments thereof, as a fusion protein with heterologous sequences such as a provider of T-cell epitopes or purification tags, for example:  $\beta$ -galactosidase, glutathione-S-transferase, green fluorescent proteins (GFP), epitope tags such as FLAG, myc tag, poly histidine, or viral surface proteins such as influenza virus haemagglutinin, or bacterial proteins such as tetanus toxoid, diphtheria toxoid, or CRM197.

## II. NUCLEIC ACIDS

**[0453]** In certain embodiments, the present invention concerns recombinant polynucleotides encoding the proteins, polypeptides, peptides of the invention. The nucleic acid sequences for SpA, coagulases and other bacterial proteins are included, all of which are incorporated by reference, and can be used to prepare peptides or polypeptides.

**[0454]** As used in this application, the term "polynucleotide" refers to a nucleic acid molecule that either is recombinant or has been isolated free of total genomic nucleic acid. Included within the term "polynucleotide" are oligonucleotides (nucleic acids of 100 residues or less in length), recombinant vectors, including, for example, plasmids, cosmids, phage, viruses, and the like. Polynucleotides include, in certain aspects, regulatory sequences, isolated substantially away from their naturally occurring genes or protein encoding sequences. Polynucleotides may be single-stranded (coding or antisense) or double-stranded, and may be RNA, DNA (genomic, cDNA or synthetic), analogs thereof, or a combination thereof. Additional coding or non-coding sequences may, but need not, be present within a polynucleotide.

**[0455]** In this respect, the term "gene," "polynucleotide," or "nucleic acid" is used to refer to a nucleic acid that encodes a protein, polypeptide, or peptide (including any sequences required for proper transcription, post-translational modification, or localization). As will be understood by those in the art, this term encompasses genomic sequences, expression cassettes, cDNA sequences, and smaller engineered nucleic acid segments that express, or may be adapted to express, proteins, polypeptides, domains, peptides, fusion proteins, and mutants. A nucleic acid encoding all or part of a polypeptide may contain a contiguous nucleic acid sequence of 10, 20, 30, 40, 50, 60, 70, 80, 90, 100, 110, 120, 130, 140, 150, 160, 170, 180, 190, 200, 210, 220, 230, 240, 250, 260, 270,

280, 290, 300, 310, 320, 330, 340, 350, 360, 370, 380, 390, 400, 410, 420, 430, 440, 441, 450, 460, 470, 480, 490, 500, 510, 520, 530, 540, 550, 560, 570, 580, 590, 600, 610, 620, 630, 640, 650, 660, 670, 680, 690, 700, 710, 720, 730, 740, 750, 760, 770, 780, 790, 800, 810, 820, 830, 840, 850, 860, 870, 880, 890, 900, 910, 920, 930, 940, 950, 960, 970, 980, 990, 1000, 1010, 1020, 1030, 1040, 1050, 1060, 1070, 1080, 1090, 1095, 1100, 1500, 2000, 2500, 3000, 3500, 4000, 4500, 5000, 5500, 6000, 6500, 7000, 7500, 8000, 9000, 10000, or more nucleotides, nucleosides, or base pairs, including all values and ranges therebetween, of a polynucleotide encoding one or more amino acid sequence described or referenced herein. It also is contemplated that a particular polypeptide may be encoded by nucleic acids containing variations having slightly different nucleic acid sequences but, nonetheless, encode the same or substantially similar protein (see Table 2 above).

**[0456]** In particular embodiments, the invention concerns isolated nucleic acid segments and recombinant vectors incorporating nucleic acid sequences that encode a variant SpA or coagulase. The term "recombinant" may be used in conjunction with a polynucleotide or polypeptide and generally refers to a polypeptide or polynucleotide produced and/or manipulated in vitro or that is a replication product of such a molecule.

**[0457]** In other embodiments, the invention concerns isolated nucleic acid segments and recombinant vectors incorporating nucleic acid sequences that encode a variant SpA or coagulase polypeptide or peptide to generate an immune response in a subject. In various embodiments the nucleic acids of the invention may be used in genetic vaccines.

**[0458]** The nucleic acid segments used in the present invention can be combined with other nucleic acid sequences, such as promoters, polyadenylation signals, additional restriction enzyme sites, multiple cloning sites, other coding segments, and the like, such that their overall length may vary considerably. It is therefore contemplated that a nucleic acid fragment of almost any length may be employed, with the total length preferably being limited by the ease of preparation and use in the intended recombinant nucleic acid protocol. In some cases, a nucleic acid sequence may encode a polypeptide sequence with additional heterologous coding sequences, for example to allow for purification of the polypeptide, transport, secretion, post-translational modification, or for therapeutic benefits such as targeting or efficacy. As discussed above, a tag or other heterologous polypeptide may be added to the modified polypeptide-encoding sequence, wherein "heterologous" refers to a polypeptide that is not the same as the modified polypeptide.

**[0459]** In certain other embodiments, the invention concerns isolated nucleic acid segments and recombinant vectors that include within their sequence a contiguous nucleic acid sequence from SEQ ID NO:1 (SpA domain D) or SEQ ID NO:3 (SpA) or any other nucleic acid sequences encoding coagulases or other secreted virulence factors and/or surface proteins including proteins transported by the Ess pathway, processed by sortase, or proteins incorporated herein by reference.

**[0460]** In certain embodiments, the present invention provides polynucleotide variants having substantial identity to the sequences disclosed herein; those comprising at least 70%, 75%, 80%, 85%, 90%, 95%, 96%, 97%, 98%, or 99% or higher sequence identity, including all values and ranges there between, compared to a polynucleotide sequence of this

invention using the methods described herein (e.g., BLAST analysis using standard parameters).

**[0461]** The invention also contemplates the use of polynucleotides which are complementary to all the above described polynucleotides.

**[0462]** A. Vectors

**[0463]** Polypeptides of the invention may be encoded by a nucleic acid molecule comprised in a vector. The term “vector” is used to refer to a carrier nucleic acid molecule into which a heterologous nucleic acid sequence can be inserted for introduction into a cell where it can be replicated and expressed. A nucleic acid sequence can be “heterologous,” which means that it is in a context foreign to the cell in which the vector is being introduced or to the nucleic acid in which is incorporated, which includes a sequence homologous to a sequence in the cell or nucleic acid but in a position within the host cell or nucleic acid where it is ordinarily not found. Vectors include DNAs, RNAs, plasmids, cosmids, viruses (bacteriophage, animal viruses, and plant viruses), and artificial chromosomes (e.g., YACs). One of skill in the art would be well equipped to construct a vector through standard recombinant techniques (for example Sambrook et al., 2001; Ausubel et al., 1996, both incorporated herein by reference). In addition to encoding a variant SpA polypeptide the vector can encode other polypeptide sequences such as a one or more other bacterial peptide, a tag, or an immunogenicity enhancing peptide. Useful vectors encoding such fusion proteins include pIN vectors (Inouye et al., 1985), vectors encoding a stretch of histidines, and pGEX vectors, for use in generating glutathione S-transferase (GST) soluble fusion proteins for later purification and separation or cleavage.

**[0464]** The term “expression vector” refers to a vector containing a nucleic acid sequence coding for at least part of a gene product capable of being transcribed. In some cases, RNA molecules are then translated into a protein, polypeptide, or peptide. Expression vectors can contain a variety of “control sequences,” which refer to nucleic acid sequences necessary for the transcription and possibly translation of an operably linked coding sequence in a particular host organism. In addition to control sequences that govern transcription and translation, vectors and expression vectors may contain nucleic acid sequences that serve other functions as well and are described herein.

**[0465]** 1. Promoters and Enhancers

**[0466]** A “promoter” is a control sequence. The promoter is typically a region of a nucleic acid sequence at which initiation and rate of transcription are controlled. It may contain genetic elements at which regulatory proteins and molecules may bind such as RNA polymerase and other transcription factors. The phrases “operatively positioned,” “operatively linked,” “under control,” and “under transcriptional control” mean that a promoter is in a correct functional location and/or orientation in relation to a nucleic acid sequence to control transcriptional initiation and expression of that sequence. A promoter may or may not be used in conjunction with an “enhancer,” which refers to a cis-acting regulatory sequence involved in the transcriptional activation of a nucleic acid sequence.

**[0467]** Naturally, it may be important to employ a promoter and/or enhancer that effectively directs the expression of the DNA segment in the cell type or organism chosen for expression. Those of skill in the art of molecular biology generally know the use of promoters, enhancers, and cell type combinations for protein expression (see Sambrook et al., 2001,

incorporated herein by reference). The promoters employed may be constitutive, tissue-specific, or inducible and in certain embodiments may direct high level expression of the introduced DNA segment under specified conditions, such as large-scale production of recombinant proteins or peptides.

**[0468]** Various elements/promoters may be employed in the context of the present invention to regulate the expression of a gene. Examples of such inducible elements, which are regions of a nucleic acid sequence that can be activated in response to a specific stimulus, include but are not limited to Immunoglobulin Heavy Chain (Banerji et al., 1983; Gilles et al., 1983; Grosschedl et al., 1985; Atchinson et al., 1986, 1987; Imler et al., 1987; Weinberger et al., 1984; Kiledjian et al., 1988; Porton et al.; 1990), Immunoglobulin Light Chain (Queen et al., 1983; Picard et al., 1984), T Cell Receptor (Luria et al., 1987; Winoto et al., 1989; Redondo et al.; 1990), HLA DQ  $\alpha$  and/or DQ  $\beta$  (Sullivan et al., 1987),  $\beta$  Interferon (Goodbourn et al., 1986; Fujita et al., 1987; Goodbourn et al., 1988), Interleukin-2 (Greene et al., 1989), Interleukin-2 Receptor (Greene et al., 1989; Lin et al., 1990), MHC Class II 5 (Koch et al., 1989), MHC Class II HLA-DR $\alpha$  (Sherman et al., 1989),  $\beta$ -Actin (Kawamoto et al., 1988; Ng et al.; 1989), Muscle Creatine Kinase (MCK) (Jaynes et al., 1988; Horlick et al., 1989; Johnson et al., 1989), Prealbumin (Transthyretin) (Costa et al., 1988), Elastase I (Ornitz et al., 1987), Metallothionein (MTII) (Karin et al., 1987; Culotta et al., 1989), Collagenase (Pinkert et al., 1987; Angel et al., 1987), Albumin (Pinkert et al., 1987; Tronche et al., 1989, 1990),  $\alpha$ -Fetoprotein (Godbout et al., 1988; Campere et al., 1989),  $\gamma$ -Globin (Bodine et al., 1987; Perez-Stable et al., 1990),  $\beta$ -Globin (Trudel et al., 1987), c-fos (Cohen et al., 1987), c-Ha-Ras (Triesman, 1986; Deschamps et al., 1985), Insulin (Edlund et al., 1985), Neural Cell Adhesion Molecule (NCAM) (Hirsh et al., 1990),  $\alpha$ 1-Antitrypsin (Latimer et al., 1990), H<sub>2</sub>B (TH2B) Histone (Hwang et al., 1990), Mouse and/or Type I Collagen (Ripe et al., 1989), Glucose-Regulated Proteins (GRP94 and GRP78) (Chang et al., 1989), Rat Growth Hormone (Larsen et al., 1986), Human Serum Amyloid A (SAA) (Edbrooke et al., 1989), Troponin I (TN I) (Yutzey et al., 1989), Platelet-Derived Growth Factor (PDGF) (Pech et al., 1989), Duchenne Muscular Dystrophy (Klamut et al., 1990), SV40 (Banerji et al., 1981; Moreau et al., 1981; Sleight et al., 1985; Firak et al., 1986; Herr et al., 1986; Imbra et al., 1986; Kadesch et al., 1986; Wang et al., 1986; Ondek et al., 1987; Kuhl et al., 1987; Schaffner et al., 1988), Polyoma (Swartzendruber et al., 1975; Vasseur et al., 1980; Katinka et al., 1980, 1981; Tyndell et al., 1981; Dandolo et al., 1983; de Villiers et al., 1984; Hen et al., 1986; Satake et al., 1988; Campbell et al., 1988), Retroviruses (Kriegler et al., 1982, 1983; Levinson et al., 1982; Kriegler et al., 1983, 1984a, b, 1988; Bosze et al., 1986; Miksicek et al., 1986; Celander et al., 1987; Thiesen et al., 1988; Celander et al., 1988; Choi et al., 1988; Reisman et al., 1989), Papilloma Virus (Campo et al., 1983; Lusky et al., 1983; Spandidos and Wilkie, 1983; Spalholz et al., 1985; Lusky et al., 1986; Cripe et al., 1987; Gloss et al., 1987; Hirochika et al., 1987; Stephens et al., 1987), Hepatitis B Virus (Bulla et al., 1986; Jameel et al., 1986; Shaul et al., 1987; Spandau et al., 1988; Vannice et al., 1988), Human Immunodeficiency Virus (Muesing et al., 1987; Hauber et al., 1988; Jakobovits et al., 1988; Feng et al., 1988; Takebe et al., 1988; Rosen et al., 1988; Berkhout et al., 1989; Laspia et al., 1989; Sharp et al., 1989; Braddock et al., 1989), Cytomegalovirus (CMV) IE (Weber et al., 1984;

Boshart et al., 1985; Foecking et al., 1986), Gibbon Ape Leukemia Virus (Holbrook et al., 1987; Quinn et al., 1989).

**[0469]** Inducible elements include, but are not limited to MT II-Phorbol Ester (TFA)/Heavy metals (Palmiter et al., 1982; Haslinger et al., 1985; Searle et al., 1985; Stuart et al., 1985; Imagawa et al., 1987; Karin et al., 1987; Angel et al., 1987b; McNeill et al., 1989); MMTV (mouse mammary tumor virus)—Glucocorticoids (Huang et al., 1981; Lee et al., 1981; Majors et al., 1983; Chandler et al., 1983; Lee et al., 1984; Ponta et al., 1985; Sakai et al., 1988);  $\beta$ -Interferon—poly(rI)/poly(rc) (Tavernier et al., 1983); Adenovirus 5 E2-E1A (Imperiale et al., 1984); Collagenase—Phorbol Ester (TPA) (Angel et al., 1987a); Stromelysin—Phorbol Ester (TPA) (Angel et al., 1987b); SV40-Phorbol Ester (TPA) (Angel et al., 1987b); Murine MX Gene—Interferon, Newcastle Disease Virus (Hug et al., 1988); GRP78 Gene—A23187 (Resendez et al., 1988);  $\alpha$ -2-Macroglobulin—IL-6 (Kunz et al., 1989); Vimentin—Serum (Rittling et al., 1989); MHC Class I Gene H-2kb—Interferon (Blonar et al., 1989); HSP70-E1A/SV40 Large T Antigen (Taylor et al., 1989, 1990a, 1990b); Proliferin—Phorbol Ester/TPA (Mordacq et al., 1989); Tumor Necrosis Factor—PMA (Hensel et al., 1989); and Thyroid Stimulating Hormone  $\alpha$  Gene—Thyroid Hormone (Chatterjee et al., 1989).

**[0470]** The particular promoter that is employed to control the expression of peptide or protein encoding polynucleotide of the invention is not believed to be critical, so long as it is capable of expressing the polynucleotide in a targeted cell, preferably a bacterial cell. Where a human cell is targeted, it is preferable to position the polynucleotide coding region adjacent to and under the control of a promoter that is capable of being expressed in a human cell. Generally speaking, such a promoter might include either a bacterial, human or viral promoter.

**[0471]** In embodiments in which a vector is administered to a subject for expression of the protein, it is contemplated that a desirable promoter for use with the vector is one that is not down-regulated by cytokines or one that is strong enough that even if down-regulated, it produces an effective amount of a variant SpA for eliciting an immune response. Non-limiting examples of these are CMV IE and RSV LTR. Tissue specific promoters can be used, particularly if expression is in cells in which expression of an antigen is desirable, such as dendritic cells or macrophages. The mammalian MHC I and MHC II promoters are examples of such tissue-specific promoters.

**[0472]** 2. Initiation Signals and Internal Ribosome Binding Sites (IRES)

**[0473]** A specific initiation signal also may be required for efficient translation of coding sequences. These signals include the ATG initiation codon or adjacent sequences. Exogenous translational control signals, including the ATG initiation codon, may need to be provided. One of ordinary skill in the art would readily be capable of determining this and providing the necessary signals.

**[0474]** In certain embodiments of the invention, the use of internal ribosome entry sites (IRES) elements are used to create multigene, or polycistronic, messages. IRES elements are able to bypass the ribosome scanning model of 5' methylated Cap dependent translation and begin translation at internal sites (Pelletier and Sonenberg, 1988; Macejak and Sarnow, 1991). IRES elements can be linked to heterologous open reading frames. Multiple open reading frames can be transcribed together, each separated by an IRES, creating polycistronic messages. Multiple genes can be efficiently

expressed using a single promoter/enhancer to transcribe a single message (see U.S. Pat. Nos. 5,925,565 and 5,935,819, herein incorporated by reference).

**[0475]** 3. Selectable and Screenable Markers

**[0476]** In certain embodiments of the invention, cells containing a nucleic acid construct of the present invention may be identified in vitro or in vivo by encoding a screenable or selectable marker in the expression vector. When transcribed and translated, a marker confers an identifiable change to the cell permitting easy identification of cells containing the expression vector. Generally, a selectable marker is one that confers a property that allows for selection. A positive selectable marker is one in which the presence of the marker allows for its selection, while a negative selectable marker is one in which its presence prevents its selection. An example of a positive selectable marker is a drug resistance marker.

**[0477]** B. Host Cells

**[0478]** As used herein, the terms “cell,” “cell line,” and “cell culture” may be used interchangeably. All of these terms also include their progeny, which is any and all subsequent generations. It is understood that all progeny may not be identical due to deliberate or inadvertent mutations. In the context of expressing a heterologous nucleic acid sequence, “host cell” refers to a prokaryotic or eukaryotic cell, and it includes any transformable organism that is capable of replicating a vector or expressing a heterologous gene encoded by a vector. A host cell can, and has been, used as a recipient for vectors or viruses. A host cell may be “transfected” or “transformed,” which refers to a process by which exogenous nucleic acid, such as a recombinant protein-encoding sequence, is transferred or introduced into the host cell. A transformed cell includes the primary subject cell and its progeny.

**[0479]** Host cells may be derived from prokaryotes or eukaryotes, including bacteria, yeast cells, insect cells, and mammalian cells for replication of the vector or expression of part or all of the nucleic acid sequence(s). Numerous cell lines and cultures are available for use as a host cell, and they can be obtained through the American Type Culture Collection (ATCC), which is an organization that serves as an archive for living cultures and genetic materials ([www.atcc.org](http://www.atcc.org)).

**[0480]** C. Expression Systems

**[0481]** Numerous expression systems exist that comprise at least a part or all of the compositions discussed above. Prokaryote- and/or eukaryote-based systems can be employed for use with the present invention to produce nucleic acid sequences, or their cognate polypeptides, proteins and peptides. Many such systems are commercially and widely available.

**[0482]** The insect cell/baculovirus system can produce a high level of protein expression of a heterologous nucleic acid segment, such as described in U.S. Pat. Nos. 5,871,986, 4,879,236, both herein incorporated by reference, and which can be bought, for example, under the name MAXBAC® 2.0 from INVITROGEN® and BACPACK™ BACULOVIRUS EXPRESSION SYSTEM FROM CLONTECH®.

**[0483]** In addition to the disclosed expression systems of the invention, other examples of expression systems include STRATAGENE®'s COMPLETE CONTROL™ Inducible Mammalian Expression System, which involves a synthetic ecdysone-inducible receptor, or its pET Expression System, an *E. coli* expression system. Another example of an inducible expression system is available from INVITROGEN®, which carries the T-REX™ (tetracycline-regulated expres-

sion) System, an inducible mammalian expression system that uses the full-length CMV promoter. INVITROGEN® also provides a yeast expression system called the *Pichia methanolica* Expression System, which is designed for high-level production of recombinant proteins in the methylotrophic yeast *Pichia methanolica*. One of skill in the art would know how to express a vector, such as an expression construct, to produce a nucleic acid sequence or its cognate polypeptide, protein, or peptide.

### III. POLYSACCHARIDES

**[0484]** The immunogenic compositions of the invention may further comprise capsular polysaccharides including one or more of PIA (also known as PNAG) and/or *S. aureus* Type V and/or type VIII capsular polysaccharide and/or *S. epidermidis* Type I, and/or Type II and/or Type III capsular polysaccharide.

#### **[0485]** A. PIA (PNAG)

**[0486]** It is now clear that the various forms of staphylococcal surface polysaccharides identified as PS/A, PIA and SAA are the same chemical entity—PNAG (Maira-Litran et al., 2004). Therefore the term PIA or PNAG encompasses all these polysaccharides or oligosaccharides derived from them.

**[0487]** PIA is a polysaccharide intercellular adhesion and is composed of a polymer of  $\beta$ -(1 $\rightarrow$ 6)-linked glucosamine substituted with N-acetyl and O-succinyl constituents. This polysaccharide is present in both *S. aureus* and *S. epidermidis* and can be isolated from either source (Joyce et al., 2003; Maira-Litran et al., 2002). For example, PNAG may be isolated from *S. aureus* strain MN8m (WO04/43407). PIA isolated from *S. epidermidis* is an integral constituent of biofilm. It is responsible for mediating cell-cell adhesion and probably also functions to shield the growing colony from the host's immune response. The polysaccharide previously known as poly-N-succinyl- $\beta$ -(1 $\rightarrow$ 6)-glucosamine (PNSG) was recently shown not to have the expected structure since the identification of N-succinylation was incorrect (Maira-Litran et al., 2002). Therefore the polysaccharide formally known as PNSG and now found to be PNAG is also encompassed by the term PIA.

**[0488]** PIA (or PNAG) may be of different sizes varying from over 400 kDa to between 75 and 400 kDa to between 10 and 75 kDa to oligosaccharides composed of up to 30 repeat units (of  $\beta$ -(1 $\rightarrow$ 6)-linked glucosamine substituted with N-acetyl and O-succinyl constituents). Any size of PIA polysaccharide or oligosaccharide may be used in an immunogenic composition of the invention, in one aspect the polysaccharide is over 40 kDa. Sizing may be achieved by any method known in the art, for instance by microfluidization, ultrasonic irradiation or by chemical cleavage (WO 03/53462, EP497524, EP497525). In certain aspects PIA (PNAG) is at least or at most 40-400 kDa, 40-300 kDa, 50-350 kDa, 60-300 kDa, 50-250 kDa and 60-200 kDa.

**[0489]** PIA (PNAG) can have different degree of acetylation due to substitution on the amino groups by acetate. PIA produced in vitro is almost fully substituted on amino groups (95-100%). Alternatively, a deacetylated PIA (PNAG) can be used having less than 60%, 50%, 40%, 30%, 20%, 10% acetylation. Use of a deacetylated PIA (PNAG) is preferred since non-acetylated epitopes of PNAG are efficient at mediating opsonic killing of Gram positive bacteria, preferably *S. aureus* and/or *S. epidermidis*. In certain aspects, the PIA

(PNAG) has a size between 40 kDa and 300 kDa and is deacetylated so that less than 60%, 50%, 40%, 30% or 20% of amino groups are acetylated.

**[0490]** The term deacetylated PNAG (dPNAG) refers to a PNAG polysaccharide or oligosaccharide in which less than 60%, 50%, 40%, 30%, 20% or 10% of the amino groups are acetylated. In certain aspects, PNAG is deacetylated to form dPNAG by chemically treating the native polysaccharide. For example, the native PNAG is treated with a basic solution such that the pH rises to above 10. For instance the PNAG is treated with 0.1-5 M, 0.2-4 M, 0.3-3 M, 0.5-2 M, 0.75-1.5 M or 1 M NaOH, KOH or NH<sub>4</sub>OH. Treatment is for at least 10 to 30 minutes, or 1, 2, 3, 4, 5, 10, 15 or 20 hours at a temperature of 20-100, 25-80, 30-60 or 30-50 or 35-45° C. dPNAG may be prepared as described in WO 04/43405.

**[0491]** The polysaccharide(s) can be conjugated or unconjugated to a carrier protein.

**[0492]** B. Type 5 and Type 8 Polysaccharides from *S. aureus*

**[0493]** Most strains of *S. aureus* that cause infection in man contain either Type 5 or Type 8 polysaccharides. Approximately 60% of human strains are Type 8 and approximately 30% are Type 5. The structures of Type 5 and Type 8 capsular polysaccharide antigens are described in Moreau et al., (1990) and Fournier et al., (1984). Both have FucNAc in their repeat unit as well as ManNAcA which can be used to introduce a sulphydryl group. The structures are:

**[0494]** Type 5

**[0495]**  $\rightarrow$ 4)- $\beta$ -D-ManNAcA(3OAc)-(1 $\rightarrow$ 4)- $\alpha$ -L-FucNAc(1 $\rightarrow$ 3)- $\beta$ -D-FucNAc-(1 $\rightarrow$

**[0496]** Type 8

**[0497]**  $\rightarrow$ 3)- $\beta$ -D-ManNAcA(4OAc)-(1 $\rightarrow$ 3)- $\alpha$ -L-FucNAc(1 $\rightarrow$ 3)- $\beta$ -D-FucNAc-(1 $\rightarrow$

**[0498]** Recently (Jones, 2005) NMR spectroscopy revised the structures to:

**[0499]** Type 5

**[0500]**  $\rightarrow$ 4)- $\beta$ -D-ManNAcA-(1 $\rightarrow$ 4)- $\alpha$ -L-FucNAc(3OAc)-(1 $\rightarrow$ 3)- $\beta$ -D-FucNAc-(1 $\rightarrow$

**[0501]** Type 8

**[0502]**  $\rightarrow$ 3)- $\beta$ -D-ManNAcA(4OAc)-(1 $\rightarrow$ 3)- $\alpha$ -L-FucNAc(1 $\rightarrow$ 3)- $\alpha$ -D-FucNAc(1 $\rightarrow$

**[0503]** Polysaccharides may be extracted from the appropriate strain of *S. aureus* using method well known to one of skill in the art, See U.S. Pat. No. 6,294,177. For example, ATCC 12902 is a Type 5 *S. aureus* strain and ATCC 12605 is a Type 8 *S. aureus* strain.

**[0504]** Polysaccharides are of native size or alternatively may be sized, for instance by microfluidization, ultrasonic irradiation, or by chemical treatment. The invention also covers oligosaccharides derived from the type 5 and 8 polysaccharides from *S. aureus*. The type 5 and 8 polysaccharides included in the immunogenic composition of the invention are preferably conjugated to a carrier protein as described below or are alternatively unconjugated. The immunogenic compositions of the invention alternatively contains either type 5 or type 8 polysaccharide.

**[0505]** C. *S. aureus* 336 Antigen

**[0506]** In an embodiment, the immunogenic composition of the invention comprises the *S. aureus* 336 antigen described in U.S. Pat. No. 6,294,177. The 336 antigen comprises  $\beta$ -linked hexosamine, contains no O-acetyl groups, and specifically binds to antibodies to *S. aureus* Type 336 deposited under ATCC 55804. In an embodiment, the 336 antigen is a polysaccharide which is of native size or alternatively may

be sized, for instance by microfluidisation, ultrasonic irradiation, or by chemical treatment. The invention also covers oligosaccharides derived from the 336 antigen. The 336 antigen can be unconjugated or conjugated to a carrier protein.

**[0507]** D. Type I, II and III Polysaccharides from *S. epidermidis*

**[0508]** Amongst the problems associated with the use of polysaccharides in vaccination, is the fact that polysaccharides per se are poor immunogens. It is preferred that the polysaccharides utilized in the invention are linked to a protein carrier which provide bystander T-cell help to improve immunogenicity. Examples of such carriers which may be conjugated to polysaccharide immunogens include the Diphtheria and Tetanus toxoids (DT, DT CRM197 and TT respectively), Keyhole Limpet Haemocyanin (KLH), and the purified protein derivative of Tuberculin (PPD), *Pseudomonas aeruginosa* exoprotein A (rEPA), protein D from *Haemophilus influenzae*, pneumolysin or fragments of any of the above. Fragments suitable for use include fragments encompassing T-helper epitopes. In particular the protein D fragment from *H. influenzae* will preferably contain the N-terminal 1/3 of the protein. Protein D is an IgD-binding protein from *Haemophilus influenzae* (EP 0 594 610 B1) and is a potential immunogen. In addition, staphylococcal proteins may be used as a carrier protein in the polysaccharide conjugates of the invention.

**[0509]** A carrier protein that would be particularly advantageous to use in the context of a staphylococcal vaccine is staphylococcal alpha toxoid. The native form may be conjugated to a polysaccharide since the process of conjugation reduces toxicity. Preferably genetically detoxified alpha toxins such as the His35Leu or His35Arg variants are used as carriers since residual toxicity is lower. Alternatively the alpha toxin is chemically detoxified by treatment with a cross-linking reagent, formaldehyde or glutaraldehyde. A genetically detoxified alpha toxin is optionally chemically detoxified, preferably by treatment with a cross-linking reagent, formaldehyde or glutaraldehyde to further reduce toxicity.

**[0510]** The polysaccharides may be linked to the carrier protein(s) by any known method (for example those methods described in U.S. Pat. Nos. 4,372,945, 4,474,757, and 4,356,170). Preferably, CDAP conjugation chemistry is carried out (see WO95/08348). In CDAP, the cyanating reagent 1-cyano-dimethylaminopyridinium tetrafluoroborate (CDAP) is preferably used for the synthesis of polysaccharide-protein conjugates. The cyanation reaction can be performed under relatively mild conditions, which avoids hydrolysis of the alkaline sensitive polysaccharides. This synthesis allows direct coupling to a carrier protein.

**[0511]** Conjugation preferably involves producing a direct linkage between the carrier protein and polysaccharide. Optionally a spacer (such as adipic dihydride (ADH)) may be introduced between the carrier protein and the polysaccharide.

#### IV. IMMUNE RESPONSE AND ASSAYS

**[0512]** As discussed above, the invention concerns evoking or inducing an immune response in a subject against a variant SpA or coagulase peptide. In one embodiment, the immune response can protect against or treat a subject having, suspected of having, or at risk of developing an infection or related disease, particularly those related to staphylococci. One use of the immunogenic compositions of the invention is

to prevent nosocomial infections by inoculating a subject prior to undergoing procedures in a hospital or other environment having an increased risk of infection.

**[0513]** A. Immunoassays

**[0514]** The present invention includes the implementation of serological assays to evaluate whether and to what extent an immune response is induced or evoked by compositions of the invention. There are many types of immunoassays that can be implemented. Immunoassays encompassed by the present invention include, but are not limited to, those described in U.S. Pat. No. 4,367,110 (double monoclonal antibody sandwich assay) and U.S. Pat. No. 4,452,901 (western blot). Other assays include immunoprecipitation of labeled ligands and immunocytochemistry, both in vitro and in vivo.

**[0515]** Immunoassays generally are binding assays. Certain preferred immunoassays are the various types of enzyme linked immunosorbent assays (ELISAs) and radioimmunoassays (RIA) known in the art. Immunohistochemical detection using tissue sections is also particularly useful. In one example, antibodies or antigens are immobilized on a selected surface, such as a well in a polystyrene microtiter plate, dipstick, or column support. Then, a test composition suspected of containing the desired antigen or antibody, such as a clinical sample, is added to the wells. After binding and washing to remove non specifically bound immune complexes, the bound antigen or antibody may be detected. Detection is generally achieved by the addition of another antibody, specific for the desired antigen or antibody, that is linked to a detectable label. This type of ELISA is known as a "sandwich ELISA." Detection also may be achieved by the addition of a second antibody specific for the desired antigen, followed by the addition of a third antibody that has binding affinity for the second antibody, with the third antibody being linked to a detectable label.

**[0516]** Competition ELISAs are also possible implementations in which test samples compete for binding with known amounts of labeled antigens or antibodies. The amount of reactive species in the unknown sample is determined by mixing the sample with the known labeled species before or during incubation with coated wells. The presence of reactive species in the sample acts to reduce the amount of labeled species available for binding to the well and thus reduces the ultimate signal. Irrespective of the format employed, ELISAs have certain features in common, such as coating, incubating or binding, washing to remove non specifically bound species, and detecting the bound immune complexes.

**[0517]** Antigen or antibodies may also be linked to a solid support, such as in the form of plate, beads, dipstick, membrane, or column matrix, and the sample to be analyzed is applied to the immobilized antigen or antibody. In coating a plate with either antigen or antibody, one will generally incubate the wells of the plate with a solution of the antigen or antibody, either overnight or for a specified period. The wells of the plate will then be washed to remove incompletely-adsorbed material. Any remaining available surfaces of the wells are then "coated" with a nonspecific protein that is antigenically neutral with regard to the test antisera. These include bovine serum albumin (BSA), casein, and solutions of milk powder. The coating allows for blocking of nonspecific adsorption sites on the immobilizing surface and thus reduces the background caused by nonspecific binding of antisera onto the surface.

**[0518]** B. Diagnosis of Bacterial Infection

**[0519]** In addition to the use of proteins, polypeptides, and/or peptides, as well as antibodies binding these polypeptides, proteins, and/or peptides, to treat or prevent infection as described above, the present invention contemplates the use of these polypeptides, proteins, peptides, and/or antibodies in a variety of ways, including the detection of the presence of Staphylococci to diagnose an infection, whether in a patient or on medical equipment which may also become infected. In accordance with the invention, a preferred method of detecting the presence of infections involves the steps of obtaining a sample suspected of being infected by one or more staphylococcal bacteria species or strains, such as a sample taken from an individual, for example, from one's blood, saliva, tissues, bone, muscle, cartilage, or skin. Following isolation of the sample, diagnostic assays utilizing the polypeptides, proteins, peptides, and/or antibodies of the present invention may be carried out to detect the presence of staphylococci, and such assay techniques for determining such presence in a sample are well known to those skilled in the art and include methods such as radioimmunoassay, western blot analysis and ELISA assays. In general, in accordance with the invention, a method of diagnosing an infection is contemplated wherein a sample suspected of being infected with staphylococci has added to it the polypeptide, protein, peptide, antibody, or monoclonal antibody in accordance with the present invention, and staphylococci are indicated by antibody binding to the polypeptides, proteins, and/or peptides, or polypeptides, proteins, and/or peptides binding to the antibodies in the sample.

**[0520]** Accordingly, antibodies in accordance with the invention may be used for the prevention of infection from staphylococcal bacteria (i.e., passive immunization), for the treatment of an ongoing infection, or for use as research tools. The term "antibodies" as used herein includes monoclonal, polyclonal, chimeric, single chain, bispecific, simianized, and humanized or primatized antibodies as well as Fab fragments, such as those fragments which maintain the binding specificity of the antibodies, including the products of an Fab immunoglobulin expression library. Accordingly, the invention contemplates the use of single chains such as the variable heavy and light chains of the antibodies. Generation of any of these types of antibodies or antibody fragments is well known to those skilled in the art. Specific examples of the generation of an antibody to a bacterial protein can be found in U.S. Patent Application Pub. No. 20030153022, which is incorporated herein by reference in its entirety.

**[0521]** Any of the above described polypeptides, proteins, peptides, and/or antibodies may be labeled directly with a detectable label for identification and quantification of staphylococcal bacteria. Labels for use in immunoassays are generally known to those skilled in the art and include enzymes, radioisotopes, and fluorescent, luminescent and chromogenic substances, including colored particles such as colloidal gold or latex beads. Suitable immunoassays include enzyme-linked immunosorbent assays (ELISA).

**[0522]** C. Protective Immunity

**[0523]** In some embodiments of the invention, proteinaceous compositions confer protective immunity to a subject. Protective immunity refers to a body's ability to mount a specific immune response that protects the subject from developing a particular disease or condition that involves the

agent against which there is an immune response. An immunogenically effective amount is capable of conferring protective immunity to the subject.

**[0524]** As used herein in the specification and in the claims section that follows, the term polypeptide or peptide refer to a stretch of amino acids covalently linked there amongst via peptide bonds. Different polypeptides have different functionalities according to the present invention. While according to one aspect, a polypeptide is derived from an immunogen designed to induce an active immune response in a recipient, according to another aspect of the invention, a polypeptide is derived from an antibody which results following the elicitation of an active immune response in, for example, an animal, and which can serve to induce a passive immune response in the recipient. In both cases, however, the polypeptide is encoded by a polynucleotide according to any possible codon usage.

**[0525]** As used herein the phrase "immune response" or its equivalent "immunological response" refers to the development of a humoral (antibody mediated), cellular (mediated by antigen-specific T cells or their secretion products) or both humoral and cellular response directed against a protein, peptide, carbohydrate, or polypeptide of the invention in a recipient patient. Such a response can be an active response induced by administration of immunogen or a passive response induced by administration of antibody, antibody containing material, or primed T-cells. A cellular immune response is elicited by the presentation of polypeptide epitopes in association with Class I or Class II MHC molecules, to activate antigen-specific CD4 (+) T helper cells and/or CD8 (+) cytotoxic T cells. The response may also involve activation of monocytes, macrophages, NK cells, basophils, dendritic cells, astrocytes, microglia cells, eosinophils or other components of innate immunity. As used herein "active immunity" refers to any immunity conferred upon a subject by administration of an antigen.

**[0526]** As used herein "passive immunity" refers to any immunity conferred upon a subject without administration of an antigen to the subject. "Passive immunity" therefore includes, but is not limited to, administration of activated immune effectors including cellular mediators or protein mediators (e.g., monoclonal and/or polyclonal antibodies) of an immune response. A monoclonal or polyclonal antibody composition may be used in passive immunization for the prevention or treatment of infection by organisms that carry the antigen recognized by the antibody. An antibody composition may include antibodies that bind to a variety of antigens that may in turn be associated with various organisms. The antibody component can be a polyclonal antiserum. In certain aspects the antibody or antibodies are affinity purified from an animal or second subject that has been challenged with an antigen(s). Alternatively, an antibody mixture may be used, which is a mixture of monoclonal and/or polyclonal antibodies to antigens present in the same, related, or different microbes or organisms, such as gram-positive bacteria, gram-negative bacteria, including but not limited to *staphylococcus* bacteria.

**[0527]** Passive immunity may be imparted to a patient or subject by administering to the patient immunoglobulins (Ig) and/or other immune factors obtained from a donor or other non-patient source having a known immunoreactivity. In other aspects, an antigenic composition of the present invention can be administered to a subject who then acts as a source or donor for globulin, produced in response to challenge with

the antigenic composition (“hyperimmune globulin”), that contains antibodies directed against *Staphylococcus* or other organism. A subject thus treated would donate plasma from which hyperimmune globulin would then be obtained, via conventional plasma-fractionation methodology, and administered to another subject in order to impart resistance against or to treat *staphylococcus* infection. Hyperimmune globulins according to the invention are particularly useful for immune-compromised individuals, for individuals undergoing invasive procedures or where time does not permit the individual to produce their own antibodies in response to vaccination. See U.S. Pat. Nos. 6,936,258, 6,770,278, 6,756,361, 5,548,066, 5,512,282, 4,338,298, and 4,748,018, each of which is incorporated herein by reference in its entirety, for exemplary methods and compositions related to passive immunity.

**[0528]** For purposes of this specification and the accompanying claims the terms “epitope” and “antigenic determinant” are used interchangeably to refer to a site on an antigen to which B and/or T cells respond or recognize. B-cell epitopes can be formed both from contiguous amino acids or noncontiguous amino acids juxtaposed by tertiary folding of a protein. Epitopes formed from contiguous amino acids are typically retained on exposure to denaturing solvents whereas epitopes formed by tertiary folding are typically lost on treatment with denaturing solvents. An epitope typically includes at least 3, and more usually, at least 5 or 8-10 amino acids in a unique spatial conformation. Methods of determining spatial conformation of epitopes include, for example, x-ray crystallography and 2-dimensional nuclear magnetic resonance. See, e.g., Epitope Mapping Protocols (1996). Antibodies that recognize the same epitope can be identified in a simple immunoassay showing the ability of one antibody to block the binding of another antibody to a target antigen. T-cells recognize continuous epitopes of about nine amino acids for CD8 cells or about 13-15 amino acids for CD4 cells. T cells that recognize the epitope can be identified by in vitro assays that measure antigen-dependent proliferation, as determined by <sup>3</sup>H-thymidine incorporation by primed T cells in response to an epitope (Burke et al., 1994), by antigen-dependent killing (cytotoxic T lymphocyte assay, Tigges et al., 1996) or by cytokine secretion.

**[0529]** The presence of a cell-mediated immunological response can be determined by proliferation assays (CD4 (+) T cells) or CTL (cytotoxic T lymphocyte) assays. The relative contributions of humoral and cellular responses to the protective or therapeutic effect of an immunogen can be distinguished by separately isolating IgG and T-cells from an immunized syngeneic animal and measuring protective or therapeutic effect in a second subject.

**[0530]** As used herein and in the claims, the terms “antibody” or “immunoglobulin” are used interchangeably and refer to any of several classes of structurally related proteins that function as part of the immune response of an animal or recipient, which proteins include IgG, IgD, IgE, IgA, IgM and related proteins.

**[0531]** Under normal physiological conditions antibodies are found in plasma and other body fluids and in the membrane of certain cells and are produced by lymphocytes of the type denoted B cells or their functional equivalent. Antibodies of the IgG class are made up of four polypeptide chains linked together by disulfide bonds. The four chains of intact IgG molecules are two identical heavy chains referred to as H-chains and two identical light chains referred to as L-chains.

**[0532]** In order to produce polyclonal antibodies, a host, such as a rabbit or goat, is immunized with the antigen or antigen fragment, generally with an adjuvant and, if necessary, coupled to a carrier. Antibodies to the antigen are subsequently collected from the sera of the host. The polyclonal antibody can be affinity purified against the antigen rendering it monospecific.

**[0533]** Monoclonal antibodies can be produced by hyperimmunization of an appropriate donor with the antigen or ex-vivo by use of primary cultures of splenic cells or cell lines derived from spleen (Anavi, 1998; Huston et al., 1991; Johnson et al., 1991; Mernaugh et al., 1995).

**[0534]** As used herein and in the claims, the phrase “an immunological portion of an antibody” includes a Fab fragment of an antibody, a Fv fragment of an antibody, a heavy chain of an antibody, a light chain of an antibody, a heterodimer consisting of a heavy chain and a light chain of an antibody, a variable fragment of a light chain of an antibody, a variable fragment of a heavy chain of an antibody, and a single chain variant of an antibody, which is also known as scFv. In addition, the term includes chimeric immunoglobulins which are the expression products of fused genes derived from different species, one of the species can be a human, in which case a chimeric immunoglobulin is said to be humanized. Typically, an immunological portion of an antibody competes with the intact antibody from which it was derived for specific binding to an antigen.

**[0535]** Optionally, an antibody or preferably an immunological portion of an antibody, can be chemically conjugated to, or expressed as, a fusion protein with other proteins. For purposes of this specification and the accompanying claims, all such fused proteins are included in the definition of antibodies or an immunological portion of an antibody.

**[0536]** As used herein the terms “immunogenic agent” or “immunogen” or “antigen” are used interchangeably to describe a molecule capable of inducing an immunological response against itself on administration to a recipient, either alone, in conjunction with an adjuvant, or presented on a display vehicle.

**[0537]** D. Treatment Methods

**[0538]** A method of the present invention includes treatment for a disease or condition caused by a *staphylococcus* pathogen. An immunogenic polypeptide of the invention can be given to induce an immune response in a person infected with *staphylococcus* or suspected of having been exposed to *staphylococcus*. Methods may be employed with respect to individuals who have tested positive for exposure to *staphylococcus* or who are deemed to be at risk for infection based on possible exposure.

**[0539]** In particular, the invention encompasses a method of treatment for staphylococcal infection, particularly hospital acquired nosocomial infections. The immunogenic compositions and vaccines of the invention are particularly advantageous to use in cases of elective surgery. Such patients will know the date of surgery in advance and could be inoculated in advance. The immunogenic compositions and vaccines of the invention are also advantageous to use to inoculate health care workers.

**[0540]** In some embodiments, the treatment is administered in the presence of adjuvants or carriers or other staphylococcal antigens. Furthermore, in some examples, treatment comprises administration of other agents commonly used against bacterial infection, such as one or more antibiotics.

[0541] The use of peptides for vaccination can require, but not necessarily, conjugation of the peptide to an immunogenic carrier protein, such as hepatitis B surface antigen, keyhole limpet hemocyanin, or bovine serum albumin. Methods for performing this conjugation are well known in the art.

#### V. VACCINE AND OTHER PHARMACEUTICAL COMPOSITIONS AND ADMINISTRATION

##### [0542] A. Vaccines

[0543] The present invention includes methods for preventing or ameliorating staphylococcal infections, particularly hospital acquired nosocomial infections. As such, the invention contemplates vaccines for use in both active and passive immunization embodiments. Immunogenic compositions, proposed to be suitable for use as a vaccine, may be prepared from immunogenic SpA polypeptide(s), such as a SpA domain D variant, or immunogenic coagulases. In other embodiments SpA or coagulases can be used in combination with other secreted virulence proteins, surface proteins or immunogenic fragments thereof. In certain aspects, antigenic material is extensively dialyzed to remove undesired small molecular weight molecules and/or lyophilized for more ready formulation into a desired vehicle.

[0544] Other options for a protein/peptide-based vaccine involve introducing nucleic acids encoding the antigen(s) as DNA vaccines. In this regard, recent reports described construction of recombinant vaccinia viruses expressing either 10 contiguous minimal CTL epitopes (Thomson, 1996) or a combination of B cell, cytotoxic T-lymphocyte (CTL), and T-helper (Th) epitopes from several microbes (An, 1997), and successful use of such constructs to immunize mice for priming protective immune responses. Thus, there is ample evidence in the literature for successful utilization of peptides, peptide-pulsed antigen presenting cells (APCs), and peptide-encoding constructs for efficient *in vivo* priming of protective immune responses. The use of nucleic acid sequences as vaccines is exemplified in U.S. Pat. Nos. 5,958,895 and 5,620,896.

[0545] The preparation of vaccines that contain polypeptide or peptide sequence(s) as active ingredients is generally well understood in the art, as exemplified by U.S. Pat. Nos. 4,608,251; 4,601,903; 4,599,231; 4,599,230; 4,596,792; and 4,578,770, all of which are incorporated herein by reference. Typically, such vaccines are prepared as injectables either as liquid solutions or suspensions: solid forms suitable for solution in or suspension in liquid prior to injection may also be prepared. The preparation may also be emulsified. The active immunogenic ingredient is often mixed with excipients that are pharmaceutically acceptable and compatible with the active ingredient. Suitable excipients are, for example, water, saline, dextrose, glycerol, ethanol, or the like and combinations thereof. In addition, if desired, the vaccine may contain amounts of auxiliary substances such as wetting or emulsifying agents, pH buffering agents, or adjuvants that enhance the effectiveness of the vaccines. In specific embodiments, vaccines are formulated with a combination of substances, as described in U.S. Pat. Nos. 6,793,923 and 6,733,754, which are incorporated herein by reference.

[0546] Vaccines may be conventionally administered parenterally, by injection, for example, either subcutaneously or intramuscularly. Additional formulations which are suitable for other modes of administration include suppositories and, in some cases, oral formulations. For suppositories, traditional binders and carriers may include, for example, poly-

alkalene glycols or triglycerides: such suppositories may be formed from mixtures containing the active ingredient in the range of about 0.5% to about 10%, preferably about 1% to about 2%. Oral formulations include such normally employed excipients as, for example, pharmaceutical grades of mannitol, lactose, starch, magnesium stearate, sodium saccharine, cellulose, magnesium carbonate and the like. These compositions take the form of solutions, suspensions, tablets, pills, capsules, sustained release formulations or powders and contain about 10% to about 95% of active ingredient, preferably about 25% to about 70%.

[0547] The polypeptides and polypeptide-encoding DNA constructs may be formulated into a vaccine as neutral or salt forms. Pharmaceutically-acceptable salts include the acid addition salts (formed with the free amino groups of the peptide) and those that are formed with inorganic acids such as, for example, hydrochloric or phosphoric acids, or such organic acids as acetic, oxalic, tartaric, mandelic, and the like.

[0548] Typically, vaccines are administered in a manner compatible with the dosage formulation, and in such amount as will be therapeutically effective and immunogenic. The quantity to be administered depends on the subject to be treated, including the capacity of the individual's immune system to synthesize antibodies and the degree of protection desired. Precise amounts of active ingredient required to be administered depend on the judgment of the practitioner. However, suitable dosage ranges are of the order of several hundred micrograms of active ingredient per vaccination. Suitable regimes for initial administration and booster shots are also variable, but are typified by an initial administration followed by subsequent inoculations or other administrations.

[0549] The manner of application may be varied widely. Any of the conventional methods for administration of a vaccine are applicable. These are believed to include oral application within a solid physiologically acceptable base or in a physiologically acceptable dispersion, parenterally, by injection and the like. The dosage of the vaccine will depend on the route of administration and will vary according to the size and health of the subject.

[0550] In certain instances, it will be desirable to have multiple administrations of the vaccine, e.g., 2, 3, 4, 5, 6 or more administrations. The vaccinations can be at 1, 2, 3, 4, 5, 6, 7, 8, to 5, 6, 7, 8, 9, 10, 11, 12 twelve week intervals, including all ranges there between. Periodic boosters at intervals of 1-5 years will be desirable to maintain protective levels of the antibodies. The course of the immunization may be followed by assays for antibodies against the antigens, as described in U.S. Pat. Nos. 3,791,932; 4,174,384 and 3,949,064.

##### [0551] 1. Carriers

[0552] A given composition may vary in its immunogenicity. It is often necessary therefore to boost the host immune system, as may be achieved by coupling a peptide or polypeptide to a carrier. Exemplary and preferred carriers are keyhole limpet hemocyanin (KLH) and bovine serum albumin (BSA). Other albumins such as ovalbumin, mouse serum albumin, or rabbit serum albumin can also be used as carriers. Means for conjugating a polypeptide to a carrier protein are well known in the art and include glutaraldehyde, m-maleimidobencoyl-N-hydroxysuccinimide ester, carbodiimide, and bis-biazo-tized benzidine.

**[0553]** 2. Adjuvants

**[0554]** The immunogenicity of polypeptide or peptide compositions can be enhanced by the use of non-specific stimulators of the immune response, known as adjuvants. Suitable adjuvants include all acceptable immunostimulatory compounds, such as cytokines, toxins, or synthetic compositions. A number of adjuvants can be used to enhance an antibody response against a variant SpA polypeptide or coagulase, or any other bacterial protein or combination contemplated herein. Adjuvants can (1) trap the antigen in the body to cause a slow release; (2) attract cells involved in the immune response to the site of administration; (3) induce proliferation or activation of immune system cells; or (4) improve the spread of the antigen throughout the subject's body.

**[0555]** Adjuvants include, but are not limited to, oil-in-water emulsions, water-in-oil emulsions, mineral salts, polynucleotides, and natural substances. Specific adjuvants that may be used include IL-1, IL-2, IL-4, IL-7, IL-12,  $\gamma$ -interferon, GMCSF, BCG, aluminum salts, such as aluminum hydroxide or other aluminum compound, MDP compounds, such as thur-MDP and nor-MDP, CGP (MTP-PE), lipid A, and monophosphoryl lipid A (MPL). RIBI, which contains three components extracted from bacteria, MPL, trehalose dimycolate (TDM), and cell wall skeleton (CWS) in a 2% squalene/Tween 80 emulsion. MHC antigens may even be used. Others adjuvants or methods are exemplified in U.S. Pat. Nos. 6,814,971, 5,084,269, 6,656,462, each of which is incorporated herein by reference).

**[0556]** Various methods of achieving adjuvant affect for the vaccine includes use of agents such as aluminum hydroxide or phosphate (alum), commonly used as about 0.05 to about 0.1% solution in phosphate buffered saline, admixture with synthetic polymers of sugars (Carbopol®) used as an about 0.25% solution, aggregation of the protein in the vaccine by heat treatment with temperatures ranging between about 70° to about 101° C. for a 30-second to 2-minute period, respectively. Aggregation by reactivating with pepsin-treated (Fab) antibodies to albumin; mixture with bacterial cells (e.g., *C. parvum*), endotoxins or lipopolysaccharide components of Gram-negative bacteria; emulsion in physiologically acceptable oil vehicles (e.g., mannide mono-oleate (Aracel A)); or emulsion with a 20% solution of a perfluorocarbon (Fluosol-DA®) used as a block substitute may also be employed to produce an adjuvant effect.

**[0557]** Examples of and often preferred adjuvants include complete Freund's adjuvant (a non-specific stimulator of the immune response containing killed *Mycobacterium tuberculosis*), incomplete Freund's adjuvants, and aluminum hydroxide.

**[0558]** In some aspects, it is preferred that the adjuvant be selected to be a preferential inducer of either a Th1 or a Th2 type of response. High levels of Th1-type cytokines tend to favor the induction of cell mediated immune responses to a given antigen, while high levels of Th2-type cytokines tend to favor the induction of humoral immune responses to the antigen.

**[0559]** The distinction of Th1 and Th2-type immune response is not absolute. In reality an individual will support an immune response which is described as being predominantly Th1 or predominantly Th2. However, it is often convenient to consider the families of cytokines in terms of that described in murine CD4+ T cell clones by Mosmann and Coffman (Mosmann, and Coffin, 1989). Traditionally,

Th1-type responses are associated with the production of the INF- $\gamma$  and IL-2 cytokines by T-lymphocytes. Other cytokines often directly associated with the induction of Th1-type immune responses are not produced by T-cells, such as IL-12. In contrast, Th2-type responses are associated with the secretion of IL-4, IL-5, IL-6, IL-10.

**[0560]** In addition to adjuvants, it may be desirable to co-administer biologic response modifiers (BRM) to enhance immune responses. BRMs have been shown to upregulate T cell immunity or downregulate suppressor cell activity. Such BRMs include, but are not limited to, Cimetidine (CIM; 1200 mg/d) (Smith/Kline, PA); or low-dose Cyclophosphamide (CYP; 300 mg/m<sup>2</sup>) (Johnson/Mead, NJ) and cytokines such as  $\gamma$ -interferon, IL-2, or IL-12 or genes encoding proteins involved in immune helper functions, such as B-7.

**[0561]** B. Lipid Components and Moieties

**[0562]** In certain embodiments, the present invention concerns compositions comprising one or more lipids associated with a nucleic acid or a polypeptide/peptide. A lipid is a substance that is insoluble in water and extractable with an organic solvent. Compounds other than those specifically described herein are understood by one of skill in the art as lipids, and are encompassed by the compositions and methods of the present invention. A lipid component and a non-lipid may be attached to one another, either covalently or non-covalently.

**[0563]** A lipid may be a naturally occurring lipid or a synthetic lipid. However, a lipid is usually a biological substance. Biological lipids are well known in the art, and include for example, neutral fats, phospholipids, phosphoglycerides, steroids, terpenes, lysolipids, glycosphingolipids, glucolipids, sulphatides, lipids with ether and ester-linked fatty acids and polymerizable lipids, and combinations thereof.

**[0564]** A nucleic acid molecule or a polypeptide/peptide, associated with a lipid may be dispersed in a solution containing a lipid, dissolved with a lipid, emulsified with a lipid, mixed with a lipid, combined with a lipid, covalently bonded to a lipid, contained as a suspension in a lipid or otherwise associated with a lipid. A lipid or lipid-poxvirus-associated composition of the present invention is not limited to any particular structure. For example, they may also simply be interspersed in a solution, possibly forming aggregates which are not uniform in either size or shape. In another example, they may be present in a bilayer structure, as micelles, or with a "collapsed" structure. In another non-limiting example, a lipofectamine(Gibco BRL)-poxvirus or Superfect (Qiagen)-poxvirus complex is also contemplated.

**[0565]** In certain embodiments, a composition may comprise about 1%, about 2%, about 3%, about 4% about 5%, about 6%, about 7%, about 8%, about 9%, about 10%, about 11%, about 12%, about 13%, about 14%, about 15%, about 16%, about 17%, about 18%, about 19%, about 20%, about 21%, about 22%, about 23%, about 24%, about 25%, about 26%, about 27%, about 28%, about 29%, about 30%, about 31%, about 32%, about 33%, about 34%, about 35%, about 36%, about 37%, about 38%, about 39%, about 40%, about 41%, about 42%, about 43%, about 44%, about 45%, about 46%, about 47%, about 48%, about 49%, about 50%, about 51%, about 52%, about 53%, about 54%, about 55%, about 56%, about 57%, about 58%, about 59%, about 60%, about 61%, about 62%, about 63%, about 64%, about 65%, about 66%, about 67%, about 68%, about 69%, about 70%, about 71%, about 72%, about 73%, about 74%, about 75%, about 76%, about 77%, about 78%, about 79%, about 80%, about

81%, about 82%, about 83%, about 84%, about 85%, about 86%, about 87%, about 88%, about 89%, about 90%, about 91%, about 92%, about 93%, about 94%, about 95%, about 96%, about 97%, about 98%, about 99%, or any range therebetween, of a particular lipid, lipid type, or non-lipid component such as an adjuvant, antigen, peptide, polypeptide, sugar, nucleic acid or other material disclosed herein or as would be known to one of skill in the art. In a non-limiting example, a composition may comprise about 10% to about 20% neutral lipids, and about 33% to about 34% of a cerebroside, and about 1% cholesterol. In another non-limiting example, a liposome may comprise about 4% to about 12% terpenes, wherein about 1% of the micelle is specifically lycopene, leaving about 3% to about 11% of the liposome as comprising other terpenes; and about 10% to about 35% phosphatidyl choline, and about 1% of a non-lipid component. Thus, it is contemplated that compositions of the present invention may comprise any of the lipids, lipid types or other components in any combination or percentage range.

#### [0566] C. Combination Therapy

[0567] The compositions and related methods of the present invention, particularly administration of a secreted virulence factor or surface protein, including a variant SpA polypeptide or peptide, and/or other bacterial peptides or proteins to a patient/subject, may also be used in combination with the administration of traditional therapies. These include, but are not limited to, the administration of antibiotics such as streptomycin, ciprofloxacin, doxycycline, gentamycin, chloramphenicol, trimethoprim, sulfamethoxazole, ampicillin, tetracycline or various combinations of antibiotics.

[0568] In one aspect, it is contemplated that a polypeptide vaccine and/or therapy is used in conjunction with antibacterial treatment. Alternatively, the therapy may precede or follow the other agent treatment by intervals ranging from minutes to weeks. In embodiments where the other agents and/or a proteins or polynucleotides are administered separately, one would generally ensure that a significant period of time did not expire between the time of each delivery, such that the agent and antigenic composition would still be able to exert an advantageously combined effect on the subject. In such instances, it is contemplated that one may administer both modalities within about 12-24 h of each other or within about 6-12 h of each other. In some situations, it may be desirable to extend the time period for administration significantly, where several days (2, 3, 4, 5, 6 or 7) to several weeks (1, 2, 3, 4, 5, 6, 7 or 8) lapse between the respective administrations.

[0569] Various combinations may be employed, for example antibiotic therapy is "A" and the immunogenic molecule given as part of an immune therapy regime, such as an antigen, is "B":

A/B/A	B/A/B	B/B/A	A/A/B	A/B/B	B/A/A	A/B/B/B	B/A/B/B
B/B/B/A	B/B/A/B	A/A/B/B	A/B/A/B	A/B/B/A	B/B/A/A	B/B/A/A	B/B/A/A
B/A/B/A	B/A/A/B	A/A/A/B	B/A/A/A	A/B/A/A	A/A/B/A		

[0570] Administration of the immunogenic compositions of the present invention to a patient/subject will follow general protocols for the administration of such compounds, taking into account the toxicity, if any, of the SpA composition, or other compositions described herein. It is expected that the treatment cycles would be repeated as necessary. It

also is contemplated that various standard therapies, such as hydration, may be applied in combination with the described therapy.

#### [0571] D. General Pharmaceutical Compositions

[0572] In some embodiments, pharmaceutical compositions are administered to a subject. Different aspects of the present invention involve administering an effective amount of a composition to a subject. In some embodiments of the present invention, staphylococcal antigens, members of the Ess pathway, including polypeptides or peptides of the Esa or Esx class, and/or members of sortase substrates may be administered to the patient to protect against infection by one or more *staphylococcus* pathogens. Alternatively, an expression vector encoding one or more such polypeptides or peptides may be given to a patient as a preventative treatment. Additionally, such compounds can be administered in combination with an antibiotic or an antibacterial. Such compositions will generally be dissolved or dispersed in a pharmaceutically acceptable carrier or aqueous medium.

[0573] In addition to the compounds formulated for parenteral administration, such as those for intravenous or intramuscular injection, other pharmaceutically acceptable forms include, e.g., tablets or other solids for oral administration; time release capsules; and any other form currently used, including creams, lotions, mouthwashes, inhalants and the like.

[0574] The active compounds of the present invention can be formulated for parenteral administration, e.g., formulated for injection via the intravenous, intramuscular, sub-cutaneous, or even intraperitoneal routes. The preparation of an aqueous composition that contains a compound or compounds that increase the expression of an MHC class I molecule will be known to those of skill in the art in light of the present disclosure. Typically, such compositions can be prepared as injectables, either as liquid solutions or suspensions; solid forms suitable for use to prepare solutions or suspensions upon the addition of a liquid prior to injection can also be prepared; and, the preparations can also be emulsified.

[0575] Solutions of the active compounds as free base or pharmacologically acceptable salts can be prepared in water suitably mixed with a surfactant, such as hydroxypropylcellulose. Dispersions can also be prepared in glycerol, liquid polyethylene glycols, and mixtures thereof and in oils. Under ordinary conditions of storage and use, these preparations contain a preservative to prevent the growth of microorganisms.

[0576] The pharmaceutical forms suitable for injectable use include sterile aqueous solutions or dispersions; formulations including sesame oil, peanut oil, or aqueous propylene glycol; and sterile powders for the extemporaneous preparation of sterile injectable solutions or dispersions. In all cases the form must be sterile and must be fluid to the extent that it may be easily injected. It also should be stable under the conditions of manufacture and storage and must be preserved against the contaminating action of microorganisms, such as bacteria and fungi.

[0577] The proteinaceous compositions may be formulated into a neutral or salt form. Pharmaceutically acceptable salts, include the acid addition salts (formed with the free amino groups of the protein) and which are formed with inorganic acids such as, for example, hydrochloric or phosphoric acids, or such organic acids as acetic, oxalic, tartaric, mandelic, and the like. Salts formed with the free carboxyl groups can also be derived from inorganic bases such as, for example,

sodium, potassium, ammonium, calcium, or ferric hydroxides, and such organic bases as isopropylamine, trimethylamine, histidine, procaine and the like.

**[0578]** The carrier also can be a solvent or dispersion medium containing, for example, water, ethanol, polyol (for example, glycerol, propylene glycol, and liquid polyethylene glycol, and the like), suitable mixtures thereof, and vegetable oils. The proper fluidity can be maintained, for example, by the use of a coating, such as lecithin, by the maintenance of the required particle size in the case of dispersion, and by the use of surfactants. The prevention of the action of microorganisms can be brought about by various antibacterial and antifungal agents, for example, parabens, chlorobutanol, phenol, sorbic acid, thimerosal, and the like. In many cases, it will be preferable to include isotonic agents, for example, sugars or sodium chloride. Prolonged absorption of the injectable compositions can be brought about by the use in the compositions of agents delaying absorption, for example, aluminum monostearate and gelatin.

**[0579]** Sterile injectable solutions are prepared by incorporating the active compounds in the required amount in the appropriate solvent with various of the other ingredients enumerated above, as required, followed by filtered sterilization. Generally, dispersions are prepared by incorporating the various sterilized active ingredients into a sterile vehicle which contains the basic dispersion medium and the required other ingredients from those enumerated above. In the case of sterile powders for the preparation of sterile injectable solutions, the preferred methods of preparation are vacuum-drying and freeze-drying techniques, which yield a powder of the active ingredient, plus any additional desired ingredient from a previously sterile-filtered solution thereof.

**[0580]** Administration of the compositions according to the present invention will typically be via any common route. This includes, but is not limited to oral, nasal, or buccal administration. Alternatively, administration may be by orthotopic, intradermal, subcutaneous, intramuscular, intraperitoneal, intranasal, or intravenous injection. In certain embodiments, a vaccine composition may be inhaled (e.g., U.S. Pat. No. 6,651,655, which is specifically incorporated by reference). Such compositions would normally be administered as pharmaceutically acceptable compositions that include physiologically acceptable carriers, buffers or other excipients. As used herein, the term "pharmaceutically acceptable" refers to those compounds, materials, compositions, and/or dosage forms which are, within the scope of sound medical judgment, suitable for contact with the tissues of human beings and animals without excessive toxicity, irritation, allergic response, or other problem complications commensurate with a reasonable benefit/risk ratio. The term "pharmaceutically acceptable carrier," means a pharmaceutically acceptable material, composition or vehicle, such as a liquid or solid filler, diluent, excipient, solvent or encapsulating material, involved in carrying or transporting a chemical agent.

**[0581]** For parenteral administration in an aqueous solution, for example, the solution should be suitably buffered, if necessary, and the liquid diluent first rendered isotonic with sufficient saline or glucose. These particular aqueous solutions are especially suitable for intravenous, intramuscular, subcutaneous, and intraperitoneal administration. In this connection, sterile aqueous media which can be employed will be known to those of skill in the art in light of the present disclosure. For example, one dosage could be dissolved in

isotonic NaCl solution and either added to hypodermoclysis fluid or injected at the proposed site of infusion, (see for example, Remington's Pharmaceutical Sciences, 1990). Some variation in dosage will necessarily occur depending on the condition of the subject. The person responsible for administration will, in any event, determine the appropriate dose for the individual subject.

**[0582]** An effective amount of therapeutic or prophylactic composition is determined based on the intended goal. The term "unit dose" or "dosage" refers to physically discrete units suitable for use in a subject, each unit containing a predetermined quantity of the composition calculated to produce the desired responses discussed above in association with its administration, i.e., the appropriate route and regimen. The quantity to be administered, both according to number of treatments and unit dose, depends on the protection desired. It is contemplated that in compositions of the invention, there is between about 0.001 mg and about 10 mg of total antigen, antibody, polypeptide, peptide, and/or protein per ml. The concentration of protein in a composition can be about, at least about or at most about 0.001, 0.010, 0.050, 0.1, 0.2, 0.3, 0.4, 0.5, 0.6, 0.7, 0.8, 0.9, 1.0, 1.5, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0, 6.5, 7.0, 7.5, 8.0, 8.5, 9.0, 9.5, 10.0 mg/ml or more (or any range derivable therein). Of this, about, at least about, or at most about 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100% may be an SpA variant or an antibody that specifically binds SpA. In certain embodiments a dose of about, at least about or at most about 0.001, 0.010, 0.050, 0.1, 0.2, 0.3, 0.4, 0.5, 0.6, 0.7, 0.8, 0.9, 1.0, 1.5, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0, 6.5, 7.0, 7.5, 8.0, 8.5, 9.0, 9.5, 10.0 mg/kg or more, including all values and ranges there between are administered to a subject.

**[0583]** Precise amounts of the composition also depend on the judgment of the practitioner and are peculiar to each individual. Factors affecting dose include physical and clinical state of the subject, route of administration, intended goal of treatment (alleviation of symptoms versus cure), and potency, stability, and toxicity of the particular composition.

**[0584]** Upon formulation, solutions will be administered in a manner compatible with the dosage formulation and in such amount as is therapeutically or prophylactically effective. The formulations are easily administered in a variety of dosage forms, such as the type of injectable solutions described above.

**[0585]** E. In Vitro, Ex Vivo, or In Vivo Administration

**[0586]** As used herein, the term in vitro administration refers to manipulations performed on cells removed from or outside of a subject, including, but not limited to cells in culture. The term ex vivo administration refers to cells which have been manipulated in vitro, and are subsequently administered to a subject. The term in vivo administration includes all manipulations performed within a subject.

**[0587]** In certain aspects of the present invention, the compositions may be administered either in vitro, ex vivo, or in vivo. In certain in vitro embodiments, autologous B-lymphocyte cell lines are incubated with a virus vector of the instant invention for 24 to 48 hours or with a variant SpA and/or coagulase and/or any other composition described herein for two hours. The transduced cells can then be used for in vitro

analysis, or alternatively for ex vivo administration. U.S. Pat. Nos. 4,690,915 and 5,199,942, both incorporated herein by reference, disclose methods for ex vivo manipulation of blood mononuclear cells and bone marrow cells for use in therapeutic applications.

**[0588]** F. Antibodies and Passive Immunization

**[0589]** Another aspect of the invention is a method of preparing an immunoglobulin for use in prevention or treatment of staphylococcal infection comprising the steps of immunizing a recipient or donor with the vaccine of the invention and isolating immunoglobulin from the recipient or donor. An immunoglobulin prepared by this method is a further aspect of the invention. A pharmaceutical composition comprising the immunoglobulin of the invention and a pharmaceutically acceptable carrier is a further aspect of the invention which could be used in the manufacture of a medicament for the treatment or prevention of staphylococcal disease. A method for treatment or prevention of staphylococcal infection comprising a step of administering to a patient an effective amount of the pharmaceutical preparation of the invention is a further aspect of the invention.

**[0590]** Inocula for polyclonal antibody production are typically prepared by dispersing the antigenic composition in a physiologically tolerable diluent such as saline or other adjuvants suitable for human use to form an aqueous composition. An immunostimulatory amount of inoculum is administered to a mammal and the inoculated mammal is then maintained for a time sufficient for the antigenic composition to induce protective antibodies.

**[0591]** The antibodies can be isolated to the extent desired by well known techniques such as affinity chromatography (Harlow and Lane, 1988). Antibodies can include antiserum preparations from a variety of commonly used animals; e.g. goats, primates, donkeys, swine, horses, guinea pigs, rats or man.

**[0592]** An immunoglobulin produced in accordance with the present invention can include whole antibodies, antibody fragments or subfragments. Antibodies can be whole immunoglobulins of any class (e.g., IgG, IgM, IgA, IgD or IgE), chimeric antibodies or hybrid antibodies with dual specificity to two or more antigens of the invention. They may also be fragments (e.g., F(ab')<sub>2</sub>, Fab', Fab, Fv and the like) including hybrid fragments. An immunoglobulin also includes natural, synthetic, or genetically engineered proteins that act like an antibody by binding to specific antigens to form a complex.

**[0593]** A vaccine of the present invention can be administered to a recipient who then acts as a source of immunoglobulin, produced in response to challenge from the specific vaccine. A subject thus treated would donate plasma from which hyperimmune globulin would be obtained via conventional plasma fractionation methodology. The hyperimmune globulin would be administered to another subject in order to impart resistance against or treat staphylococcal infection. Hyperimmune globulins of the invention are particularly useful for treatment or prevention of staphylococcal disease in infants, immune compromised individuals, or where treatment is required and there is no time for the individual to produce antibodies in response to vaccination.

**[0594]** An additional aspect of the invention is a pharmaceutical composition comprising two of more monoclonal antibodies (or fragments thereof; preferably human or humanised) reactive against at least two constituents of the immunogenic composition of the invention, which could be used to treat or prevent infection by Gram positive bacteria, prefer-

ably staphylococci, more preferably *S. aureus* or *S. epidermidis*. Such pharmaceutical compositions comprise monoclonal antibodies that can be whole immunoglobulins of any class, chimeric antibodies, or hybrid antibodies with specificity to two or more antigens of the invention. They may also be fragments (e.g., F(ab')<sub>2</sub>, Fab', Fab, Fv and the like) including hybrid fragments.

**[0595]** Methods of making monoclonal antibodies are well known in the art and can include the fusion of splenocytes with myeloma cells (Kohler and Milstein, 1975; Harlow and Lane, 1988). Alternatively, monoclonal Fv fragments can be obtained by screening a suitable phage display library (Vaughan et al., 1998). Monoclonal antibodies may be humanized or part humanized by known methods.

## VI. EXAMPLES

**[0596]** The following examples are given for the purpose of illustrating various embodiments of the invention and are not meant to limit the present invention in any fashion. One skilled in the art will appreciate readily that the present invention is well adapted to carry out the objects and obtain the ends and advantages mentioned, as well as those objects, ends and advantages inherent herein. The present examples, along with the methods described herein are presently representative of preferred embodiments, are exemplary, and are not intended as limitations on the scope of the invention. Changes therein and other uses which are encompassed within the spirit of the invention as defined by the scope of the claims will occur to those skilled in the art.

### Example 1

#### Immunization with SpA<sub>KKAA</sub> Modifies Host Immune Responses to Staphylococcal Infection

**[0597]** The model of immune evasion during *S. aureus* infections includes the initial activation of B cells via IgM receptor crosslinking by cell wall anchored or secreted protein A—up to 20% of peptidoglycan with attached surface protein is released during each bacterial division event (Ton-That et al., 1999). In the absence of specific antigen stimuli, activated B cells undergo apoptotic collapse, thereby diminishing host antibody production against antigens that are presented during staphylococcal infection. If so, neutralizing SpA-specific antibodies may enable animals to develop humoral immune responses against many different staphylococcal antigens. This possibility was investigated by immunizing BALB/c mice with SpA<sub>KKAA</sub> or an adjuvant (aluminum hydroxide) control followed by intravenous challenge with a sublethal dose of MRSA strain USA300. Serum samples were withdrawn thirty days after MRSA challenge and then analyzed by immunoblotting with 27 staphylococcal antigens immobilized on a membrane filter (FIG. 1). Naïve mice, which had not been infected with the MRSA strain USA300 LAC, did not harbor antibodies against ClfA, ClfB, Coa, Eap, Ebh, Emp, EsxA, EsxB, FnbpA, FnbpB, Hla, IsdA, IsdB, LukD, LukE, LukF, SdrC, SdrD, SdrE, SasA, SasD, SasF, SasG, SasI, SasK, SpA<sub>KKAA</sub> or vWbp (data not shown). Mock immunized mice that had been subjected to USA300 infection developed high-titer antibodies against the Eap protein as well as low-titer antibodies against IsdA, IsdB, Hla, LukD, LukE and LukF (FIG. 1). Animals that been immunized and that elaborated SpA<sub>KKAA</sub>-specific antibodies [IgG titer 2,907 (±357); P<0.001 SpA<sub>KKAA</sub> vs. mock] mounted

humoral immune responses against every one of the 27 antigens in response to a challenge with the MRSA strain USA300 (FIG. 1). With the exception of Eap, IsdA and IsdB antibodies, the serum of SpA<sub>KKAA</sub>-immunized animals harbored higher antibody titers against each staphylococcal antigen when compared to mice that had been naïve at the time of challenge (FIG. 1).

## REFERENCES

[0598] The following references, to the extent that they provide exemplary procedural or other details supplementary to those set forth herein, are specifically incorporated herein by reference.

- [0599] U.S. Pat. No. 3,791,932  
 [0600] U.S. Pat. No. 3,949,064  
 [0601] U.S. Pat. No. 4,174,384  
 [0602] U.S. Pat. No. 4,338,298  
 [0603] U.S. Pat. No. 4,356,170  
 [0604] U.S. Pat. No. 4,367,110  
 [0605] U.S. Pat. No. 4,372,945  
 [0606] U.S. Pat. No. 4,452,901  
 [0607] U.S. Pat. No. 4,474,757  
 [0608] U.S. Pat. No. 4,554,101  
 [0609] U.S. Pat. No. 4,578,770  
 [0610] U.S. Pat. No. 4,596,792  
 [0611] U.S. Pat. No. 4,599,230  
 [0612] U.S. Pat. No. 4,599,231  
 [0613] U.S. Pat. No. 4,601,903  
 [0614] U.S. Pat. No. 4,608,251  
 [0615] U.S. Pat. No. 4,683,195  
 [0616] U.S. Pat. No. 4,683,202  
 [0617] U.S. Pat. No. 4,684,611  
 [0618] U.S. Pat. No. 4,690,915  
 [0619] U.S. Pat. No. 4,690,915  
 [0620] U.S. Pat. No. 4,748,018  
 [0621] U.S. Pat. No. 4,800,159  
 [0622] U.S. Pat. No. 4,879,236  
 [0623] U.S. Pat. No. 4,952,500  
 [0624] U.S. Pat. No. 5,084,269  
 [0625] U.S. Pat. No. 5,199,942  
 [0626] U.S. Pat. No. 5,221,605  
 [0627] U.S. Pat. No. 5,238,808  
 [0628] U.S. Pat. No. 5,302,523  
 [0629] U.S. Pat. No. 5,310,687  
 [0630] U.S. Pat. No. 5,322,783  
 [0631] U.S. Pat. No. 5,384,253  
 [0632] U.S. Pat. No. 5,464,765  
 [0633] U.S. Pat. No. 5,512,282  
 [0634] U.S. Pat. No. 5,512,282  
 [0635] U.S. Pat. No. 5,538,877  
 [0636] U.S. Pat. No. 5,538,880  
 [0637] U.S. Pat. No. 5,548,066  
 [0638] U.S. Pat. No. 5,550,318  
 [0639] U.S. Pat. No. 5,563,055  
 [0640] U.S. Pat. No. 5,580,859  
 [0641] U.S. Pat. No. 5,589,466  
 [0642] U.S. Pat. No. 5,591,616  
 [0643] U.S. Pat. No. 5,610,042  
 [0644] U.S. Pat. No. 5,620,896  
 [0645] U.S. Pat. No. 5,648,240  
 [0646] U.S. Pat. No. 5,656,610  
 [0647] U.S. Pat. No. 5,702,932  
 [0648] U.S. Pat. No. 5,736,524  
 [0649] U.S. Pat. No. 5,780,448  
 [0650] U.S. Pat. No. 5,789,215  
 [0651] U.S. Pat. No. 5,801,234  
 [0652] U.S. Pat. No. 5,840,846  
 [0653] U.S. Pat. No. 5,843,650  
 [0654] U.S. Pat. No. 5,846,709  
 [0655] U.S. Pat. No. 5,846,783  
 [0656] U.S. Pat. No. 5,849,497  
 [0657] U.S. Pat. No. 5,849,546  
 [0658] U.S. Pat. No. 5,849,547  
 [0659] U.S. Pat. No. 5,858,652  
 [0660] U.S. Pat. No. 5,866,366  
 [0661] U.S. Pat. No. 5,871,986  
 [0662] U.S. Pat. No. 5,916,776  
 [0663] U.S. Pat. No. 5,922,574  
 [0664] U.S. Pat. No. 5,925,565  
 [0665] U.S. Pat. No. 5,925,565  
 [0666] U.S. Pat. No. 5,928,905  
 [0667] U.S. Pat. No. 5,928,906  
 [0668] U.S. Pat. No. 5,932,451  
 [0669] U.S. Pat. No. 5,935,819  
 [0670] U.S. Pat. No. 5,935,825  
 [0671] U.S. Pat. No. 5,939,291  
 [0672] U.S. Pat. No. 5,942,391  
 [0673] U.S. Pat. No. 5,945,100  
 [0674] U.S. Pat. No. 5,958,895  
 [0675] U.S. Pat. No. 5,981,274  
 [0676] U.S. Pat. No. 5,994,624  
 [0677] U.S. Pat. No. 6,00,8341  
 [0678] U.S. Pat. No. 6,288,214  
 [0679] U.S. Pat. No. 6,294,177  
 [0680] U.S. Pat. No. 6,651,655  
 [0681] U.S. Pat. No. 6,656,462  
 [0682] U.S. Pat. No. 6,733,754  
 [0683] U.S. Pat. No. 6,756,361  
 [0684] U.S. Pat. No. 6,770,278  
 [0685] U.S. Pat. No. 6,793,923  
 [0686] U.S. Pat. No. 6,814,971  
 [0687] U.S. Pat. No. 6,936,258  
 [0688] U.S. Patent Appln. 2002/0169288  
 [0689] U.S. Patent Appln. 2003/0153022  
 [0690] Abdallah et al., *Mol. Microbiol.*, 62, 667-679, 2006.  
 [0691] Abdallah et al., *Nat. Rev. Microbiol.*, 5, 883-891, 2007.  
 [0692] Albus et al., *Infect. Immun.*, 59:1008-1014, 1991.  
 [0693] An, *J. Virol.*, 71(3):2292-302, 1997.  
 [0694] Anavi, Sc. thesis from the department of Molecular Microbiology and Biotechnology of the Tel-Aviv University, Israel, 1998.  
 [0695] Andersen et al., *J. Immunol.*, 154, 3359-3372, 1995.  
 [0696] Angel et al., *Cell*, 49:729, 1987b.  
 [0697] Angel et al., *Mol. Cell. Biol.*, 7:2256, 1987a.  
 [0698] Archer, *Clin. Infect. Dis.*, 26, 1179-1181, 1998.  
 [0699] Atchison and Perry, *Cell*, 46:253, 1986.  
 [0700] Atchison and Perry, *Cell*, 48:121, 1987.  
 [0701] Ausubel et al., In: *Current Protocols in Molecular Biology*, John, Wiley & Sons, Inc, New York, 1996.  
 [0702] Baba et al., *J. Bacteriol.* 190:300-310, 2007.  
 [0703] Bae and Schneewind, *Plasmid*, 55:58-63, 2006.  
 [0704] Bae et al., *Proc. Natl. Acad. Sci. USA*, 101, 12312-12317, 2004.  
 [0705] Banerji et al., *Cell*, 27(2 Pt 1):299-308, 1981.  
 [0706] Banerji et al., *Cell*, 33(3):729-740, 1983. Barany and Merrifield, In: *The Peptides*, Gross and Meienhofer (Eds.), Academic Press, NY, 1-284, 1979.

- [0707] Behring E A. Über das Zustandekommen der Diphtherie—Immunität bei Thieren. Deutsche Medizinische Wochenschrift, 16:1145-8, 1890.
- [0708] Bellus, J. *Macromol. Sci. Pure Appl. Chem.*, A31(1): 1355-1376, 1994.
- [0709] Berkhout et al., *Cell*, 59:273-282, 1989.
- [0710] Birch-Hirschfeld, L. 1934. Über die Agglutination von Staphylokokken durch Bestandteile des Säugetierblutplasmas. Klinische Wochenschrift 13:331.
- [0711] Bjerketorp et al., *FEMS Microbiol. Lett.*, 234:309-314, 2004.
- [0712] Blanar et al., *EMBO J.*, 8:1139, 1989.
- [0713] Bodine and Ley, *EMBO J.*, 6:2997, 1987.
- [0714] Borrebaeck, In: *Antibody Engineering—A Practical Guide*, W.H. Freeman and Co., 1992.
- [0715] Boshart et al., *Cell*, 41:521, 1985.
- [0716] Bosze et al., *EMBO J.*, 5(7):1615-1623, 1986.
- [0717] Boucher and Corey. *Clin. Infect. Dis.* 46:S334-S349, 2008.
- [0718] Braddock et al., *Cell*, 58:269, 1989.
- [0719] Brown et al., *Biochemistry*, 37:4397-4406, 1998.
- [0720] Bubeck Wardenburg and Schneewind. *J. Exp. Med.* 205:287-294, 2008.
- [0721] Bubeck-Wardenburg et al., *Infect. Immun.* 74:1040-1044, 2007.
- [0722] Bubeck-Wardenburg et al., *Proc. Natl. Acad. Sci. USA*, 103:13831-13836, 2006.
- [0723] Bulla and Siddiqui, *J. Virol.*, 62:1437, 1986.
- [0724] Burke et al., *J. Inf. Dis.*, 170:1110-1119, 1994.
- [0725] Burlak et al., *Cell Microbiol.*, 9:1172-1190, 2007.
- [0726] Burts and Missiakas, *Mol. Microbiol.*, 69:736-46, 2008.
- [0727] Burts et al., *Proc. Natl. Acad. Sci. USA*, 102:1169-1174, 2005.
- [0728] Campbell and Villarreal, *Mol. Cell. Biol.*, 8:1993, 1988.
- [0729] Campere and Tilghman, *Genes and Dev.*, 3:537, 1989.
- [0730] Campo et al., *Nature*, 303:77, 1983.
- [0731] Carbonelli et al., *FEMS Microbiol. Lett.*, 177(1):75-82, 1999.
- [0732] Cedergren et al., *Protein Eng.*, 6:441-448, 1993.
- [0733] Celander and Haseltine, *J. Virology*, 61:269, 1987.
- [0734] Celander et al., *J. Virology*, 62:1314, 1988.
- [0735] Cespedes et al., *J. Infect. Dis.*, 191(3):444-52, 2005.
- [0736] Champion et al., *Science*, 313:1632-1636, 2006.
- [0737] Chandler et al., *Cell*, 33:489, 1983.
- [0738] Chandler et al., *Proc. Natl. Acad. Sci. USA*, 94(8): 3596-601, 1997.
- [0739] Chang et al., *Lancet.*, 362(9381):362-369, 2003.
- [0740] Chang et al., *Mol. Cell. Biol.*, 9:2153, 1989.
- [0741] Chatterjee et al., *Proc. Natl. Acad. Sci. USA*, 86:9114, 1989.
- [0742] Chen and Okayama, *Mol. Cell. Biol.*, 7(8):2745-2752, 1987.
- [0743] Cheng et al., *FASEB J.*, 23:1-12, 2009.
- [0744] Choi et al., *Cell*, 53:519, 1988.
- [0745] Cocea, *Biotechniques*, 23(5):814-816, 1997.
- [0746] Cohen et al., *J. Cell. Physiol.*, 5:75, 1987.
- [0747] Cosgrove et al., *Infect. Control Hosp. Epidemiol.* 26:166-174, 2005.
- [0748] Costa et al., *Mol. Cell. Biol.*, 8:81, 1988.
- [0749] Cripe et al., *EMBO J.*, 6:3745, 1987.
- [0750] Culotta and Hamer, *Mol. Cell. Biol.*, 9:1376, 1989.
- [0751] Dalbey and Wickner, *J. Biol. Chem.*, 260:15925-15931, 1985.
- [0752] Dandolo et al., *J. Virology*, 47:55-64, 1983.
- [0753] De Villiers et al., *Nature*, 312(5991):242-246, 1984.
- [0754] DeBord et al., *Infect. Immun.*, 74:4910-4914, 2006.
- [0755] DeDent et al., *EMBO J.* 27:2656-2668, 2008.
- [0756] DeDent et al., *J. Bacteriol.* 189:4473-4484, 2007.
- [0757] Deisenhofer et al., *Hoppe-Seyh Zeitsch. Physiol. Chem.* 359:975-985, 1978.
- [0758] Deisenhofer, *Biochemistry* 20:2361-2370, 1981.
- [0759] Deschamps et al., *Science*, 230:1174-1177, 1985.
- [0760] Devereux et al., *Nucl. Acid Res.*, 12:387-395, 1984.
- [0761] Diep et al., *J. Infect. Dis.*, 193:1495-1503, 2006a.
- [0762] Diep et al., *Lancet.*, 367:731-739, 2006b.
- [0763] Dinges et al., *Clin. Microbiol. Rev.*, 13:16-34, 2000.
- [0764] Duthie and Lorenz, *J. Gen. Microbiol.*, 6:95-107, 1952.
- [0765] Edbrooke et al., *Mol. Cell. Biol.*, 9:1908, 1989.
- [0766] Edlund et al., *Science*, 230:912-916, 1985.
- [0767] Ekstedt and Yotis, *Ann. N.Y. Acad. Sci.*, 80:496-500, 1960.
- [0768] Emorl and Gaynes, *Clin. Microbiol. Rev.*, 6:428-442, 1993.
- [0769] EP 0786519
- [0770] EP 497524
- [0771] EP 497525
- [0772] Epitope Mapping Protocols In: *Methods in Molecular Biology*, Vol. 66, Morris (Ed.), 1996.
- [0773] Fechheimer, et al., *Proc Natl. Acad. Sci. USA*, 84:8463-8467, 1987.
- [0774] Feng and Holland, *Nature*, 334:6178, 1988.
- [0775] Field and Smith, *J. Comp. Pathol.*, 55:63, 1945.
- [0776] Firak and Subramanian, *Mol. Cell. Biol.*, 6:3667, 1986.
- [0777] Foecking and Hofstetter, *Gene*, 45(1):101-105, 1986.
- [0778] Fortune et al., *Proc Natl. Acad. Sci. USA*, 102: 10676-10681, 2005.
- [0779] Foster, *Nat. Rev. Microbiol.*, 3:948-958, 2005.
- [0780] Fournier et al., *Infect. Immun.*, 45:87-93, 1984.
- [0781] Fraley et al., *Proc. Natl. Acad. Sci. USA*, 76:3348-3352, 1979.
- [0782] Friedrich et al., *Nature*, 425:535-539, 2003.
- [0783] Fujita et al., *Cell*, 49:357, 1987.
- [0784] GB Appln. 2 202 328
- [0785] Gilles et al., *Cell*, 33:717, 1983.
- [0786] Gloss et al., *EMBO J.*, 6:3735, 1987.
- [0787] Godbout et al., *Mol. Cell. Biol.*, 8:1169, 1988.
- [0788] Gomez et al., *EMBO J.* 26:701-709, 2007.
- [0789] Gomez et al., *J. Biol. Chem.* 281:20190-20196, 2006.
- [0790] Gomez et al., *Nature Med.* 10:842-8, 2004.
- [0791] Goodbourn and Maniatis, *Proc. Natl. Acad. Sci. USA*, 85:1447, 1988.
- [0792] Goodbourn et al., *Cell*, 45:601, 1986.
- [0793] Goodyear and Silverman, *J. Exp. Med.*, 197:1125-1139, 2003.
- [0794] Goodyear and Silverman, *Proc. Nat. Acad. Sci. USA*, 101:11392-11397, 2004.
- [0795] Gopal, *Mol. Cell. Biol.*, 5:1188-1190, 1985.
- [0796] Gouda et al., *Biochemistry*, 31(40):9665-72, 1992.
- [0797] Gouda et al., *Biochemistry*, 37:129-36, 1998.
- [0798] Graham and Van Der Eb, *Virology*, 52:456-467, 1973.

- [0799] Graille et al., *Proc. Nat. Acad. Sci. USA* 97:5399-5404, 2000.
- [0800] Greene et al., *Immunology Today*, 10:272, 1989
- [0801] Grosschedl and Baltimore, *Cell*, 41:885, 1985.
- [0802] Guinn et al., *Mol. Microbiol.*, 51:359-370, 2004.
- [0803] Guss et al., *Eur. J. Biochem.* 138:413-420, 1984.
- [0804] Harland and Weintraub, *J. Cell Biol.*, 101(3):1094-1099, 1985.
- [0805] Harlow et al., *Antibodies: A Laboratory Manual*, Cold Spring Harbor Laboratory, Cold Spring Harbor, N.Y., Chapter 8, 1988.
- [0806] Hartleib et al., *Blood* 96:2149-2156, 2000.
- [0807] Harvey et al., *Proc. Natl. Acad. Sci. USA*, 83:1084-1088, 1986.
- [0808] Haslinger and Karin, *Proc. Natl. Acad. Sci. USA*, 82:8572, 1985.
- [0809] Hauber and Cullen, *J. Virology*, 62:673, 1988.
- [0810] Hen et al., *Nature*, 321:249, 1986.
- [0811] Hensel et al., *Lymphokine Res.*, 8:347, 1989.
- [0812] Herr and Clarke, *Cell*, 45:461, 1986.
- [0813] Hirochika et al., *J. Virol.*, 61:2599, 1987.
- [0814] Hirsch et al., *Mol. Cell. Biol.*, 10:1959, 1990.
- [0815] Holbrook et al., *Virology*, 157:211, 1987.
- [0816] Horlick and Benfield, *Mol. Cell. Biol.*, 9:2396, 1989.
- [0817] Hsu et al., *Proc. Natl. Acad. Sci. USA*, 100:12420-12425, 2003.
- [0818] Huang et al., *Cell*, 27:245, 1981.
- [0819] Hug et al., *Mol. Cell. Biol.*, 8:3065, 1988.
- [0820] Huston et al., In: *Methods in Enzymology*, Langone (Ed.), Academic Press, NY, 203:46-88, 1991.
- [0821] Hwang et al., *Mol. Cell. Biol.*, 10:585, 1990.
- [0822] Imagawa et al., *Cell*, 51:251, 1987.
- [0823] Imbra and Karin, *Nature*, 323:555, 1986.
- [0824] Imler et al., *Mol. Cell. Biol.*, 7:2558, 1987.
- [0825] Imperiale and Nevins, *Mol. Cell. Biol.*, 4:875, 1984.
- [0826] Innis et al., *Proc Natl Acad Sci USA*, 85(24):9436-9440, 1988.
- [0827] Inouye and Inouye, *Nucleic Acids Res.*, 13: 3101-3109, 1985.
- [0828] Jakobovits et al., *Mol. Cell. Biol.*, 8:2555, 1988.
- [0829] Jameel and Siddiqui, *Mol. Cell. Biol.*, 6:710, 1986.
- [0830] Jansson et al., *FEMS Immunol. Med. Microbiol.* 20:69-78 1988.
- [0831] Jaynes et al., *Mol. Cell. Biol.*, 8:62, 1988.
- [0832] Jensen, *Acta Path. Microbiol. Scandin.* 44:421-428, 1958.
- [0833] Johnson et al., *Methods in Enzymol.*, 203:88-99, 1991.
- [0834] Johnson et al., *Mol. Cell. Biol.*, 9:3393, 1989.
- [0835] Jones, *Carb. Research*, 340:1097-1106, 2005.
- [0836] Jonsson et al., *Oral Dis.*, 8(3):130-140, 2002.
- [0837] Joyce et al., *Carbohydrate Research* 338:903-922 (2003)
- [0838] Kadesch and Berg, *Mol. Cell. Biol.*, 6:2593, 1986.
- [0839] Kaeppler et al., *Plant Cell Rep.*, 8:415-418, 1990.
- [0840] Kaneda et al., *Science*, 243:375-378, 1989.
- [0841] Karin et al., *Mol. Cell. Biol.*, 7:606, 1987.
- [0842] Katinka et al., *Cell*, 20:393, 1980.
- [0843] Kato et al., *J. Biol. Chem.*, 266:3361-3364, 1991.
- [0844] Kawamoto et al., *Mol. Cell. Biol.*, 8:267, 1988.
- [0845] Kennedy et al., *Proc. Natl. Acad. Sci. USA* 105: 1327-1332, 2008.
- [0846] Kiledjian et al., *Mol. Cell. Biol.*, 8:145, 1988.
- [0847] Kinoshita, M., N. Kobayashi, S. Nagashima, M. Ishino, S. Otokozawa, K. Mise, A. Sumi, H. Tsutsumi, N. Uehara, N. Watanabe, and M. Endo. 2008. Diversity of staphylocoagulase and identification of novel variants of staphylocoagulase gene in *Staphylococcus aureus*. *Microbiol. Immunol.* 52:334-348.
- [0848] Klamut et al., *Mol. Cell. Biol.*, 10:193, 1990.
- [0849] Klevens et al., *Clin. Infect. Dis.*, 2008; 47:927-30, 2008.
- [0850] Klevens et al., *JAMA*, 298:1763-1771, 2007.
- [0851] Koch et al., *Mol. Cell. Biol.*, 9:303, 1989.
- [0852] Kohler and Milstein, *Nature* 256:495-497 (1975
- [0853] Kriegler and Botchan, In: *Eukaryotic Viral Vectors*, Gluzman (Ed.), Cold Spring Harbor: Cold Spring Harbor Laboratory, NY, 1982.
- [0854] Kriegler and Botchan, *Mol. Cell. Biol.*, 3:325, 1983.
- [0855] Kriegler et al., *Cell*, 38:483, 1984a.
- [0856] Kriegler et al., *Cell*, 53:45, 1988.
- [0857] Kriegler et al., In: *Cancer Cells 2/Oncogenes and Viral Genes*, Van de Woude et al. eds, Cold Spring Harbor, Cold Spring Harbor Laboratory, 1984b.
- [0858] Kroh et al., *Proc. Natl. Acad. Sci. USA*, 106:7786-7791, 2009.
- [0859] Kuhl et al., *Cell*, 50:1057, 1987.
- [0860] Kuklin et al., *Infect. Immun.*, 74:2215-23, 2006.
- [0861] Kunz et al., *Nucl. Acids Res.*, 17:1121, 1989.
- [0862] Kuroda et al., *Lancet.*, 357:1225-1240, 2001.
- [0863] Kyte and Doolittle, *J. Mol. Biol.*, 157(1):105-132, 1982.
- [0864] Lagergard et al., *Eur. J. Clin. Microbiol. Infect. Dis.*, 11:341-5, 1992.
- [0865] Lam et al., *I Bacteriol.*, 86:87-91, 1963.
- [0866] Larsen et al., *Proc Natl. Acad. Sci. USA.*, 83:8283, 1986, 1963.
- [0867] Laspia et al., *Cell*, 59:283, 1989.
- [0868] Latimer et al., *Mol. Cell. Biol.*, 10:760, 1990.
- [0869] Lee et al., *Nature*, 294:228, 1981.
- [0870] Lee et al., *Nucleic Acids Res.*, 12:4191-206, 1984.
- [0871] Lee, *Trends Microbiol.* 4(4):162-166, 1996.
- [0872] Levenson et al., *Hum. Gene Ther.*, 9(8):1233-1236, 1998.
- [0873] Levinson et al., *Nature*, 295:79, 1982.
- [0874] Lin et al., *Mol. Cell. Biol.*, 10:850, 1990.
- [0875] Lowy, *New Engl. J. Med.*, 339:520-532, 1998.
- [0876] Luria et al., *EMBO J.*, 6:3307, 1987.
- [0877] Lusky and Botchan, *Proc. Natl. Acad. Sci. USA*, 83:3609, 1986.
- [0878] Lusky et al., *Mol. Cell. Biol.*, 3:1108, 1983.
- [0879] Macejak and Sarnow, *Nature*, 353:90-94, 1991.
- [0880] MacGurn et al., *Mol. Microbiol.*, 57:1653-1663, 2005.
- [0881] Maira-Litran et al., *Infect. Immun.*, 70:4433-4440, 2002.
- [0882] Maira-Litran et al., *Vaccine*, 22:872-879, 2004.
- [0883] Majors and Vannus, *Proc. Natl. Acad. Sci. USA*, 80:5866, 1983.
- [0884] Markwardt, Untersuchungen über Hirudin. *Naturwissenschaften*, 41:537-538, 1955.
- [0885] Mazmanian et al., *Mol. Microbiol.* 40, 1049-1057, 2001.
- [0886] Mazmanian et al., *Mol. Microbiol.*, 40(5):1049-1057, 2001.
- [0887] Mazmanian et al., *Proc. Natl. Acad. Sci. USA*, 97:5510-5515, 2000.

- [0888] Mazinanian et al., *Science*, 285(5428):760-3, 1999.
- [0889] McLaughlin et al., *PLoS Pathog.*, 3:e105, 2007.
- [0890] McNeall et al., *Gene*, 76:81, 1989.
- [0891] Mernaugh et al., In: *Molecular Methods in Plant Pathology*, Singh et al. (Eds.), CRC Press Inc., Boca Raton, Fla., 359-365, 1995.
- [0892] Merrifield, *Science*, 232(4748):341-347, 1986.
- [0893] Miksicek et al., *Cell*, 46:203, 1986.
- [0894] Mordacq and Linzer, *Genes and Dev.*, 3:760, 1989.
- [0895] Moreau et al., *Carbohydrate Res.*, 201:285-297, 1990.
- [0896] Moreau et al., *Nucl. Acids Res.*, 9:6047, 1981.
- [0897] Moreillon et al., *Infect. Immun.*, 63:4738-4743, 1995.
- [0898] Moreillon et al., *Infect. Immun.*, 63:4738-4743, 1995.
- [0899] Mosmann and Coffman, *Ann. Rev. Immunol.*, 7:145-173, 1989.
- [0900] Muesing et al., *Cell*, 48:691, 1987.
- [0901] Musher et al., *Medicine (Baltimore)*, 73:186-208, 1994.
- [0902] Navarre and Schneewind, *J. Biol. Chem.*, 274:15847-15856, 1999.
- [0903] Needleman & Wunsch, *J. Mol. Biol.*, 48:443, 1970.
- [0904] Ng et al., *Nucl. Acids Res.*, 17:601, 1989.
- [0905] Nicolau and Sene, *Biochim. Biophys. Acta*, 721:185-190, 1982.
- [0906] Nicolau et al., *Methods Enzymol.*, 149:157-176, 1987.
- [0907] Novick, *Mol. Microbiol.*, 48:1429-1449, 2003.
- [0908] O'Brien et al., *Mol. Microbiol.* 44:1033-1044, 2002.
- [0909] O'Seaghda et al., *FEBS J.* 273:4831-4841, 2006.
- [0910] Omirulleh et al., *Plant Mol. Biol.*, 21(3):415-28, 1993.
- [0911] Ondek et al., *EMBO J.*, 6:1017, 1987.
- [0912] Ornitz et al., *Mol. Cell. Biol.*, 7:3466, 1987.
- [0913] Pallen, *Trends Microbiol.*, 10:209-212, 2002.
- [0914] Palmiter et al., *Nature*, 300:611, 1982.
- [0915] Palmqvist et al., *Microbes. Infect.*, 7:1501-11, 2005.
- [0916] Panizzi et al., *J. Biol. Chem.*, 281:1179-1187, 2006.
- [0917] PCT Appln. PCT/US89/01025
- [0918] PCT Appln. WO 00/02523
- [0919] PCT Appln. WO 00/12132
- [0920] PCT Appln. WO 00/12689
- [0921] PCT Appln. WO 00/15238
- [0922] PCT Appln. WO 01/34809
- [0923] PCT Appln. WO 01/60852
- [0924] PCT Appln. WO 01/98499
- [0925] PCT Appln. WO 02/059148
- [0926] PCT Appln. WO 02/094868
- [0927] PCT Appln. WO 03/53462
- [0928] PCT Appln. WO 04/43407
- [0929] PCT Appln. WO 06/032472
- [0930] PCT Appln. WO 06/032475
- [0931] PCT Appln. WO 06/032500
- [0932] PCT Appln. WO 07/113,222
- [0933] PCT Appln. WO 07/113,223
- [0934] PCT Appln. WO 94/09699
- [0935] PCT Appln. WO 95/06128
- [0936] PCT Appln. WO 95/08348
- [0937] PCT Appln. WO 98/57994
- [0938] Pearson & Lipman, *Proc. Natl. Acad. Sci. USA*, 85:2444, 1988.
- [0939] Pech et al., *Mol. Cell. Biol.*, 9:396, 1989.
- [0940] Pelletier and Sonenberg, *Nature*, 334(6180):320-325, 1988.
- [0941] Perez-Stable and Constantini, *Mol. Cell. Biol.*, 10:1116, 1990.
- [0942] Phonimdaeng et al., *Mol. Microbiol.*, 4:393-404, 1990.
- [0943] Picard and Schaffner, *Nature*, 307:83, 1984.
- [0944] Pinkert et al., *Genes and Dev.*, 1:268, 1987.
- [0945] Ponta et al., *Proc. Natl. Acad. Sci. USA*, 82:1020, 1985.
- [0946] Porton et al., *Mol. Cell. Biol.*, 10:1076, 1990.
- [0947] Potrykus et al., *Mol. Gen. Genet.*, 199(2):169-177, 1985.
- [0948] Pugsley, *Microbiol. Rev.*, 57:50-108, 1993.
- [0949] Pym et al., *Mol. Microbiol.*, 46:709-717, 2002.
- [0950] Pym et al., *Nat. Med.*, 9:533-539, 2003.
- [0951] Queen and Baltimore, *Cell*, 35:741, 1983.
- [0952] Quinn et al., *Mol. Cell. Biol.*, 9:4713, 1989.
- [0953] Redondo et al., *Science*, 247:1225, 1990.
- [0954] Reisman and Rotter, *Mol. Cell. Biol.*, 9:3571, 1989.
- [0955] Remington's Pharmaceutical Sciences, 18th Ed. Mack Printing Company, 1289-1329, 1990.
- [0956] Resendez Jr. et al., *Mol. Cell. Biol.*, 8:4579, 1988.
- [0957] Ripe et al., *Mol. Cell. Biol.*, 9:2224, 1989.
- [0958] Rippe, et al., *Mol. Cell. Biol.*, 10:689-695, 1990.
- [0959] Rittling et al., *Nucl. Acids Res.*, 17:1619, 1989.
- [0960] Roben et al., *J. Immunol.* 154:6437-6445, 1995.
- [0961] Rosen et al., *Cell*, 41:813, 1988.
- [0962] Sakai et al., *Genes and Dev.*, 2:1144, 1988.
- [0963] Salid-Salim et al., *Infect. Control Hosp. Epidemiol.* 24:451-455, 2003.
- [0964] Sambrook et al., In: *Molecular cloning*, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, N.Y., 2001.
- [0965] Schaffner et al., *J. Mol. Biol.*, 201:81, 1988.
- [0966] Schneewind et al., *Cell* 70:267-281, 1992.
- [0967] Schneewind et al., *EMBO*, 12:4803-4811, 1993.
- [0968] Schneewind et al., *Science*, 268:103-6, 1995.
- [0969] Searle et al., *Mol. Cell. Biol.*, 5:1480, 1985.
- [0970] Sharp and Marciniak, *Cell*, 59:229, 1989.
- [0971] Shaul and Ben-Levy, *EMBO J.*, 6:1913, 1987.
- [0972] Shaw et al., *Microbiology*, 150:217-228, 2004.
- [0973] Sheagren, *N. Engl. J. Med.* 310:1368-1373, 1984.
- [0974] Sherman et al., *Mol. Cell. Biol.*, 9:50, 1989.
- [0975] Shopsin et al., *J. Clin. Microbiol.*, 37:3556-63, 1999.
- [0976] Sibbald et al., *Microbiol. Mol. Biol. Rev.*, 70:755-788, 2006.
- [0977] Silverman and Goodyear. *Nat. Rev. Immunol.*, 6:465-75, 2006.
- [0978] Sjobahl, *Eur. J. Biochem.* 73:343-351, 1977.
- [0979] Sjoquist et al., *Eur. J. Biochem.* 30:190-194, 1972.
- [0980] Sleight and Lockett, *J. EMBO*, 4:3831, 1985.
- [0981] Smith & Waterman, *Adv. Appl. Math.*, 2:482, 1981.
- [0982] Smith et al., *Brit. J. Exp. Pathol.*, 28:57, 1947.
- [0983] Sorensen et al., *Infect. Immun.*, 63:1710-1717, 1995.
- [0984] Spalholz et al., *Cell*, 42:183, 1985.
- [0985] Spandau and Lee, *J. Virology*, 62:427, 1988.
- [0986] Spandidos and Wilkie, *EMBO J.*, 2:1193, 1983.
- [0987] Stanley et al., *Proc. Natl. Acad. Sci. USA*, 100:13001-13006, 2003.
- [0988] Stephens and Hentschel, *Biochem. J.*, 248:1, 1987.
- [0989] Stewart and Young, In: *Solid Phase Peptide Synthesis*, 2d. ed., Pierce Chemical Co., 1984.

- [0990] Stranger-Jones et al., *Proc. Nat. Acad. Sci. USA*, 103:16942-16947, 2006.
- [0991] Stuart et al., *Nature*, 317:828, 1985.
- [0992] Studier et al., *Methods Enzymol.* 185:60-89 1990.
- [0993] Sullivan and Peterlin, *Mol. Cell. Biol.*, 7:3315, 1987.
- [0994] Swartzendruber and Lehman, *J. Cell. Physiology*, 85:179, 1975.
- [0995] Takebe et al., *Mol. Cell. Biol.*, 8:466, 1988.
- [0996] Tam et al., *J. Am. Chem. Soc.*, 105:6442, 1983.
- [0997] Tavernier et al., *Nature*, 301:634, 1983.
- [0998] Taylor and Kingston, *Mol. Cell. Biol.*, 10:165, 1990a.
- [0999] Taylor and Kingston, *Mol. Cell. Biol.*, 10:176, 1990b.
- [1000] Taylor et al., *J. Biol. Chem.*, 264:15160, 1989.
- [1001] Thiesen et al., *J. Virology*, 62:614, 1988.
- [1002] Thomson et al., *J. Immunol.*, 157(2):822-826, 1996.
- [1003] Tigges et al., *J. Immunol.*, 156(10):3901-3910, 1996.
- [1004] Tigges et al., *J. Immunol.*, 156(10):3901-3910, 1996.
- [1005] Ton-That et al., *Proc. Natl. Acad. Sci. USA*, 96(22):12424-9, 1999.
- [1006] Treisman, *Cell*, 42:889, 1985.
- [1007] Tronche et al., *Mol. Biol. Med.*, 7:173, 1990.
- [1008] Trudel and Constantini, *Genes and Dev.*, 6:954, 1987.
- [1009] Tyndell et al., *Nuc. Acids. Res.*, 9:6231, 1981.
- [1010] Uhlen et al., *J. Biol. Chem.* 259:1695-1702 and 13628 (Corr.) 1984.
- [1011] van den Ent and Lowe, *FEBS Lett.*, 579:3837-3841, 2005.
- [1012] van Wely et al., *FEMS Microbiol. Rev.*, 25:437-454, 2001.
- [1013] Vannice and Levinson, *J. Virology*, 62:1305, 1988.
- [1014] Vasseur et al., *Proc Natl. Acad. Sci. USA*, 77:1068, 1980.
- [1015] Vaughan, et al., *Nat. Biotech.* 16; 535-539, 1998.
- [1016] Wang and Calame, *Cell*, 47:241, 1986.
- [1017] Weber et al., *Cell*, 36:983, 1984.
- [1018] Weinberger et al. *Mol. Cell. Biol.*, 8:988, 1984.
- [1019] Weiss et al., *J. Antimicrob. Chemother.*, 53(3):480-6, 2004.
- [1020] Winoto and Baltimore, *Cell*, 59:649, 1989.
- [1021] Wong et al., *Gene*, 10:87-94, 1980.
- [1022] Xu et al., *J. Infect. Dis.*, 189:2323-2333, 2004.
- [1023] Xu et al., *Mol. Microbiol.*, 66(3):787-800, 2007.
- [1024] Yutzey et al. *Mol. Cell. Biol.*, 9:1397, 1989.

## SEQUENCE LISTING

<160> NUMBER OF SEQ ID NOS: 155

<210> SEQ ID NO 1

<211> LENGTH: 150

<212> TYPE: DNA

<213> ORGANISM: Staphylococcus sp

<400> SEQUENCE: 1

```

ttcaacaaag atcaacaaag ggccttctat gaaatcttga acatgcctaa cttaaacgaa      60
gcgcaacgta acggcttcat tcaaagtctt aaagacgacc caagccaaag cactaatggt      120
ttagtggaag ctaaaaaatt aaacgaatct                                     150

```

<210> SEQ ID NO 2

<211> LENGTH: 54

<212> TYPE: PRT

<213> ORGANISM: Staphylococcus sp

<400> SEQUENCE: 2

```

Gln Gln Asn Asn Phe Asn Lys Asp Gln Gln Ser Ala Phe Tyr Glu Ile
1          5          10          15
Leu Asn Met Pro Asn Leu Asn Glu Ala Gln Arg Asn Gly Phe Ile Gln
20          25          30
Ser Leu Lys Asp Asp Pro Ser Gln Ser Thr Asn Val Leu Gly Glu Ala
35          40          45
Lys Lys Leu Asn Glu Ser
50

```

<210> SEQ ID NO 3

<211> LENGTH: 51

<212> TYPE: PRT

<213> ORGANISM: Staphylococcus sp

<400> SEQUENCE: 3

-continued

---

Gln His Asp Glu Ala Gln Gln Asn Ala Phe Tyr Gln Val Leu Asn Met  
 1 5 10 15  
 Pro Asn Leu Asn Ala Asp Gln Arg Asn Gly Phe Ile Gln Ser Leu Lys  
 20 25 30  
 Asp Asp Pro Ser Gln Ser Ala Asn Val Leu Gly Glu Ala Gln Lys Leu  
 35 40 45  
 Asn Asp Ser  
 50

<210> SEQ ID NO 4  
 <211> LENGTH: 52  
 <212> TYPE: PRT  
 <213> ORGANISM: Staphylococcus sp

<400> SEQUENCE: 4

Asn Asn Phe Asn Lys Glu Gln Gln Asn Ala Phe Tyr Glu Ile Leu Asn  
 1 5 10 15  
 Met Pro Asn Leu Asn Glu Glu Gln Arg Asn Gly Phe Ile Gln Ser Leu  
 20 25 30  
 Lys Asp Asp Pro Ser Gln Ser Ala Asn Leu Leu Ser Glu Ala Lys Lys  
 35 40 45  
 Leu Asn Glu Ser  
 50

<210> SEQ ID NO 5  
 <211> LENGTH: 52  
 <212> TYPE: PRT  
 <213> ORGANISM: Staphylococcus sp

<400> SEQUENCE: 5

Asn Lys Phe Asn Lys Glu Gln Gln Asn Ala Phe Tyr Glu Ile Leu His  
 1 5 10 15  
 Leu Pro Asn Leu Thr Glu Glu Gln Arg Asn Gly Phe Ile Gln Ser Leu  
 20 25 30  
 Lys Asp Asp Pro Ser Val Ser Lys Glu Ile Leu Ala Glu Ala Lys Lys  
 35 40 45  
 Leu Asn Asp Ala  
 50

<210> SEQ ID NO 6  
 <211> LENGTH: 52  
 <212> TYPE: PRT  
 <213> ORGANISM: Staphylococcus sp

<400> SEQUENCE: 6

Asn Lys Phe Asn Lys Glu Gln Gln Asn Ala Phe Tyr Glu Ile Leu His  
 1 5 10 15  
 Leu Pro Asn Leu Asn Glu Glu Gln Arg Asn Gly Phe Ile Gln Ser Leu  
 20 25 30  
 Lys Asp Asp Pro Ser Gln Ser Ala Asn Leu Leu Ala Glu Ala Lys Lys  
 35 40 45  
 Leu Asn Asp Ala  
 50

<210> SEQ ID NO 7  
 <211> LENGTH: 52  
 <212> TYPE: PRT

-continued

---

```

<213> ORGANISM: Staphylococcus sp
<220> FEATURE:
<221> NAME/KEY: misc_feature
<222> LOCATION: (7)..(8)
<223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid
<220> FEATURE:
<221> NAME/KEY: misc_feature
<222> LOCATION: (34)..(35)
<223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid

```

```

<400> SEQUENCE: 7

```

```

Asn Asn Phe Asn Lys Asp Xaa Xaa Ser Ala Phe Tyr Glu Ile Leu Asn
1          5          10          15
Met Pro Asn Leu Asn Glu Ala Gln Arg Asn Gly Phe Ile Gln Ser Leu
          20          25          30
Lys Xaa Xaa Pro Ser Gln Ser Thr Asn Val Leu Gly Glu Ala Lys Lys
          35          40          45
Leu Asn Glu Ser
          50

```

```

<210> SEQ ID NO 8
<211> LENGTH: 52
<212> TYPE: PRT
<213> ORGANISM: Staphylococcus sp
<220> FEATURE:
<221> NAME/KEY: misc_feature
<222> LOCATION: (7)..(8)
<223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid

```

```

<400> SEQUENCE: 8

```

```

Asn Asn Phe Asn Lys Asp Xaa Xaa Ser Ala Phe Tyr Glu Ile Leu Asn
1          5          10          15
Met Pro Asn Leu Asn Glu Ala Gln Arg Asn Gly Phe Ile Gln Ser Leu
          20          25          30
Lys Tyr Tyr Pro Ser Gln Ser Thr Asn Val Leu Gly Glu Ala Lys Lys
          35          40          45
Leu Asn Glu Ser
          50

```

```

<210> SEQ ID NO 9
<211> LENGTH: 450
<212> TYPE: PRT
<213> ORGANISM: Staphylococcus sp

```

```

<400> SEQUENCE: 9

```

```

Met Lys Lys Lys Asn Ile Tyr Ser Ile Arg Lys Leu Gly Val Gly Ile
1          5          10          15
Ala Ser Val Thr Leu Gly Thr Leu Leu Ile Ser Gly Gly Val Thr Pro
          20          25          30
Ala Ala Asn Ala Ala Gln His Asp Glu Ala Gln Gln Asn Ala Phe Tyr
          35          40          45
Gln Val Leu Asn Met Pro Asn Leu Asn Ala Asp Gln Arg Asn Gly Phe
          50          55          60
Ile Gln Ser Leu Lys Asp Asp Pro Ser Gln Ser Ala Asn Val Leu Gly
          65          70          75          80
Glu Ala Gln Lys Leu Asn Asp Ser Gln Ala Pro Lys Ala Asp Ala Gln
          85          90          95
Gln Asn Asn Phe Asn Lys Asp Gln Gln Ser Ala Phe Tyr Glu Ile Leu
          100          105          110

```

-continued

---

Asn Met Pro Asn Leu Asn Glu Ala Gln Arg Asn Gly Phe Ile Gln Ser  
 115 120 125

Leu Lys Asp Asp Pro Ser Gln Ser Thr Asn Val Leu Gly Glu Ala Lys  
 130 135 140

Lys Leu Asn Glu Ser Gln Ala Pro Lys Ala Asp Asn Asn Phe Asn Lys  
 145 150 155 160

Glu Gln Gln Asn Ala Phe Tyr Glu Ile Leu Asn Met Pro Asn Leu Asn  
 165 170 175

Glu Glu Gln Arg Asn Gly Phe Ile Gln Ser Leu Lys Asp Asp Pro Ser  
 180 185 190

Gln Ser Ala Asn Leu Leu Ser Glu Ala Lys Lys Leu Asn Glu Ser Gln  
 195 200 205

Ala Pro Lys Ala Asp Asn Lys Phe Asn Lys Glu Gln Gln Asn Ala Phe  
 210 215 220

Tyr Glu Ile Leu His Leu Pro Asn Leu Asn Glu Glu Gln Arg Asn Gly  
 225 230 235 240

Phe Ile Gln Ser Leu Lys Asp Asp Pro Ser Val Ser Lys Glu Ile Leu  
 245 250 255

Ala Glu Ala Lys Lys Leu Asn Asp Ala Gln Ala Pro Lys Glu Glu Asp  
 260 265 270

Asn Lys Lys Pro Gly Lys Glu Asp Gly Asn Lys Pro Gly Lys Glu Asp  
 275 280 285

Gly Asn Lys Pro Gly Lys Glu Asp Asn Lys Lys Pro Gly Lys Glu Asp  
 290 295 300

Gly Asn Lys Pro Gly Lys Glu Asp Asn Asn Lys Pro Gly Lys Glu Asp  
 305 310 315 320

Gly Asn Lys Pro Gly Lys Glu Asp Asn Asn Lys Pro Gly Lys Glu Asp  
 325 330 335

Gly Asn Lys Pro Gly Lys Glu Asp Gly Asn Lys Pro Gly Lys Glu Asp  
 340 345 350

Gly Asn Gly Val His Val Val Lys Pro Gly Asp Thr Val Asn Asp Ile  
 355 360 365

Ala Lys Ala Asn Gly Thr Thr Ala Asp Lys Ile Ala Ala Asp Asn Lys  
 370 375 380

Leu Ala Asp Lys Asn Met Ile Lys Pro Gly Gln Glu Leu Val Val Asp  
 385 390 395 400

Lys Lys Gln Pro Ala Asn His Ala Asp Ala Asn Lys Ala Gln Ala Leu  
 405 410 415

Pro Glu Thr Gly Glu Glu Asn Pro Phe Ile Gly Thr Thr Val Phe Gly  
 420 425 430

Gly Leu Ser Leu Ala Leu Gly Ala Ala Leu Leu Ala Gly Arg Arg Arg  
 435 440 445

Glu Leu  
 450

<210> SEQ ID NO 10  
 <211> LENGTH: 450  
 <212> TYPE: PRT  
 <213> ORGANISM: Staphylococcus sp

<400> SEQUENCE: 10

Met Lys Lys Lys Asn Ile Tyr Ser Ile Arg Lys Leu Gly Val Gly Ile  
 1 5 10 15

-continued

---

Ala	Ser	Val	Thr	Leu	Gly	Thr	Leu	Leu	Ile	Ser	Gly	Gly	Val	Thr	Pro
			20					25					30		
Ala	Ala	Asn	Ala	Ala	Gln	His	Asp	Glu	Ala	Gln	Gln	Asn	Ala	Phe	Tyr
		35					40					45			
Gln	Val	Leu	Asn	Met	Pro	Asn	Leu	Asn	Ala	Asp	Gln	Arg	Asn	Gly	Phe
	50					55					60				
Ile	Gln	Ser	Leu	Lys	Asp	Asp	Pro	Ser	Gln	Ser	Ala	Asn	Val	Leu	Gly
65					70					75				80	
Glu	Ala	Gln	Lys	Leu	Asn	Asp	Ser	Gln	Ala	Pro	Lys	Ala	Asp	Ala	Gln
				85					90					95	
Gln	Asn	Asn	Phe	Asn	Lys	Asp	Gln	Gln	Ser	Ala	Phe	Tyr	Glu	Ile	Leu
			100					105					110		
Asn	Met	Pro	Asn	Leu	Asn	Glu	Ala	Gln	Arg	Asn	Gly	Phe	Ile	Gln	Ser
		115					120					125			
Leu	Lys	Asp	Asp	Pro	Ser	Gln	Ser	Thr	Asn	Val	Leu	Gly	Glu	Ala	Lys
	130					135					140				
Lys	Leu	Asn	Glu	Ser	Gln	Ala	Pro	Lys	Ala	Asp	Asn	Asn	Phe	Asn	Lys
145					150					155				160	
Glu	Gln	Gln	Asn	Ala	Phe	Tyr	Glu	Ile	Leu	Asn	Met	Pro	Asn	Leu	Asn
				165					170					175	
Glu	Glu	Gln	Arg	Asn	Gly	Phe	Ile	Gln	Ser	Leu	Lys	Asp	Asp	Pro	Ser
			180					185					190		
Gln	Ser	Ala	Asn	Leu	Leu	Ser	Glu	Ala	Lys	Lys	Leu	Asn	Glu	Ser	Gln
		195					200					205			
Ala	Pro	Lys	Ala	Asp	Asn	Lys	Phe	Asn	Lys	Glu	Gln	Gln	Asn	Ala	Phe
	210					215					220				
Tyr	Glu	Ile	Leu	His	Leu	Pro	Asn	Leu	Asn	Glu	Glu	Gln	Arg	Asn	Gly
225				230						235				240	
Phe	Ile	Gln	Ser	Leu	Lys	Asp	Asp	Pro	Ser	Val	Ser	Lys	Glu	Ile	Leu
				245				250					255		
Ala	Glu	Ala	Lys	Lys	Leu	Asn	Asp	Ala	Gln	Ala	Pro	Lys	Glu	Glu	Asp
			260				265						270		
Asn	Lys	Lys	Pro	Gly	Lys	Glu	Asp	Gly	Asn	Lys	Pro	Gly	Lys	Glu	Asp
	275					280						285			
Gly	Asn	Lys	Pro	Gly	Lys	Glu	Asp	Asn	Lys	Lys	Pro	Gly	Lys	Glu	Asp
	290					295					300				
Gly	Asn	Lys	Pro	Gly	Lys	Glu	Asp	Asn	Asn	Lys	Pro	Gly	Lys	Glu	Asp
305					310					315				320	
Gly	Asn	Lys	Pro	Gly	Lys	Glu	Asp	Asn	Asn	Lys	Pro	Gly	Lys	Glu	Asp
				325						330				335	
Gly	Asn	Lys	Pro	Gly	Lys	Glu	Asp	Gly	Asn	Lys	Pro	Gly	Lys	Glu	Asp
			340					345					350		
Gly	Asn	Gly	Val	His	Val	Val	Lys	Pro	Gly	Asp	Thr	Val	Asn	Asp	Ile
		355					360					365			
Ala	Lys	Ala	Asn	Gly	Thr	Thr	Ala	Asp	Lys	Ile	Ala	Ala	Asp	Asn	Lys
	370						375					380			
Leu	Ala	Asp	Lys	Asn	Met	Ile	Lys	Pro	Gly	Gln	Glu	Leu	Val	Val	Asp
385					390					395				400	
Lys	Lys	Gln	Pro	Ala	Asn	His	Ala	Asp	Ala	Asn	Lys	Ala	Gln	Ala	Leu
				405					410					415	
Pro	Glu	Thr	Gly	Glu	Glu	Asn	Pro	Phe	Ile	Gly	Thr	Thr	Val	Phe	Gly
			420					425						430	

-continued

Gly Leu Ser Leu Ala Leu Gly Ala Ala Leu Leu Ala Gly Arg Arg Arg  
 435 440 445

Glu Leu  
 450

<210> SEQ ID NO 11  
 <211> LENGTH: 97  
 <212> TYPE: PRT  
 <213> ORGANISM: Staphylococcus sp

<400> SEQUENCE: 11

Met Ala Met Ile Lys Met Ser Pro Glu Glu Ile Arg Ala Lys Ser Gln  
 1 5 10 15  
 Ser Tyr Gly Gln Gly Ser Asp Gln Ile Arg Gln Ile Leu Ser Asp Leu  
 20 25 30  
 Thr Arg Ala Gln Gly Glu Ile Ala Ala Asn Trp Glu Gly Gln Ala Phe  
 35 40 45  
 Ser Arg Phe Glu Glu Gln Phe Gln Gln Leu Ser Pro Lys Val Glu Lys  
 50 55 60  
 Phe Ala Gln Leu Leu Glu Glu Ile Lys Gln Gln Leu Asn Ser Thr Ala  
 65 70 75 80  
 Asp Ala Val Gln Glu Gln Asp Gln Gln Leu Ser Asn Asn Phe Gly Leu  
 85 90 95

Gln

<210> SEQ ID NO 12  
 <211> LENGTH: 102  
 <212> TYPE: PRT  
 <213> ORGANISM: Staphylococcus sp

<400> SEQUENCE: 12

Met Gly Gly Tyr Lys Gly Ile Lys Ala Asp Gly Gly Lys Val Asn Gln  
 1 5 10 15  
 Ala Lys Gln Leu Ala Ala Lys Ile Ala Lys Asp Ile Glu Ala Cys Gln  
 20 25 30  
 Lys Gln Thr Gln Gln Leu Ala Glu Tyr Ile Glu Gly Ser Asp Trp Glu  
 35 40 45  
 Gly Gln Phe Ala Asn Lys Val Lys Asp Val Leu Leu Ile Met Ala Lys  
 50 55 60  
 Phe Gln Glu Glu Leu Val Gln Pro Met Ala Asp His Gln Lys Ala Ile  
 65 70 75 80  
 Asp Asn Leu Ser Gln Asn Leu Ala Lys Tyr Asp Thr Leu Ser Ile Lys  
 85 90 95

Gln Gly Leu Asp Arg Val  
 100

<210> SEQ ID NO 13  
 <211> LENGTH: 1385  
 <212> TYPE: PRT  
 <213> ORGANISM: Staphylococcus sp

<400> SEQUENCE: 13

Met Leu Asn Arg Glu Asn Lys Thr Ala Ile Thr Arg Lys Gly Met Val  
 1 5 10 15  
 Ser Asn Arg Leu Asn Lys Phe Ser Ile Arg Lys Tyr Thr Val Gly Thr  
 20 25 30

-continued

---

Ala Ser Ile Leu Val Gly Thr Thr Leu Ile Phe Gly Leu Gly Asn Gln  
35 40 45

Glu Ala Lys Ala Ala Glu Ser Thr Asn Lys Glu Leu Asn Glu Ala Thr  
50 55 60

Thr Ser Ala Ser Asp Asn Gln Ser Ser Asp Lys Val Asp Met Gln Gln  
65 70 75 80

Leu Asn Gln Glu Asp Asn Thr Lys Asn Asp Asn Gln Lys Glu Met Val  
85 90 95

Ser Ser Gln Gly Asn Glu Thr Thr Ser Asn Gly Asn Lys Ser Ile Glu  
100 105 110

Lys Glu Ser Val Gln Ser Thr Thr Gly Asn Lys Val Glu Val Ser Thr  
115 120 125

Ala Lys Ser Asp Glu Gln Ala Ser Pro Lys Ser Thr Asn Glu Asp Leu  
130 135 140

Asn Thr Lys Gln Thr Ile Ser Asn Gln Glu Gly Leu Gln Pro Asp Leu  
145 150 155 160

Leu Glu Asn Lys Ser Val Val Asn Val Gln Pro Thr Asn Glu Glu Asn  
165 170 175

Lys Lys Val Asp Ala Lys Thr Glu Ser Thr Thr Leu Asn Val Lys Ser  
180 185 190

Asp Ala Ile Lys Ser Asn Ala Glu Thr Leu Val Asp Asn Asn Ser Asn  
195 200 205

Ser Asn Asn Glu Asn Asn Ala Asp Ile Ile Leu Pro Lys Ser Thr Ala  
210 215 220

Pro Lys Ser Leu Asn Thr Arg Met Arg Met Ala Ala Ile Gln Pro Asn  
225 230 235 240

Ser Thr Asp Ser Lys Asn Val Asn Asp Leu Ile Thr Ser Asn Thr Thr  
245 250 255

Leu Thr Val Val Asp Ala Asp Asn Ser Lys Thr Ile Val Pro Ala Gln  
260 265 270

Asp Tyr Leu Ser Leu Lys Ser Gln Ile Thr Val Asp Asp Lys Val Lys  
275 280 285

Ser Gly Asp Tyr Phe Thr Ile Lys Tyr Ser Asp Thr Val Gln Val Tyr  
290 295 300

Gly Leu Asn Pro Glu Asp Ile Lys Asn Ile Gly Asp Ile Lys Asp Pro  
305 310 315 320

Asn Asn Gly Glu Thr Ile Ala Thr Ala Lys His Asp Thr Ala Asn Asn  
325 330 335

Leu Ile Thr Tyr Thr Phe Thr Asp Tyr Val Asp Arg Phe Asn Ser Val  
340 345 350

Lys Met Gly Ile Asn Tyr Ser Ile Tyr Met Asp Ala Asp Thr Ile Pro  
355 360 365

Val Asp Lys Lys Asp Val Pro Phe Ser Val Thr Ile Gly Asn Gln Ile  
370 375 380

Thr Thr Thr Thr Ala Asp Ile Thr Tyr Pro Ala Tyr Lys Glu Ala Asp  
385 390 395 400

Asn Asn Ser Ile Gly Ser Ala Phe Thr Glu Thr Val Ser His Val Gly  
405 410 415

Asn Val Glu Asp Pro Gly Tyr Tyr Asn Gln Val Val Tyr Val Asn Pro  
420 425 430

Met Asp Lys Asp Leu Lys Gly Ala Lys Leu Lys Val Glu Ala Tyr His

-continued

435				440				445							
Pro	Lys	Tyr	Pro	Thr	Asn	Ile	Gly	Gln	Ile	Asn	Gln	Asn	Val	Thr	Asn
450						455					460				
Ile	Lys	Ile	Tyr	Arg	Val	Pro	Glu	Gly	Tyr	Thr	Leu	Asn	Lys	Gly	Tyr
465				470						475					480
Asp	Val	Asn	Thr	Asn	Asp	Leu	Val	Asp	Val	Thr	Asp	Glu	Phe	Lys	Asn
				485						490				495	
Lys	Met	Thr	Tyr	Gly	Ser	Asn	Gln	Ser	Val	Asn	Leu	Asp	Phe	Gly	Asp
			500					505					510		
Ile	Thr	Ser	Ala	Tyr	Val	Val	Met	Val	Asn	Thr	Lys	Phe	Gln	Tyr	Thr
		515					520					525			
Asn	Ser	Glu	Ser	Pro	Thr	Leu	Val	Gln	Met	Ala	Thr	Leu	Ser	Ser	Thr
		530				535					540				
Gly	Asn	Lys	Ser	Val	Ser	Thr	Gly	Asn	Ala	Leu	Gly	Phe	Thr	Asn	Asn
545				550					555						560
Gln	Ser	Gly	Gly	Ala	Gly	Gln	Glu	Val	Tyr	Lys	Ile	Gly	Asn	Tyr	Val
				565					570					575	
Trp	Glu	Asp	Thr	Asn	Lys	Asn	Gly	Val	Gln	Glu	Leu	Gly	Glu	Lys	Gly
			580					585					590		
Val	Gly	Asn	Val	Thr	Val	Thr	Val	Phe	Asp	Asn	Asn	Thr	Asn	Thr	Lys
		595					600					605			
Val	Gly	Glu	Ala	Val	Thr	Lys	Glu	Asp	Gly	Ser	Tyr	Leu	Ile	Pro	Asn
		610				615					620				
Leu	Pro	Asn	Gly	Asp	Tyr	Arg	Val	Glu	Phe	Ser	Asn	Leu	Pro	Lys	Gly
625				630					635						640
Tyr	Glu	Val	Thr	Pro	Ser	Lys	Gln	Gly	Asn	Asn	Glu	Glu	Leu	Asp	Ser
				645					650					655	
Asn	Gly	Leu	Ser	Ser	Val	Ile	Thr	Val	Asn	Gly	Lys	Asp	Asn	Leu	Ser
			660					665					670		
Ala	Asp	Leu	Gly	Ile	Tyr	Lys	Pro	Lys	Tyr	Asn	Leu	Gly	Asp	Tyr	Val
		675				680						685			
Trp	Glu	Asp	Thr	Asn	Lys	Asn	Gly	Ile	Gln	Asp	Gln	Asp	Glu	Lys	Gly
		690				695					700				
Ile	Ser	Gly	Val	Thr	Val	Thr	Leu	Lys	Asp	Glu	Asn	Gly	Asn	Val	Leu
705				710					715						720
Lys	Thr	Val	Thr	Thr	Asp	Ala	Asp	Gly	Lys	Tyr	Lys	Phe	Thr	Asp	Leu
				725					730					735	
Asp	Asn	Gly	Asn	Tyr	Lys	Val	Glu	Phe	Thr	Thr	Pro	Glu	Gly	Tyr	Thr
			740					745					750		
Pro	Thr	Thr	Val	Thr	Ser	Gly	Ser	Asp	Ile	Glu	Lys	Asp	Ser	Asn	Gly
		755				760						765			
Leu	Thr	Thr	Thr	Gly	Val	Ile	Asn	Gly	Ala	Asp	Asn	Met	Thr	Leu	Asp
		770				775					780				
Ser	Gly	Phe	Tyr	Lys	Thr	Pro	Lys	Tyr	Asn	Leu	Gly	Asn	Tyr	Val	Trp
785				790					795						800
Glu	Asp	Thr	Asn	Lys	Asp	Gly	Lys	Gln	Asp	Ser	Thr	Glu	Lys	Gly	Ile
				805					810					815	
Ser	Gly	Val	Thr	Val	Thr	Leu	Lys	Asn	Glu	Asn	Gly	Glu	Val	Leu	Gln
			820					825					830		
Thr	Thr	Lys	Thr	Asp	Lys	Asp	Gly	Lys	Tyr	Gln	Phe	Thr	Gly	Leu	Glu
		835					840						845		

-continued

---

Asn	Gly	Thr	Tyr	Lys	Val	Glu	Phe	Glu	Thr	Pro	Ser	Gly	Tyr	Thr	Pro
	850					855					860				
Thr	Gln	Val	Gly	Ser	Gly	Thr	Asp	Glu	Gly	Ile	Asp	Ser	Asn	Gly	Thr
865					870					875					880
Ser	Thr	Thr	Gly	Val	Ile	Lys	Asp	Lys	Asp	Asn	Asp	Thr	Ile	Asp	Ser
				885					890					895	
Gly	Phe	Tyr	Lys	Pro	Thr	Tyr	Asn	Leu	Gly	Asp	Tyr	Val	Trp	Glu	Asp
			900					905					910		
Thr	Asn	Lys	Asn	Gly	Val	Gln	Asp	Lys	Asp	Glu	Lys	Gly	Ile	Ser	Gly
		915					920					925			
Val	Thr	Val	Thr	Leu	Lys	Asp	Glu	Asn	Asp	Lys	Val	Leu	Lys	Thr	Val
	930					935					940				
Thr	Thr	Asp	Glu	Asn	Gly	Lys	Tyr	Gln	Phe	Thr	Asp	Leu	Asn	Asn	Gly
945					950					955					960
Thr	Tyr	Lys	Val	Glu	Phe	Glu	Thr	Pro	Ser	Gly	Tyr	Thr	Pro	Thr	Ser
				965					970					975	
Val	Thr	Ser	Gly	Asn	Asp	Thr	Glu	Lys	Asp	Ser	Asn	Gly	Leu	Thr	Thr
			980					985					990		
Thr	Gly	Val	Ile	Lys	Asp	Ala	Asp	Asn	Met	Thr	Leu	Asp	Ser	Gly	Phe
		995					1000					1005			
Tyr	Lys	Thr	Pro	Lys	Tyr	Ser	Leu	Gly	Asp	Tyr	Val	Trp	Tyr	Asp	
	1010					1015					1020				
Ser	Asn	Lys	Asp	Gly	Lys	Gln	Asp	Ser	Thr	Glu	Lys	Gly	Ile	Lys	
	1025					1030					1035				
Asp	Val	Lys	Val	Ile	Leu	Leu	Asn	Glu	Lys	Gly	Glu	Val	Ile	Gly	
	1040					1045					1050				
Thr	Thr	Lys	Thr	Asp	Glu	Asn	Gly	Lys	Tyr	Arg	Phe	Asp	Asn	Leu	
	1055					1060					1065				
Asp	Ser	Gly	Lys	Tyr	Lys	Val	Ile	Phe	Glu	Lys	Pro	Thr	Gly	Leu	
	1070					1075					1080				
Thr	Gln	Thr	Gly	Thr	Asn	Thr	Thr	Glu	Asp	Asp	Lys	Asp	Ala	Asp	
	1085					1090					1095				
Gly	Gly	Glu	Val	Asp	Val	Thr	Ile	Thr	Asp	His	Asp	Asp	Phe	Thr	
	1100					1105					1110				
Leu	Asp	Asn	Gly	Tyr	Tyr	Glu	Glu	Glu	Thr	Ser	Asp	Ser	Asp	Ser	
	1115					1120					1125				
Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	
	1130					1135					1140				
Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	
	1145					1150					1155				
Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	
	1160					1165					1170				
Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	
	1175					1180					1185				
Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	
	1190					1195					1200				
Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	
	1205					1210					1215				
Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	
	1220					1225					1230				
Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	
	1235					1240					1245				

-continued

Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp  
 1250 1255 1260  
 Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser  
 1265 1270 1275  
 Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp  
 1280 1285 1290  
 Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser  
 1295 1300 1305  
 Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp  
 1310 1315 1320  
 Ser Asp Ala Gly Lys His Thr Pro Val Lys Pro Met Ser Thr Thr  
 1325 1330 1335  
 Lys Asp His His Asn Lys Ala Lys Ala Leu Pro Glu Thr Gly Asn  
 1340 1345 1350  
 Glu Asn Ser Gly Ser Asn Asn Ala Thr Leu Phe Gly Gly Leu Phe  
 1355 1360 1365  
 Ala Ala Leu Gly Ser Leu Leu Leu Phe Gly Arg Arg Lys Lys Gln  
 1370 1375 1380  
 Asn Lys  
 1385

&lt;210&gt; SEQ ID NO 14

&lt;211&gt; LENGTH: 1141

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Staphylococcus sp

&lt;400&gt; SEQUENCE: 14

Met Ile Asn Arg Asp Asn Lys Lys Ala Ile Thr Lys Lys Gly Met Ile  
 1 5 10 15  
 Ser Asn Arg Leu Asn Lys Phe Ser Ile Arg Lys Tyr Thr Val Gly Thr  
 20 25 30  
 Ala Ser Ile Leu Val Gly Thr Thr Leu Ile Phe Gly Leu Gly Asn Gln  
 35 40 45  
 Glu Ala Lys Ala Ala Glu Asn Thr Ser Thr Glu Asn Ala Lys Gln Asp  
 50 55 60  
 Asp Ala Thr Thr Ser Asp Asn Lys Glu Val Val Ser Glu Thr Glu Asn  
 65 70 75 80  
 Asn Ser Thr Thr Glu Asn Asp Ser Thr Asn Pro Ile Lys Lys Glu Thr  
 85 90 95  
 Asn Thr Asp Ser Gln Pro Glu Ala Lys Glu Glu Ser Thr Thr Ser Ser  
 100 105 110  
 Thr Gln Gln Gln Gln Asn Asn Val Thr Ala Thr Thr Glu Thr Lys Pro  
 115 120 125  
 Gln Asn Ile Glu Lys Glu Asn Val Lys Pro Ser Thr Asp Lys Thr Ala  
 130 135 140  
 Thr Glu Asp Thr Ser Val Ile Leu Glu Glu Lys Lys Ala Pro Asn Tyr  
 145 150 155 160  
 Thr Asn Asn Asp Val Thr Thr Lys Pro Ser Thr Ser Glu Ile Gln Thr  
 165 170 175  
 Lys Pro Thr Thr Pro Gln Glu Ser Thr Asn Ile Glu Asn Ser Gln Pro  
 180 185 190  
 Gln Pro Thr Pro Ser Lys Val Asp Asn Gln Val Thr Asp Ala Thr Asn  
 195 200 205

-continued

---

Pro Lys Glu Pro Val Asn Val Ser Lys Glu Glu Leu Lys Asn Asn Pro  
 210 215 220

Glu Lys Leu Lys Glu Leu Val Arg Asn Asp Asn Asn Thr Asp Arg Ser  
 225 230 235 240

Thr Lys Pro Val Ala Thr Ala Pro Thr Ser Val Ala Pro Lys Arg Leu  
 245 250 255

Asn Ala Lys Met Arg Phe Ala Val Ala Gln Pro Ala Ala Val Ala Ser  
 260 265 270

Asn Asn Val Asn Asp Leu Ile Thr Val Thr Lys Gln Thr Ile Lys Val  
 275 280 285

Gly Asp Gly Lys Asp Asn Val Ala Ala Ala His Asp Gly Lys Asp Ile  
 290 295 300

Glu Tyr Asp Thr Glu Phe Thr Ile Asp Asn Lys Val Lys Lys Gly Asp  
 305 310 315 320

Thr Met Thr Ile Asn Tyr Asp Lys Asn Val Ile Pro Ser Asp Leu Thr  
 325 330 335

Asp Lys Asn Asp Pro Ile Asp Ile Thr Asp Pro Ser Gly Glu Val Ile  
 340 345 350

Ala Lys Gly Thr Phe Asp Lys Ala Thr Lys Gln Ile Thr Tyr Thr Phe  
 355 360 365

Thr Asp Tyr Val Asp Lys Tyr Glu Asp Ile Lys Ala Arg Leu Thr Leu  
 370 375 380

Tyr Ser Tyr Ile Asp Lys Gln Ala Val Pro Asn Glu Thr Ser Leu Asn  
 385 390 395 400

Leu Thr Phe Ala Thr Ala Gly Lys Glu Thr Ser Gln Asn Val Ser Val  
 405 410 415

Asp Tyr Gln Asp Pro Met Val His Gly Asp Ser Asn Ile Gln Ser Ile  
 420 425 430

Phe Thr Lys Leu Asp Glu Asn Lys Gln Thr Ile Glu Gln Gln Ile Tyr  
 435 440 445

Val Asn Pro Leu Lys Lys Thr Ala Thr Asn Thr Lys Val Asp Ile Ala  
 450 455 460

Gly Ser Gln Val Asp Asp Tyr Gly Asn Ile Lys Leu Gly Asn Gly Ser  
 465 470 475 480

Thr Ile Ile Asp Gln Asn Thr Glu Ile Lys Val Tyr Lys Val Asn Pro  
 485 490 495

Asn Gln Gln Leu Pro Gln Ser Asn Arg Ile Tyr Asp Phe Ser Gln Tyr  
 500 505 510

Glu Asp Val Thr Ser Gln Phe Asp Asn Lys Lys Ser Phe Ser Asn Asn  
 515 520 525

Val Ala Thr Leu Asp Phe Gly Asp Ile Asn Ser Ala Tyr Ile Ile Lys  
 530 535 540

Val Val Ser Lys Tyr Thr Pro Thr Ser Asp Gly Glu Leu Asp Ile Ala  
 545 550 555 560

Gln Gly Thr Ser Met Arg Thr Thr Asp Lys Tyr Gly Tyr Tyr Asn Tyr  
 565 570 575

Ala Gly Tyr Ser Asn Phe Ile Val Thr Ser Asn Asp Thr Gly Gly Gly  
 580 585 590

Asp Gly Thr Val Lys Pro Glu Glu Lys Leu Tyr Lys Ile Gly Asp Tyr  
 595 600 605

Val Trp Glu Asp Val Asp Lys Asp Gly Val Gln Gly Thr Asp Ser Lys

-continued

610					615					620					
Glu	Lys	Pro	Met	Ala	Asn	Val	Leu	Val	Thr	Leu	Thr	Tyr	Pro	Asp	Gly
625					630					635					640
Thr	Thr	Lys	Ser	Val	Arg	Thr	Asp	Ala	Asn	Gly	His	Tyr	Glu	Phe	Gly
				645					650					655	
Gly	Leu	Lys	Asp	Gly	Glu	Thr	Tyr	Thr	Val	Lys	Phe	Glu	Thr	Pro	Ala
			660						665					670	
Gly	Tyr	Leu	Pro	Thr	Lys	Val	Asn	Gly	Thr	Thr	Asp	Gly	Glu	Lys	Asp
		675					680					685			
Ser	Asn	Gly	Ser	Ser	Ile	Thr	Val	Lys	Ile	Asn	Gly	Lys	Asp	Asp	Met
		690					695					700			
Ser	Leu	Asp	Thr	Gly	Phe	Tyr	Lys	Glu	Pro	Lys	Tyr	Asn	Leu	Gly	Asp
705					710					715					720
Tyr	Val	Trp	Glu	Asp	Thr	Asn	Lys	Asp	Gly	Ile	Gln	Asp	Ala	Asn	Glu
				725					730					735	
Pro	Gly	Ile	Lys	Asp	Val	Lys	Val	Thr	Leu	Lys	Asp	Ser	Thr	Gly	Lys
			740					745						750	
Val	Ile	Gly	Thr	Thr	Thr	Asp	Ala	Ser	Gly	Lys	Tyr	Lys	Phe	Thr	
		755					760					765			
Asp	Leu	Asp	Asn	Gly	Asn	Tyr	Thr	Val	Glu	Phe	Glu	Thr	Pro	Ala	Gly
		770					775					780			
Tyr	Thr	Pro	Thr	Val	Lys	Asn	Thr	Thr	Ala	Glu	Asp	Lys	Asp	Ser	Asn
785					790					795					800
Gly	Leu	Thr	Thr	Thr	Gly	Val	Ile	Lys	Asp	Ala	Asp	Asn	Met	Thr	Leu
				805					810					815	
Asp	Ser	Gly	Phe	Tyr	Lys	Thr	Pro	Lys	Tyr	Ser	Leu	Gly	Asp	Tyr	Val
			820					825					830		
Trp	Tyr	Asp	Ser	Asn	Lys	Asp	Gly	Lys	Gln	Asp	Ser	Thr	Glu	Lys	Gly
		835					840					845			
Ile	Lys	Asp	Val	Lys	Val	Thr	Leu	Leu	Asn	Glu	Lys	Gly	Glu	Val	Ile
		850					855					860			
Gly	Thr	Thr	Lys	Thr	Asp	Glu	Asn	Gly	Lys	Tyr	Arg	Phe	Asp	Asn	Leu
865					870					875					880
Asp	Ser	Gly	Lys	Tyr	Lys	Val	Ile	Phe	Glu	Lys	Pro	Ala	Gly	Leu	Thr
				885					890					895	
Gln	Thr	Val	Thr	Asn	Thr	Thr	Glu	Asp	Asp	Lys	Asp	Ala	Asp	Gly	Gly
			900					905						910	
Glu	Val	Asp	Val	Thr	Ile	Thr	Asp	His	Asp	Asp	Phe	Thr	Leu	Asp	Asn
		915					920					925			
Gly	Tyr	Phe	Glu	Glu	Asp	Thr	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser
		930					935					940			
Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser
945					950					955					960
Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser
				965					970					975	
Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser
			980					985						990	
Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser
			995				1000							1005	
Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser
			1010				1015							1020	

-continued

---

Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser  
 1025 1030 1035

Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp  
 1040 1045 1050

Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser  
 1055 1060 1065

Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ala Gly  
 1070 1075 1080

Lys His Thr Pro Val Lys Pro Met Ser Thr Thr Lys Asp His His  
 1085 1090 1095

Asn Lys Ala Lys Ala Leu Pro Glu Thr Gly Ser Glu Asn Asn Gly  
 1100 1105 1110

Ser Asn Asn Ala Thr Leu Phe Gly Gly Leu Phe Ala Ala Leu Gly  
 1115 1120 1125

Ser Leu Leu Leu Phe Gly Arg Arg Lys Lys Gln Asn Lys  
 1130 1135 1140

&lt;210&gt; SEQ ID NO 15

&lt;211&gt; LENGTH: 350

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Staphylococcus sp

&lt;400&gt; SEQUENCE: 15

Met Thr Lys His Tyr Leu Asn Ser Lys Tyr Gln Ser Glu Gln Arg Ser  
 1 5 10 15

Ser Ala Met Lys Lys Ile Thr Met Gly Thr Ala Ser Ile Ile Leu Gly  
 20 25 30

Ser Leu Val Tyr Ile Gly Ala Asp Ser Gln Gln Val Asn Ala Ala Thr  
 35 40 45

Glu Ala Thr Asn Ala Thr Asn Asn Gln Ser Thr Gln Val Ser Gln Ala  
 50 55 60

Thr Ser Gln Pro Ile Asn Phe Gln Val Gln Lys Asp Gly Ser Ser Glu  
 65 70 75 80

Lys Ser His Met Asp Asp Tyr Met Gln His Pro Gly Lys Val Ile Lys  
 85 90 95

Gln Asn Asn Lys Tyr Tyr Phe Gln Thr Val Leu Asn Asn Ala Ser Phe  
 100 105 110

Trp Lys Glu Tyr Lys Phe Tyr Asn Ala Asn Asn Gln Glu Leu Ala Thr  
 115 120 125

Thr Val Val Asn Asp Asn Lys Lys Ala Asp Thr Arg Thr Ile Asn Val  
 130 135 140

Ala Val Glu Pro Gly Tyr Lys Ser Leu Thr Thr Lys Val His Ile Val  
 145 150 155 160

Val Pro Gln Ile Asn Tyr Asn His Arg Tyr Thr Thr His Leu Glu Phe  
 165 170 175

Glu Lys Ala Ile Pro Thr Leu Ala Asp Ala Ala Lys Pro Asn Asn Val  
 180 185 190

Lys Pro Val Gln Pro Lys Pro Ala Gln Pro Lys Thr Pro Thr Glu Gln  
 195 200 205

Thr Lys Pro Val Gln Pro Lys Val Glu Lys Val Lys Pro Thr Val Thr  
 210 215 220

Thr Thr Ser Lys Val Glu Asp Asn His Ser Thr Lys Val Val Ser Thr  
 225 230 235 240

-continued

---

```

Asp Thr Thr Lys Asp Gln Thr Lys Thr Gln Thr Ala His Thr Val Lys
    245                                250                                255

Thr Ala Gln Thr Ala Gln Glu Gln Asn Lys Val Gln Thr Pro Val Lys
    260                                265                                270

Asp Val Ala Thr Ala Lys Ser Glu Ser Asn Asn Gln Ala Val Ser Asp
    275                                280                                285

Asn Lys Ser Gln Gln Thr Asn Lys Val Thr Lys His Asn Glu Thr Pro
    290                                295                                300

Lys Gln Ala Ser Lys Ala Lys Glu Leu Pro Lys Thr Gly Leu Thr Ser
    305                                310                                315                                320

Val Asp Asn Phe Ile Ser Thr Val Ala Phe Ala Thr Leu Ala Leu Leu
    325                                330                                335

Gly Ser Leu Ser Leu Leu Leu Phe Lys Arg Lys Glu Ser Lys
    340                                345                                350

```

&lt;210&gt; SEQ ID NO 16

&lt;211&gt; LENGTH: 645

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Staphylococcus sp

&lt;400&gt; SEQUENCE: 16

```

Met Asn Lys Gln Gln Lys Glu Phe Lys Ser Phe Tyr Ser Ile Arg Lys
 1      5      10      15

Ser Ser Leu Gly Val Ala Ser Val Ala Ile Ser Thr Leu Leu Leu
 20     25     30

Met Ser Asn Gly Glu Ala Gln Ala Ala Glu Glu Thr Gly Gly Thr
 35     40     45

Asn Thr Glu Ala Gln Pro Lys Thr Glu Ala Val Ala Ser Pro Thr Thr
 50     55     60

Thr Ser Glu Lys Ala Pro Glu Thr Lys Pro Val Ala Asn Ala Val Ser
 65     70     75     80

Val Ser Asn Lys Glu Val Glu Ala Pro Thr Ser Glu Thr Lys Glu Ala
 85     90     95

Lys Glu Val Lys Glu Val Lys Ala Pro Lys Glu Thr Lys Ala Val Lys
100    105    110

Pro Ala Ala Lys Ala Thr Asn Asn Thr Tyr Pro Ile Leu Asn Gln Glu
115    120    125

Leu Arg Glu Ala Ile Lys Asn Pro Ala Ile Lys Asp Lys Asp His Ser
130    135    140

Ala Pro Asn Ser Arg Pro Ile Asp Phe Glu Met Lys Lys Glu Asn Gly
145    150    155    160

Glu Gln Gln Phe Tyr His Tyr Ala Ser Ser Val Lys Pro Ala Arg Val
165    170    175

Ile Phe Thr Asp Ser Lys Pro Glu Ile Glu Leu Gly Leu Gln Ser Gly
180    185    190

Gln Phe Trp Arg Lys Phe Glu Val Tyr Glu Gly Asp Lys Lys Leu Pro
195    200    205

Ile Lys Leu Val Ser Tyr Asp Thr Val Lys Asp Tyr Ala Tyr Ile Arg
210    215    220

Phe Ser Val Ser Asn Gly Thr Lys Ala Val Lys Ile Val Ser Ser Thr
225    230    235    240

His Phe Asn Asn Lys Glu Glu Lys Tyr Asp Tyr Thr Leu Met Glu Phe
245    250    255

```

-continued

---

Ala Gln Pro Ile Tyr Asn Ser Ala Asp Lys Phe Lys Thr Glu Glu Asp  
260 265 270

Tyr Lys Ala Glu Lys Leu Leu Ala Pro Tyr Lys Lys Ala Lys Thr Leu  
275 280 285

Glu Arg Gln Val Tyr Glu Leu Asn Lys Ile Gln Asp Lys Leu Pro Glu  
290 295 300

Lys Leu Lys Ala Glu Tyr Lys Lys Lys Leu Glu Asp Thr Lys Lys Ala  
305 310 315 320

Leu Asp Glu Gln Val Lys Ser Ala Ile Thr Glu Phe Gln Asn Val Gln  
325 330 335

Pro Thr Asn Glu Lys Met Thr Asp Leu Gln Asp Thr Lys Tyr Val Val  
340 345 350

Tyr Glu Ser Val Glu Asn Asn Glu Ser Met Met Asp Thr Phe Val Lys  
355 360 365

His Pro Ile Lys Thr Gly Met Leu Asn Gly Lys Lys Tyr Met Val Met  
370 375 380

Glu Thr Thr Asn Asp Asp Tyr Trp Lys Asp Phe Met Val Glu Gly Gln  
385 390 395 400

Arg Val Arg Thr Ile Ser Lys Asp Ala Lys Asn Asn Thr Arg Thr Ile  
405 410 415

Ile Phe Pro Tyr Val Glu Gly Lys Thr Leu Tyr Asp Ala Ile Val Lys  
420 425 430

Val His Val Lys Thr Ile Asp Tyr Asp Gly Gln Tyr His Val Arg Ile  
435 440 445

Val Asp Lys Glu Ala Phe Thr Lys Ala Asn Thr Asp Lys Ser Asn Lys  
450 455 460

Lys Glu Gln Gln Asp Asn Ser Ala Lys Lys Glu Ala Thr Pro Ala Thr  
465 470 475 480

Pro Ser Lys Pro Thr Pro Ser Pro Val Glu Lys Glu Ser Gln Lys Gln  
485 490 495

Asp Ser Gln Lys Asp Asp Asn Lys Gln Leu Pro Ser Val Glu Lys Glu  
500 505 510

Asn Asp Ala Ser Ser Glu Ser Gly Lys Asp Lys Thr Pro Ala Thr Lys  
515 520 525

Pro Thr Lys Gly Glu Val Glu Ser Ser Ser Thr Thr Pro Thr Lys Val  
530 535 540

Val Ser Thr Thr Gln Asn Val Ala Lys Pro Thr Thr Ala Ser Ser Lys  
545 550 555 560

Thr Thr Lys Asp Val Val Gln Thr Ser Ala Gly Ser Ser Glu Ala Lys  
565 570 575

Asp Ser Ala Pro Leu Gln Lys Ala Asn Ile Lys Asn Thr Asn Asp Gly  
580 585 590

His Thr Gln Ser Gln Asn Asn Lys Asn Thr Gln Glu Asn Lys Ala Lys  
595 600 605

Ser Leu Pro Gln Thr Gly Glu Glu Ser Asn Lys Asp Met Thr Leu Pro  
610 615 620

Leu Met Ala Leu Leu Ala Leu Ser Ser Ile Val Ala Phe Val Leu Pro  
625 630 635 640

Arg Lys Arg Lys Asn  
645

-continued

---

```

<211> LENGTH: 80
<212> TYPE: PRT
<213> ORGANISM: Staphylococcus sp

<400> SEQUENCE: 17

Met Asn Gln His Val Lys Val Thr Phe Asp Phe Thr Asn Tyr Asn Tyr
 1          5          10          15

Gly Thr Tyr Asp Leu Ala Val Pro Ala Tyr Leu Pro Ile Lys Asn Leu
 20          25          30

Ile Ala Leu Val Leu Asp Ser Leu Asp Ile Ser Ile Phe Asp Val Asn
 35          40          45

Thr Gln Ile Lys Val Met Thr Lys Gly Gln Leu Leu Val Glu Asn Asp
 50          55          60

Arg Leu Ile Asp Tyr Gln Ile Ala Asp Gly Asp Ile Leu Lys Leu Leu
 65          70          75          80

<210> SEQ ID NO 18
<211> LENGTH: 877
<212> TYPE: PRT
<213> ORGANISM: Staphylococcus sp

<400> SEQUENCE: 18

Met Lys Lys Arg Ile Asp Tyr Leu Ser Asn Lys Gln Asn Lys Tyr Ser
 1          5          10          15

Ile Arg Arg Phe Thr Val Gly Thr Thr Ser Val Ile Val Gly Ala Thr
 20          25          30

Ile Leu Phe Gly Ile Gly Asn His Gln Ala Gln Ala Ser Glu Gln Ser
 35          40          45

Asn Asp Thr Thr Gln Ser Ser Lys Asn Asn Ala Ser Ala Asp Ser Glu
 50          55          60

Lys Asn Asn Met Ile Glu Thr Pro Gln Leu Asn Thr Thr Ala Asn Asp
 65          70          75          80

Thr Ser Asp Ile Ser Ala Asn Thr Asn Ser Ala Asn Val Asp Ser Thr
 85          90          95

Thr Lys Pro Met Ser Thr Gln Thr Ser Asn Thr Thr Thr Thr Glu Pro
 100         105         110

Ala Ser Thr Asn Glu Thr Pro Gln Pro Thr Ala Ile Lys Asn Gln Ala
 115         120         125

Thr Ala Ala Lys Met Gln Asp Gln Thr Val Pro Gln Glu Ala Asn Ser
 130         135         140

Gln Val Asp Asn Lys Thr Thr Asn Asp Ala Asn Ser Ile Ala Thr Asn
 145         150         155         160

Ser Glu Leu Lys Asn Ser Gln Thr Leu Asp Leu Pro Gln Ser Ser Pro
 165         170         175

Gln Thr Ile Ser Asn Ala Gln Gly Thr Ser Lys Pro Ser Val Arg Thr
 180         185         190

Arg Ala Val Arg Ser Leu Ala Val Ala Glu Pro Val Val Asn Ala Ala
 195         200         205

Asp Ala Lys Gly Thr Asn Val Asn Asp Lys Val Thr Ala Ser Asn Phe
 210         215         220

Lys Leu Glu Lys Thr Thr Phe Asp Pro Asn Gln Ser Gly Asn Thr Phe
 225         230         235         240

Met Ala Ala Asn Phe Thr Val Thr Asp Lys Val Lys Ser Gly Asp Tyr
 245         250         255

```

-continued

---

Phe	Thr	Ala	Lys	Leu	Pro	Asp	Ser	Leu	Thr	Gly	Asn	Gly	Asp	Val	Asp	260	265	270	
Tyr	Ser	Asn	Ser	Asn	Asn	Thr	Met	Pro	Ile	Ala	Asp	Ile	Lys	Ser	Thr	275	280	285	
Asn	Gly	Asp	Val	Val	Ala	Lys	Ala	Thr	Tyr	Asp	Ile	Leu	Thr	Lys	Thr	290	295	300	
Tyr	Thr	Phe	Val	Phe	Thr	Asp	Tyr	Val	Asn	Asn	Lys	Glu	Asn	Ile	Asn	305	310	315	320
Gly	Gln	Phe	Ser	Leu	Pro	Leu	Phe	Thr	Asp	Arg	Ala	Lys	Ala	Pro	Lys	325	330	335	
Ser	Gly	Thr	Tyr	Asp	Ala	Asn	Ile	Asn	Ile	Ala	Asp	Glu	Met	Phe	Asn	340	345	350	
Asn	Lys	Ile	Thr	Tyr	Asn	Tyr	Ser	Ser	Pro	Ile	Ala	Gly	Ile	Asp	Lys	355	360	365	
Pro	Asn	Gly	Ala	Asn	Ile	Ser	Ser	Gln	Ile	Ile	Gly	Val	Asp	Thr	Ala	370	375	380	
Ser	Gly	Gln	Asn	Thr	Tyr	Lys	Gln	Thr	Val	Phe	Val	Asn	Pro	Lys	Gln	385	390	395	400
Arg	Val	Leu	Gly	Asn	Thr	Trp	Val	Tyr	Ile	Lys	Gly	Tyr	Gln	Asp	Lys	405	410	415	
Ile	Glu	Glu	Ser	Ser	Gly	Lys	Val	Ser	Ala	Thr	Asp	Thr	Lys	Leu	Arg	420	425	430	
Ile	Phe	Glu	Val	Asn	Asp	Thr	Ser	Lys	Leu	Ser	Asp	Ser	Tyr	Tyr	Ala	435	440	445	
Asp	Pro	Asn	Asp	Ser	Asn	Leu	Lys	Glu	Val	Thr	Asp	Gln	Phe	Lys	Asn	450	455	460	
Arg	Ile	Tyr	Tyr	Glu	His	Pro	Asn	Val	Ala	Ser	Ile	Lys	Phe	Gly	Asp	465	470	475	480
Ile	Thr	Lys	Thr	Tyr	Val	Val	Leu	Val	Glu	Gly	His	Tyr	Asp	Asn	Thr	485	490	495	
Gly	Lys	Asn	Leu	Lys	Thr	Gln	Val	Ile	Gln	Glu	Asn	Val	Asp	Pro	Val	500	505	510	
Thr	Asn	Arg	Asp	Tyr	Ser	Ile	Phe	Gly	Trp	Asn	Asn	Glu	Asn	Val	Val	515	520	525	
Arg	Tyr	Gly	Gly	Gly	Ser	Ala	Asp	Gly	Asp	Ser	Ala	Val	Asn	Pro	Lys	530	535	540	
Asp	Pro	Thr	Pro	Gly	Pro	Pro	Val	Asp	Pro	Glu	Pro	Ser	Pro	Asp	Pro	545	550	555	560
Glu	Pro	Glu	Pro	Thr	Pro	Asp	Pro	Glu	Pro	Ser	Pro	Asp	Pro	Glu	Pro	565	570	575	
Glu	Pro	Ser	Pro	Asp	Pro	Asp	Pro	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	580	585	590	
Gly	Ser	Asp	Ser	Asp	Ser	Gly	Ser	Asp	Ser	Asp	Ser	Glu	Ser	Asp	Ser	595	600	605	
Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Glu	Ser	610	615	620	
Asp	Ser	Asp	Ser	Glu	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	625	630	635	640
Asp	Ser	Asp	Ser	Asp	Ser	Glu	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	645	650	655	
Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Glu	Ser	Asp	Ser	Asp	Ser	Glu	Ser	660	665	670	

-continued

---

Asp Ser Glu Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser  
 675 680 685  
 Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser  
 690 695 700  
 Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Glu Ser Asp Ser Asp Ser Asp Ser  
 705 710 715 720  
 Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser  
 725 730 735  
 Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser  
 740 745 750  
 Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser  
 755 760 765  
 Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser  
 770 775 780  
 Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser  
 785 790 795 800  
 Asp Ser Asp Ser Arg Val Thr Pro Pro Asn Asn Glu Gln Lys Ala Pro  
 805 810 815  
 Ser Asn Pro Lys Gly Glu Val Asn His Ser Asn Lys Val Ser Lys Gln  
 820 825 830  
 His Lys Thr Asp Ala Leu Pro Glu Thr Gly Asp Lys Ser Glu Asn Thr  
 835 840 845  
 Asn Ala Thr Leu Phe Gly Ala Met Met Ala Leu Leu Gly Ser Leu Leu  
 850 855 860  
 Leu Phe Arg Lys Arg Lys Gln Asp His Lys Glu Lys Ala  
 865 870 875

&lt;210&gt; SEQ ID NO 19

&lt;211&gt; LENGTH: 227

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Staphylococcus sp

&lt;400&gt; SEQUENCE: 19

Met Lys Asn Ile Leu Lys Val Phe Asn Thr Thr Ile Leu Ala Leu Ile  
 1 5 10 15  
 Ile Ile Ile Ala Thr Phe Ser Asn Ser Ala Asn Ala Ala Asp Ser Gly  
 20 25 30  
 Thr Leu Asn Tyr Glu Val Tyr Lys Tyr Asn Thr Asn Asp Thr Ser Ile  
 35 40 45  
 Ala Asn Asp Tyr Phe Asn Lys Pro Ala Lys Tyr Ile Lys Lys Asn Gly  
 50 55 60  
 Lys Leu Tyr Val Gln Ile Thr Val Asn His Ser His Trp Ile Thr Gly  
 65 70 75 80  
 Met Ser Ile Glu Gly His Lys Glu Asn Ile Ile Ser Lys Asn Thr Ala  
 85 90 95  
 Lys Asp Glu Arg Thr Ser Glu Phe Glu Val Ser Lys Leu Asn Gly Lys  
 100 105 110  
 Ile Asp Gly Lys Ile Asp Val Tyr Ile Asp Glu Lys Val Asn Gly Lys  
 115 120 125  
 Pro Phe Lys Tyr Asp His His Tyr Asn Ile Thr Tyr Lys Phe Asn Gly  
 130 135 140  
 Pro Thr Asp Val Ala Gly Ala Asn Ala Pro Gly Lys Asp Asp Lys Asn  
 145 150 155 160





-continued

---

Arg Leu Asn Lys Phe Ser Ile Arg Lys Tyr Ser Val Gly Thr Ala Ser  
                   20                                  25                                  30  
 Ile Leu Val Gly Thr Thr Leu Ile Phe Gly Leu Ser Gly His Glu Ala  
                   35                                  40                                  45  
 Lys Ala Ala Glu His Thr Asn Gly Glu Leu Asn Gln Ser Lys Asn Glu  
                   50                                  55                                  60  
 Thr Thr Ala Pro Ser Glu Asn Lys Thr Thr Glu Lys Val Asp Ser Arg  
   65                                  70                                  75                                  80  
 Gln Leu Lys Asp Asn Thr Gln Thr Ala Thr Ala Asp Gln Pro Lys Val  
                                   85                                  90                                  95  
 Thr Met Ser Asp Ser Ala Thr Val Lys Glu Thr Ser Ser Asn Met Gln  
                   100                                  105                                  110  
 Ser Pro Gln Asn Ala Thr Ala Ser Gln Ser Thr Thr Gln Thr Ser Asn  
                   115                                  120                                  125  
 Val Thr Thr Asn Asp Lys Ser Ser Thr Thr Tyr Ser Asn Glu Thr Asp  
   130                                  135                                  140  
 Lys Ser Asn Leu Thr Gln Ala Lys Asn Val Ser Thr Thr Pro Lys Thr  
   145                                  150                                  155                                  160  
 Thr Thr Ile Lys Gln Arg Ala Leu Asn Arg Met Ala Val Asn Thr Val  
                   165                                  170                                  175  
 Ala Ala Pro Gln Gln Gly Thr Asn Val Asn Asp Lys Val His Phe Thr  
                   180                                  185                                  190  
 Asn Ile Asp Ile Ala Ile Asp Lys Gly His Val Asn Lys Thr Thr Gly  
                   195                                  200                                  205  
 Asn Thr Glu Phe Trp Ala Thr Ser Ser Asp Val Leu Lys Leu Lys Ala  
   210                                  215                                  220  
 Asn Tyr Thr Ile Asp Asp Ser Val Lys Glu Gly Asp Thr Phe Thr Phe  
   225                                  230                                  235                                  240  
 Lys Tyr Gly Gln Tyr Phe Arg Pro Gly Ser Val Arg Leu Pro Ser Gln  
                   245                                  250                                  255  
 Thr Gln Asn Leu Tyr Asn Ala Gln Gly Asn Ile Ile Ala Lys Gly Ile  
                   260                                  265                                  270  
 Tyr Asp Ser Lys Thr Asn Thr Thr Thr Tyr Thr Phe Thr Asn Tyr Val  
   275                                  280                                  285  
 Asp Gln Tyr Thr Asn Val Ser Gly Ser Phe Glu Gln Val Ala Phe Ala  
   290                                  295                                  300  
 Lys Arg Glu Asn Ala Thr Thr Asp Lys Thr Ala Tyr Lys Met Glu Val  
   305                                  310                                  315                                  320  
 Thr Leu Gly Asn Asp Thr Tyr Ser Lys Asp Val Ile Val Asp Tyr Gly  
                   325                                  330                                  335  
 Asn Gln Lys Gly Gln Gln Leu Ile Ser Ser Thr Asn Tyr Ile Asn Asn  
                   340                                  345                                  350  
 Glu Asp Leu Ser Arg Asn Met Thr Val Tyr Val Asn Gln Pro Lys Lys  
   355                                  360                                  365  
 Thr Tyr Thr Lys Glu Thr Phe Val Thr Asn Leu Thr Gly Tyr Lys Phe  
   370                                  375                                  380  
 Asn Pro Asp Ala Lys Asn Phe Lys Ile Tyr Glu Val Thr Asp Gln Asn  
   385                                  390                                  395                                  400  
 Gln Phe Val Asp Ser Phe Thr Pro Asp Thr Ser Lys Leu Lys Asp Val  
                   405                                  410                                  415  
 Thr Gly Gln Phe Asp Val Ile Tyr Ser Asn Asp Asn Lys Thr Ala Thr

-continued

420				425				430							
Val	Asp	Leu	Leu	Asn	Gly	Gln	Ser	Ser	Ser	Asp	Lys	Gln	Tyr	Ile	Ile
		435					440					445			
Gln	Gln	Val	Ala	Tyr	Pro	Asp	Asn	Ser	Ser	Thr	Asp	Asn	Gly	Lys	Ile
		450				455					460				
Asp	Tyr	Thr	Leu	Glu	Thr	Gln	Asn	Gly	Lys	Ser	Ser	Trp	Ser	Asn	Ser
465					470					475					480
Tyr	Ser	Asn	Val	Asn	Gly	Ser	Ser	Thr	Ala	Asn	Gly	Asp	Gln	Lys	Lys
			485						490					495	
Tyr	Asn	Leu	Gly	Asp	Tyr	Val	Trp	Glu	Asp	Thr	Asn	Lys	Asp	Gly	Lys
		500						505					510		
Gln	Asp	Ala	Asn	Glu	Lys	Gly	Ile	Lys	Gly	Val	Tyr	Val	Ile	Leu	Lys
		515					520					525			
Asp	Ser	Asn	Gly	Lys	Glu	Leu	Asp	Arg	Thr	Thr	Thr	Asp	Glu	Asn	Gly
	530					535						540			
Lys	Tyr	Gln	Phe	Thr	Gly	Leu	Ser	Asn	Gly	Thr	Tyr	Ser	Val	Glu	Phe
545					550					555					560
Ser	Thr	Pro	Ala	Gly	Tyr	Thr	Pro	Thr	Thr	Ala	Asn	Ala	Gly	Thr	Asp
			565						570					575	
Asp	Ala	Val	Asp	Ser	Asp	Gly	Leu	Thr	Thr	Thr	Gly	Val	Ile	Lys	Asp
		580						585					590		
Ala	Asp	Asn	Met	Thr	Leu	Asp	Ser	Gly	Phe	Tyr	Lys	Thr	Pro	Lys	Tyr
		595					600					605			
Ser	Leu	Gly	Asp	Tyr	Val	Trp	Tyr	Asp	Ser	Asn	Lys	Asp	Gly	Lys	Gln
	610					615					620				
Asp	Ser	Thr	Glu	Lys	Gly	Ile	Lys	Gly	Val	Lys	Val	Thr	Leu	Gln	Asn
625					630					635					640
Glu	Lys	Gly	Glu	Val	Ile	Gly	Thr	Thr	Glu	Thr	Asp	Glu	Asn	Gly	Lys
			645						650					655	
Tyr	Arg	Phe	Asp	Asn	Leu	Asp	Ser	Gly	Lys	Tyr	Lys	Val	Ile	Phe	Glu
		660						665					670		
Lys	Pro	Ala	Gly	Leu	Thr	Gln	Thr	Gly	Thr	Asn	Thr	Thr	Glu	Asp	Asp
		675					680						685		
Lys	Asp	Ala	Asp	Gly	Gly	Glu	Val	Asp	Val	Thr	Ile	Thr	Asp	His	Asp
	690					695					700				
Asp	Phe	Thr	Leu	Asp	Asn	Gly	Tyr	Tyr	Glu	Glu	Glu	Thr	Ser	Asp	Ser
705					710					715					720
Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser
				725					730					735	
Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser
			740					745					750		
Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser
		755					760					765			
Asp	Ser	Asp	Ser	Glu	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser
	770					775					780				
Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser
	785				790					795					800
Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser
			805						810					815	
Asp	Ser	Asp	Ser	Asp	Ser	Asp	Asn	Asp	Ser	Asp	Ser	Asp	Ser	Asp	Ser
			820					825						830	

-continued

---

Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser  
 835 840 845  
 Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser  
 850 855 860  
 Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser  
 865 870 875 880  
 Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ala Gly Lys  
 885 890 895  
 His Thr Pro Thr Lys Pro Met Ser Thr Val Lys Asp Gln His Lys Thr  
 900 905 910  
 Ala Lys Ala Leu Pro Glu Thr Gly Ser Glu Asn Asn Asn Ser Asn Asn  
 915 920 925  
 Gly Thr Leu Phe Gly Gly Leu Phe Ala Ala Leu Gly Ser Leu Leu Leu  
 930 935 940  
 Phe Gly Arg Arg Lys Lys Gln Asn Lys  
 945 950

<210> SEQ ID NO 22  
 <211> LENGTH: 989  
 <212> TYPE: PRT  
 <213> ORGANISM: Staphylococcus sp

<400> SEQUENCE: 22

Met Asn Met Lys Lys Lys Glu Lys His Ala Ile Arg Lys Lys Ser Ile  
 1 5 10 15  
 Gly Val Ala Ser Val Leu Val Gly Thr Leu Ile Gly Phe Gly Leu Leu  
 20 25 30  
 Ser Ser Lys Glu Ala Asp Ala Ser Glu Asn Ser Val Thr Gln Ser Asp  
 35 40 45  
 Ser Ala Ser Asn Glu Ser Lys Ser Asn Asp Ser Ser Val Ser Ala  
 50 55 60  
 Ala Pro Lys Thr Asp Asp Thr Asn Val Ser Asp Thr Lys Thr Ser Ser  
 65 70 75 80  
 Asn Thr Asn Asn Gly Glu Thr Ser Val Ala Gln Asn Pro Ala Gln Gln  
 85 90 95  
 Glu Thr Thr Gln Ser Ser Ser Thr Asn Ala Thr Thr Glu Glu Thr Pro  
 100 105 110  
 Val Thr Gly Glu Ala Thr Thr Thr Thr Asn Gln Ala Asn Thr Pro  
 115 120 125  
 Ala Thr Thr Gln Ser Ser Asn Thr Asn Ala Glu Glu Leu Val Asn Gln  
 130 135 140  
 Thr Ser Asn Glu Thr Thr Ser Asn Asp Thr Asn Thr Val Ser Ser Val  
 145 150 155 160  
 Asn Ser Pro Gln Asn Ser Thr Asn Ala Glu Asn Val Ser Thr Thr Gln  
 165 170 175  
 Asp Thr Ser Thr Glu Ala Thr Pro Ser Asn Asn Glu Ser Ala Pro Gln  
 180 185 190  
 Asn Thr Asp Ala Ser Asn Lys Asp Val Val Ser Gln Ala Val Asn Pro  
 195 200 205  
 Ser Thr Pro Arg Met Arg Ala Phe Ser Leu Ala Ala Val Ala Ala Asp  
 210 215 220  
 Ala Pro Ala Ala Gly Thr Asp Ile Thr Asn Gln Leu Thr Asp Val Lys  
 225 230 235 240

-continued

---

Val	Thr	Ile	Asp	Ser	Gly	Thr	Thr	Val	Tyr	Pro	His	Gln	Ala	Gly	Tyr
				245					250					255	
Val	Lys	Leu	Asn	Tyr	Gly	Phe	Ser	Val	Pro	Asn	Ser	Ala	Val	Lys	Gly
			260					265					270		
Asp	Thr	Phe	Lys	Ile	Thr	Val	Pro	Lys	Glu	Leu	Asn	Leu	Asn	Gly	Val
		275					280					285			
Thr	Ser	Thr	Ala	Lys	Val	Pro	Pro	Ile	Met	Ala	Gly	Asp	Gln	Val	Leu
	290					295					300				
Ala	Asn	Gly	Val	Ile	Asp	Ser	Asp	Gly	Asn	Val	Ile	Tyr	Thr	Phe	Thr
305					310					315					320
Asp	Tyr	Val	Asp	Asn	Lys	Glu	Asn	Val	Thr	Ala	Asn	Ile	Thr	Met	Pro
				325					330					335	
Ala	Tyr	Ile	Asp	Pro	Glu	Asn	Val	Thr	Lys	Thr	Gly	Asn	Val	Thr	Leu
			340					345					350		
Thr	Thr	Gly	Ile	Gly	Thr	Asn	Thr	Ala	Ser	Lys	Thr	Val	Leu	Ile	Asp
		355					360					365			
Tyr	Glu	Lys	Tyr	Gly	Gln	Phe	His	Asn	Leu	Ser	Ile	Lys	Gly	Thr	Ile
	370					375					380				
Asp	Gln	Ile	Asp	Lys	Thr	Asn	Asn	Thr	Tyr	Arg	Gln	Thr	Ile	Tyr	Val
385					390					395					400
Asn	Pro	Ser	Gly	Asp	Asn	Val	Val	Leu	Pro	Ala	Leu	Thr	Gly	Asn	Leu
				405					410					415	
Ile	Pro	Asn	Thr	Lys	Ser	Asn	Ala	Leu	Ile	Asp	Ala	Lys	Asn	Thr	Asp
			420					425					430		
Ile	Lys	Val	Tyr	Arg	Val	Asp	Asn	Ala	Asn	Asp	Leu	Ser	Glu	Ser	Tyr
		435					440					445			
Tyr	Val	Asn	Pro	Ser	Asp	Phe	Glu	Asp	Val	Thr	Asn	Gln	Val	Arg	Ile
	450					455					460				
Ser	Phe	Pro	Asn	Ala	Asn	Gln	Tyr	Lys	Val	Glu	Phe	Pro	Thr	Asp	Asp
465					470					475					480
Asp	Gln	Ile	Thr	Thr	Pro	Tyr	Ile	Val	Val	Val	Asn	Gly	His	Ile	Asp
				485					490					495	
Pro	Ala	Ser	Thr	Gly	Asp	Leu	Ala	Leu	Arg	Ser	Thr	Phe	Tyr	Gly	Tyr
			500					505					510		
Asp	Ser	Asn	Phe	Ile	Trp	Arg	Ser	Met	Ser	Trp	Asp	Asn	Glu	Val	Ala
		515					520					525			
Phe	Asn	Asn	Gly	Ser	Gly	Ser	Gly	Asp	Gly	Ile	Asp	Lys	Pro	Val	Val
	530					535					540				
Pro	Glu	Gln	Pro	Asp	Glu	Pro	Gly	Glu	Ile	Glu	Pro	Ile	Pro	Glu	Asp
545					550					555					560
Ser	Asp	Ser	Asp	Pro	Gly	Ser	Asp	Ser	Gly	Ser	Asp	Ser	Asn	Ser	Asp
				565					570					575	
Ser	Gly	Ser	Asp	Ser	Gly	Ser	Asp	Ser	Thr	Ser	Asp	Ser	Gly	Ser	Asp
			580					585					590		
Ser	Ala	Ser	Asp	Ser	Asp	Ser	Ala	Ser	Asp	Ser	Asp	Ser	Ala	Ser	Asp
		595					600					605			
Ser	Asp	Ser	Ala	Ser	Asp	Ser	Asp	Ser	Ala	Ser	Asp	Ser	Asp	Ser	Ala
	610					615					620				
Ser	Asp	Ser	Asp	Ser	Ala	Ser	Asp	Ser	Asp	Ser	Ala	Ser	Asp	Ser	Asp
625					630					635					640
Ser	Ala	Ser	Asp	Ser	Asp	Ser	Ala	Ser	Asp	Ser	Asp	Ser	Ala	Ser	Asp
				645					650						655

-continued

---

Ser Asp Ser Ala Ser Asp Ser Asp Ser Ala Ser Asp Ser Asp Ser Asp Ser Asp  
660 665 670

Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp  
675 680 685

Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp  
690 695 700

Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp  
705 710 715 720

Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp  
725 730 735

Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp  
740 745 750

Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp  
755 760 765

Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp  
770 775 780

Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp  
785 790 795 800

Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp  
805 810 815

Ser Asp Ser Asp Ser Ala Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Glu  
820 825 830

Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp  
835 840 845

Ser Asp Ser Asp Ser Asp Ser Glu Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp  
850 855 860

Ser Asp Ser Glu Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp Ser Asp  
865 870 875 880

Ser Ala Ser Asp Ser Asp Ser Gly Ser Asp Ser Asp Ser Ser Ser Asp  
885 890 895

Ser Asp Ser Asp Ser Thr Ser Asp Thr Gly Ser Asp Asn Asp Ser Asp  
900 905 910

Ser Asp Ser Asn Ser Asp Ser Glu Ser Gly Ser Asn Asn Asn Val Val  
915 920 925

Pro Pro Asn Ser Pro Lys Asn Gly Thr Asn Ala Ser Asn Lys Asn Glu  
930 935 940

Ala Lys Asp Ser Lys Glu Pro Leu Pro Asp Thr Gly Ser Glu Asp Glu  
945 950 955 960

Ala Asn Thr Ser Leu Ile Trp Gly Leu Leu Ala Ser Leu Gly Ser Leu  
965 970 975

Leu Leu Phe Arg Arg Lys Lys Glu Asn Lys Asp Lys Lys  
980 985

<210> SEQ ID NO 23

<211> LENGTH: 584

<212> TYPE: PRT

<213> ORGANISM: Staphylococcus sp

<400> SEQUENCE: 23

Met Lys Phe Lys Ser Leu Ile Thr Thr Thr Leu Ala Leu Gly Val Leu  
1 5 10 15

Ala Ser Thr Gly Ala Asn Phe Asn Asn Asn Glu Ala Ser Ala Ala Ala  
20 25 30

-continued

---

Lys Pro Leu Asp Lys Ser Ser Ser Ser Leu His His Gly Tyr Ser Lys  
35 40 45  
Val His Val Pro Tyr Ala Ile Thr Val Asn Gly Thr Ser Gln Asn Ile  
50 55 60  
Leu Ser Ser Leu Thr Phe Asn Lys Asn Gln Asn Ile Ser Tyr Lys Asp  
65 70 75 80  
Leu Glu Asp Arg Val Lys Ser Val Leu Lys Ser Asp Arg Gly Ile Ser  
85 90 95  
Asp Ile Asp Leu Arg Leu Ser Lys Gln Ala Lys Tyr Thr Val Tyr Phe  
100 105 110  
Lys Asn Gly Thr Lys Lys Val Ile Asp Leu Lys Ala Gly Ile Tyr Thr  
115 120 125  
Ala Asp Leu Ile Asn Thr Ser Glu Ile Lys Ala Ile Asn Ile Asn Val  
130 135 140  
Asp Thr Lys Lys Gln Val Glu Asp Lys Lys Lys Asp Lys Ala Asn Tyr  
145 150 155 160  
Gln Val Pro Tyr Thr Ile Thr Val Asn Gly Thr Ser Gln Asn Ile Leu  
165 170 175  
Ser Asn Leu Thr Phe Asn Lys Asn Gln Asn Ile Ser Tyr Lys Asp Leu  
180 185 190  
Glu Asp Lys Val Lys Ser Val Leu Glu Ser Asn Arg Gly Ile Thr Asp  
195 200 205  
Val Asp Leu Arg Leu Ser Lys Gln Ala Lys Tyr Thr Val Asn Phe Lys  
210 215 220  
Asn Gly Thr Lys Lys Val Ile Asp Leu Lys Ser Gly Ile Tyr Thr Ala  
225 230 235 240  
Asn Leu Ile Asn Ser Ser Asp Ile Lys Ser Ile Asn Ile Asn Val Asp  
245 250 255  
Thr Lys Lys His Ile Glu Asn Lys Ala Lys Arg Asn Tyr Gln Val Pro  
260 265 270  
Tyr Ser Ile Asn Leu Asn Gly Thr Ser Thr Asn Ile Leu Ser Asn Leu  
275 280 285  
Ser Phe Ser Asn Lys Pro Trp Thr Asn Tyr Lys Asn Leu Thr Ser Gln  
290 295 300  
Ile Lys Ser Val Leu Lys His Asp Arg Gly Ile Ser Glu Gln Asp Leu  
305 310 315 320  
Lys Tyr Ala Lys Lys Ala Tyr Tyr Thr Val Tyr Phe Lys Asn Gly Gly  
325 330 335  
Lys Arg Ile Leu Gln Leu Asn Ser Lys Asn Tyr Thr Ala Asn Leu Val  
340 345 350  
His Ala Lys Asp Val Lys Arg Ile Glu Ile Thr Val Lys Thr Gly Thr  
355 360 365  
Lys Ala Lys Ala Asp Arg Tyr Val Pro Tyr Thr Ile Ala Val Asn Gly  
370 375 380  
Thr Ser Thr Pro Ile Leu Ser Asp Leu Lys Phe Thr Gly Asp Pro Arg  
385 390 395 400  
Val Gly Tyr Lys Asp Ile Ser Lys Lys Val Lys Ser Val Leu Lys His  
405 410 415  
Asp Arg Gly Ile Gly Glu Arg Glu Leu Lys Tyr Ala Lys Lys Ala Thr  
420 425 430  
Tyr Thr Val His Phe Lys Asn Gly Thr Lys Lys Val Ile Asn Ile Asn

-continued

---

435	440	445																			
Ser	Asn	Ile	Ser	Gln	Leu	Asn	Leu	Leu	Tyr	Val	Gln	Asp	Ile	Lys	Lys						
450						455					460										
Ile	Asp	Ile	Asp	Val	Lys	Thr	Gly	Thr	Lys	Ala	Lys	Ala	Asp	Ser	Tyr						
465					470					475					480						
Val	Pro	Tyr	Thr	Ile	Ala	Val	Asn	Gly	Thr	Ser	Thr	Pro	Ile	Leu	Ser						
				485					490					495							
Lys	Leu	Lys	Ile	Ser	Asn	Lys	Gln	Leu	Ile	Ser	Tyr	Lys	Tyr	Leu	Asn						
			500					505					510								
Asp	Lys	Val	Lys	Ser	Val	Leu	Lys	Ser	Glu	Arg	Gly	Ile	Ser	Asp	Leu						
		515					520					525									
Asp	Leu	Lys	Phe	Ala	Lys	Gln	Ala	Lys	Tyr	Thr	Val	Tyr	Phe	Lys	Asn						
	530					535					540										
Gly	Lys	Lys	Gln	Val	Val	Asn	Leu	Lys	Ser	Asp	Ile	Phe	Thr	Pro	Asn						
545					550					555					560						
Leu	Phe	Ser	Ala	Lys	Asp	Ile	Lys	Lys	Ile	Asp	Ile	Asp	Val	Lys	Gln						
				565					570					575							
Tyr	Thr	Lys	Ser	Lys	Lys	Asn	Lys														
			580																		

<210> SEQ ID NO 24  
 <211> LENGTH: 10419  
 <212> TYPE: PRT  
 <213> ORGANISM: Staphylococcus sp

<400> SEQUENCE: 24

Met	Asn	Tyr	Arg	Asp	Lys	Ile	Gln	Lys	Phe	Ser	Ile	Arg	Lys	Tyr	Thr											
1				5					10					15												
Val	Gly	Thr	Phe	Ser	Thr	Val	Ile	Ala	Thr	Leu	Val	Phe	Leu	Gly	Phe											
			20					25					30													
Asn	Thr	Ser	Gln	Ala	His	Ala	Ala	Glu	Thr	Asn	Gln	Pro	Ala	Ser	Val											
		35					40					45														
Val	Lys	Gln	Lys	Gln	Gln	Ser	Asn	Asn	Glu	Gln	Thr	Glu	Asn	Arg	Glu											
	50					55					60															
Ser	Gln	Val	Gln	Asn	Ser	Gln	Asn	Ser	Gln	Asn	Gly	Gln	Ser	Leu	Ser											
65				70						75				80												
Ala	Thr	His	Glu	Asn	Glu	Gln	Pro	Asn	Ile	Ser	Gln	Ala	Asn	Leu	Val											
			85						90					95												
Asp	Gln	Lys	Val	Ala	Gln	Ser	Ser	Thr	Thr	Asn	Asp	Glu	Gln	Pro	Ala											
			100					105					110													
Ser	Gln	Asn	Val	Asn	Thr	Lys	Lys	Asp	Ser	Ala	Thr	Ala	Ala	Thr	Thr											
		115					120					125														
Gln	Pro	Asp	Lys	Glu	Gln	Ser	Lys	His	Lys	Gln	Asn	Glu	Ser	Gln	Ser											
	130					135					140															
Ala	Asn	Lys	Asn	Gly	Asn	Asp	Asn	Arg	Ala	Ala	His	Val	Glu	Asn	His											
145					150					155					160											
Glu	Ala	Asn	Val	Val	Thr	Ala	Ser	Asp	Ser	Ser	Asp	Asn	Gly	Asn	Val											
			165						170					175												
Gln	His	Asp	Arg	Asn	Glu	Leu	Gln	Ala	Phe	Phe	Asp	Ala	Asn	Tyr	His											
			180					185					190													
Asp	Tyr	Arg	Phe	Ile	Asp	Arg	Glu	Asn	Ala	Asp	Ser	Gly	Thr	Phe	Asn											
		195					200					205														
Tyr	Val	Lys	Gly	Ile	Phe	Asp	Lys	Ile	Asn	Thr	Leu	Leu	Gly	Ser	Asn											

-continued

210			215			220									
Asp	Pro	Ile	Asn	Asn	Lys	Asp	Leu	Gln	Leu	Ala	Tyr	Lys	Glu	Leu	Glu
225					230					235					240
Gln	Ala	Val	Ala	Leu	Ile	Arg	Thr	Met	Pro	Gln	Arg	Gln	Gln	Thr	Ser
			245						250						255
Arg	Arg	Ser	Asn	Arg	Ile	Gln	Thr	Arg	Ser	Val	Glu	Ser	Arg	Ala	Ala
			260					265						270	
Glu	Pro	Arg	Ser	Val	Ser	Asp	Tyr	Gln	Asn	Ala	Asn	Ser	Ser	Tyr	Tyr
		275					280					285			
Val	Glu	Asn	Ala	Asn	Asp	Gly	Ser	Gly	Tyr	Pro	Val	Gly	Thr	Tyr	Ile
	290				295						300				
Asn	Ala	Ser	Ser	Lys	Gly	Ala	Pro	Tyr	Asn	Leu	Pro	Thr	Thr	Pro	Trp
305					310					315					320
Asn	Thr	Leu	Lys	Ala	Ser	Asp	Ser	Lys	Glu	Ile	Ala	Leu	Met	Thr	Ala
			325						330					335	
Lys	Gln	Thr	Gly	Asp	Gly	Tyr	Gln	Trp	Val	Ile	Lys	Phe	Asn	Lys	Gly
			340					345					350		
His	Ala	Pro	His	Gln	Asn	Met	Ile	Phe	Trp	Phe	Ala	Leu	Pro	Ala	Asp
		355					360					365			
Gln	Val	Pro	Val	Gly	Arg	Thr	Asp	Phe	Val	Thr	Val	Asn	Ser	Asp	Gly
	370				375						380				
Thr	Asn	Val	Gln	Trp	Ser	His	Gly	Ala	Gly	Ala	Gly	Ala	Asn	Lys	Pro
385				390						395					400
Leu	Gln	Gln	Met	Trp	Glu	Tyr	Gly	Val	Asn	Asp	Pro	His	Arg	Ser	His
			405						410					415	
Asp	Phe	Lys	Ile	Arg	Asn	Arg	Ser	Gly	Gln	Val	Ile	Tyr	Asp	Trp	Pro
			420					425					430		
Thr	Val	His	Ile	Tyr	Ser	Leu	Glu	Asp	Leu	Ser	Arg	Ala	Ser	Asp	Tyr
		435					440					445			
Phe	Ser	Glu	Ala	Gly	Ala	Thr	Pro	Ala	Thr	Lys	Ala	Phe	Gly	Arg	Gln
		450			455						460				
Asn	Phe	Glu	Tyr	Ile	Asn	Gly	Gln	Lys	Pro	Ala	Glu	Ser	Pro	Gly	Val
465				470						475					480
Pro	Lys	Val	Tyr	Thr	Phe	Ile	Gly	Gln	Gly	Asp	Ala	Ser	Tyr	Thr	Ile
			485						490					495	
Ser	Phe	Lys	Thr	Gln	Gly	Pro	Thr	Val	Asn	Lys	Leu	Tyr	Tyr	Ala	Ala
			500					505					510		
Gly	Gly	Arg	Ala	Leu	Glu	Tyr	Asn	Gln	Leu	Phe	Met	Tyr	Ser	Gln	Leu
		515					520					525			
Tyr	Val	Glu	Ser	Thr	Gln	Asp	His	Gln	Gln	Arg	Leu	Asn	Gly	Leu	Arg
		530			535						540				
Gln	Val	Val	Asn	Arg	Thr	Tyr	Arg	Ile	Gly	Thr	Thr	Lys	Arg	Val	Glu
545				550						555					560
Val	Ser	Gln	Gly	Asn	Val	Gln	Thr	Lys	Lys	Val	Leu	Glu	Ser	Thr	Asn
			565						570					575	
Leu	Asn	Ile	Asp	Asp	Phe	Val	Asp	Asp	Pro	Leu	Ser	Tyr	Val	Lys	Thr
			580				585						590		
Pro	Ser	Asn	Lys	Val	Leu	Gly	Phe	Tyr	Ser	Asn	Asn	Ala	Asn	Thr	Asn
		595					600					605			
Ala	Phe	Arg	Pro	Gly	Gly	Ala	Gln	Gln	Leu	Asn	Glu	Tyr	Gln	Leu	Ser
		610			615						620				

-continued

---

Gln	Leu	Phe	Thr	Asp	Gln	Lys	Leu	Gln	Glu	Ala	Ala	Arg	Thr	Arg	Asn	
625					630					635					640	
Pro	Ile	Arg	Leu	Met	Ile	Gly	Phe	Asp	Tyr	Pro	Asp	Ala	Tyr	Gly	Asn	
				645					650					655		
Ser	Glu	Thr	Leu	Val	Pro	Val	Asn	Leu	Thr	Val	Leu	Pro	Glu	Ile	Gln	
			660					665					670			
His	Asn	Ile	Lys	Phe	Phe	Lys	Asn	Asp	Asp	Thr	Gln	Asn	Ile	Ala	Glu	
		675					680					685				
Lys	Pro	Phe	Ser	Lys	Gln	Ala	Gly	His	Pro	Val	Phe	Tyr	Val	Tyr	Ala	
	690					695					700					
Gly	Asn	Gln	Gly	Asn	Ala	Ser	Val	Asn	Leu	Gly	Gly	Ser	Val	Thr	Ser	
705					710					715					720	
Ile	Gln	Pro	Leu	Arg	Ile	Asn	Leu	Thr	Ser	Asn	Glu	Asn	Phe	Thr	Asp	
				725					730						735	
Lys	Asp	Trp	Gln	Ile	Thr	Gly	Ile	Pro	Arg	Thr	Leu	His	Ile	Glu	Asn	
			740					745						750		
Ser	Thr	Asn	Arg	Pro	Asn	Asn	Ala	Arg	Glu	Arg	Asn	Ile	Glu	Leu	Val	
		755					760					765				
Gly	Asn	Leu	Leu	Pro	Gly	Asp	Tyr	Phe	Gly	Thr	Ile	Arg	Phe	Gly	Arg	
	770					775					780					
Lys	Glu	Gln	Leu	Phe	Glu	Ile	Arg	Val	Lys	Pro	His	Thr	Pro	Thr	Ile	
785					790					795					800	
Thr	Thr	Thr	Ala	Glu	Gln	Leu	Arg	Gly	Thr	Ala	Leu	Gln	Lys	Val	Pro	
				805					810						815	
Val	Asn	Ile	Ser	Gly	Ile	Pro	Leu	Asp	Pro	Ser	Ala	Leu	Val	Tyr	Leu	
			820					825						830		
Val	Ala	Pro	Thr	Asn	Gln	Thr	Thr	Asn	Gly	Gly	Ser	Glu	Ala	Asp	Gln	
		835					840					845				
Ile	Pro	Ser	Gly	Tyr	Thr	Ile	Leu	Ala	Thr	Gly	Thr	Pro	Asp	Gly	Val	
	850					855					860					
His	Asn	Thr	Ile	Thr	Ile	Arg	Pro	Gln	Asp	Tyr	Val	Val	Phe	Ile	Pro	
865					870					875					880	
Pro	Val	Gly	Lys	Gln	Ile	Arg	Ala	Val	Val	Tyr	Tyr	Asn	Lys	Val	Val	
				885					890					895		
Ala	Ser	Asn	Met	Ser	Asn	Ala	Val	Thr	Ile	Leu	Pro	Asp	Asp	Ile	Pro	
			900					905						910		
Pro	Thr	Ile	Asn	Asn	Pro	Val	Gly	Ile	Asn	Ala	Lys	Tyr	Tyr	Arg	Gly	
		915					920						925			
Asp	Glu	Val	Asn	Phe	Thr	Met	Gly	Val	Ser	Asp	Arg	His	Ser	Gly	Ile	
	930					935					940					
Lys	Asn	Thr	Thr	Ile	Thr	Thr	Leu	Pro	Asn	Gly	Trp	Thr	Ser	Asn	Leu	
945					950					955					960	
Thr	Lys	Ala	Asp	Lys	Asn	Asn	Gly	Ser	Leu	Ser	Ile	Thr	Gly	Arg	Val	
				965					970					975		
Ser	Met	Asn	Gln	Ala	Phe	Asn	Ser	Asp	Ile	Thr	Phe	Lys	Val	Ser	Ala	
		980						985						990		
Thr	Asp	Asn	Val	Asn	Asn	Thr	Thr	Asn	Asp	Ser	Gln	Ser	Lys	His	Val	
		995					1000						1005			
Ser	Ile	His	Val	Gly	Lys	Ile	Ser	Glu	Asp	Ala	His	Pro	Ile	Val		
	1010					1015						1020				
Leu	Gly	Asn	Thr	Glu	Lys	Val	Val	Val	Val	Asn	Pro	Thr	Ala	Val		
	1025					1030						1035				

-continued

---

Ser	Asn	Asp	Glu	Lys	Gln	Ser	Ile	Ile	Thr	Ala	Phe	Met	Asn	Lys
1040						1045					1050			
Asn	Gln	Asn	Ile	Arg	Gly	Tyr	Leu	Ala	Ser	Thr	Asp	Pro	Val	Thr
1055						1060					1065			
Val	Asp	Asn	Asn	Gly	Asn	Val	Thr	Leu	His	Tyr	Arg	Asp	Gly	Ser
1070						1075					1080			
Ser	Thr	Thr	Leu	Asp	Ala	Thr	Asn	Val	Met	Thr	Tyr	Glu	Pro	Val
1085						1090					1095			
Val	Lys	Pro	Glu	Tyr	Gln	Thr	Val	Asn	Ala	Ala	Lys	Thr	Ala	Thr
1100						1105					1110			
Val	Thr	Ile	Ala	Lys	Gly	Gln	Ser	Phe	Ser	Ile	Gly	Asp	Ile	Lys
1115						1120					1125			
Gln	Tyr	Phe	Thr	Leu	Ser	Asn	Gly	Gln	Pro	Ile	Pro	Ser	Gly	Thr
1130						1135					1140			
Phe	Thr	Asn	Ile	Thr	Ser	Asp	Arg	Thr	Ile	Pro	Thr	Ala	Gln	Glu
1145						1150					1155			
Val	Ser	Gln	Met	Asn	Ala	Gly	Thr	Gln	Leu	Tyr	His	Ile	Thr	Ala
1160						1165					1170			
Thr	Asn	Ala	Tyr	His	Lys	Asp	Ser	Glu	Asp	Phe	Tyr	Ile	Ser	Leu
1175						1180					1185			
Lys	Ile	Ile	Asp	Val	Lys	Gln	Pro	Glu	Gly	Asp	Gln	Arg	Val	Tyr
1190						1195					1200			
Arg	Thr	Ser	Thr	Tyr	Asp	Leu	Thr	Thr	Asp	Glu	Ile	Ser	Lys	Val
1205						1210					1215			
Lys	Gln	Ala	Phe	Ile	Asn	Ala	Asn	Arg	Asp	Val	Ile	Thr	Leu	Ala
1220						1225					1230			
Glu	Gly	Asp	Ile	Ser	Val	Thr	Asn	Thr	Pro	Asn	Gly	Ala	Asn	Val
1235						1240					1245			
Ser	Thr	Ile	Thr	Val	Asn	Ile	Asn	Lys	Gly	Arg	Leu	Thr	Lys	Ser
1250						1255					1260			
Phe	Ala	Ser	Asn	Leu	Ala	Asn	Met	Asn	Phe	Leu	Arg	Trp	Val	Asn
1265						1270					1275			
Phe	Pro	Gln	Asp	Tyr	Thr	Val	Thr	Trp	Thr	Asn	Ala	Lys	Ile	Ala
1280						1285					1290			
Asn	Arg	Pro	Thr	Asp	Gly	Gly	Leu	Ser	Trp	Ser	Asp	Asp	His	Lys
1295						1300					1305			
Ser	Leu	Ile	Tyr	Arg	Tyr	Asp	Ala	Thr	Leu	Gly	Thr	Gln	Ile	Thr
1310						1315					1320			
Thr	Asn	Asp	Ile	Leu	Thr	Met	Leu	Lys	Ala	Thr	Thr	Thr	Val	Pro
1325						1330					1335			
Gly	Leu	Arg	Asn	Asn	Ile	Thr	Gly	Asn	Glu	Lys	Ser	Gln	Ala	Glu
1340						1345					1350			
Ala	Gly	Gly	Arg	Pro	Asn	Phe	Arg	Thr	Thr	Gly	Tyr	Ser	Gln	Ser
1355						1360					1365			
Asn	Ala	Thr	Thr	Asp	Gly	Gln	Arg	Gln	Phe	Thr	Leu	Asn	Gly	Gln
1370						1375					1380			
Val	Ile	Gln	Val	Leu	Asp	Ile	Ile	Asn	Pro	Ser	Asn	Gly	Tyr	Gly
1385						1390					1395			
Gly	Gln	Pro	Val	Thr	Asn	Ser	Asn	Thr	Arg	Ala	Asn	His	Ser	Asn
1400						1405					1410			
Ser	Thr	Val	Val	Asn	Val	Asn	Glu	Pro	Ala	Ala	Asn	Gly	Ala	Gly

-continued

---

1415	1420	1425
Ala Phe Thr Ile Asp His Val Val Lys Ser Asn Ser Thr His Asn 1430 1435 1440		
Ala Ser Asp Ala Val Tyr Lys Ala Gln Leu Tyr Leu Thr Pro Tyr 1445 1450 1455		
Gly Pro Lys Gln Tyr Val Glu His Leu Asn Gln Asn Thr Gly Asn 1460 1465 1470		
Thr Thr Asp Ala Ile Asn Ile Tyr Phe Val Pro Ser Asp Leu Val 1475 1480 1485		
Asn Pro Thr Ile Ser Val Gly Asn Tyr Thr Asn His Gln Val Phe 1490 1495 1500		
Ser Gly Glu Thr Phe Thr Asn Thr Ile Thr Ala Asn Asp Asn Phe 1505 1510 1515		
Gly Val Gln Ser Val Thr Val Pro Asn Thr Ser Gln Ile Thr Gly 1520 1525 1530		
Thr Val Asp Asn Asn His Gln His Val Ser Ala Thr Ala Pro Asn 1535 1540 1545		
Val Thr Ser Ala Thr Asn Lys Thr Ile Asn Leu Leu Ala Thr Asp 1550 1555 1560		
Thr Ser Gly Asn Thr Ala Thr Thr Ser Phe Asn Val Thr Val Lys 1565 1570 1575		
Pro Leu Arg Asp Lys Tyr Arg Val Gly Thr Ser Ser Thr Ala Ala 1580 1585 1590		
Asn Pro Val Arg Ile Ala Asn Ile Ser Asn Asn Ala Thr Val Ser 1595 1600 1605		
Gln Ala Asp Gln Thr Thr Ile Ile Asn Ser Leu Thr Phe Thr Glu 1610 1615 1620		
Thr Val Pro Asn Arg Ser Tyr Ala Arg Ala Ser Ala Asn Glu Ile 1625 1630 1635		
Thr Ser Lys Thr Val Ser Asn Val Ser Arg Thr Gly Asn Asn Ala 1640 1645 1650		
Asn Val Thr Val Thr Val Thr Tyr Gln Asp Gly Thr Thr Ser Thr 1655 1660 1665		
Val Thr Val Pro Val Lys His Val Ile Pro Glu Ile Val Ala His 1670 1675 1680		
Ser His Tyr Thr Val Gln Gly Gln Asp Phe Pro Ala Gly Asn Gly 1685 1690 1695		
Ser Ser Ala Ser Asp Tyr Phe Lys Leu Ser Asn Gly Ser Asp Ile 1700 1705 1710		
Ala Asp Ala Thr Ile Thr Trp Val Ser Gly Gln Ala Pro Asn Lys 1715 1720 1725		
Asp Asn Thr Arg Ile Gly Glu Asp Ile Thr Val Thr Ala His Ile 1730 1735 1740		
Leu Ile Asp Gly Glu Thr Thr Pro Ile Thr Lys Thr Ala Thr Tyr 1745 1750 1755		
Lys Val Val Arg Thr Val Pro Lys His Val Phe Glu Thr Ala Arg 1760 1765 1770		
Gly Val Leu Tyr Pro Gly Val Ser Asp Met Tyr Asp Ala Lys Gln 1775 1780 1785		
Tyr Val Lys Pro Val Asn Asn Ser Trp Ser Thr Asn Ala Gln His 1790 1795 1800		

-continued

Met	Asn	Phe	Gln	Phe	Val	Gly	Thr	Tyr	Gly	Pro	Asn	Lys	Asp	Val
	1805					1810						1815		
Val	Gly	Ile	Ser	Thr	Arg	Leu	Ile	Arg	Val	Thr	Tyr	Asp	Asn	Arg
	1820					1825						1830		
Gln	Thr	Glu	Asp	Leu	Thr	Ile	Leu	Ser	Lys	Val	Lys	Pro	Asp	Pro
	1835					1840						1845		
Pro	Arg	Ile	Asp	Ala	Asn	Ser	Val	Thr	Tyr	Lys	Ala	Gly	Leu	Thr
	1850					1855						1860		
Asn	Gln	Glu	Ile	Lys	Val	Asn	Asn	Val	Leu	Asn	Asn	Ser	Ser	Val
	1865					1870						1875		
Lys	Leu	Phe	Lys	Ala	Asp	Asn	Thr	Pro	Leu	Asn	Val	Thr	Asn	Ile
	1880					1885						1890		
Thr	His	Gly	Ser	Gly	Phe	Ser	Ser	Val	Val	Thr	Val	Ser	Asp	Ala
	1895					1900						1905		
Leu	Pro	Asn	Gly	Gly	Ile	Lys	Ala	Lys	Ser	Ser	Ile	Ser	Met	Asn
	1910					1915						1920		
Asn	Val	Thr	Tyr	Thr	Thr	Gln	Asp	Glu	His	Gly	Gln	Val	Val	Thr
	1925					1930						1935		
Val	Thr	Arg	Asn	Glu	Ser	Val	Asp	Ser	Asn	Asp	Ser	Ala	Thr	Val
	1940					1945						1950		
Thr	Val	Thr	Pro	Gln	Leu	Gln	Ala	Thr	Thr	Glu	Gly	Ala	Val	Phe
	1955					1960						1965		
Ile	Lys	Gly	Gly	Asp	Gly	Phe	Asp	Phe	Gly	His	Val	Glu	Arg	Phe
	1970					1975						1980		
Ile	Gln	Asn	Pro	Pro	His	Gly	Ala	Thr	Val	Ala	Trp	His	Asp	Ser
	1985					1990						1995		
Pro	Asp	Thr	Trp	Lys	Asn	Thr	Val	Gly	Asn	Thr	His	Lys	Thr	Ala
	2000					2005						2010		
Val	Val	Thr	Leu	Pro	Asn	Gly	Gln	Gly	Thr	Arg	Asn	Val	Glu	Val
	2015					2020						2025		
Pro	Val	Lys	Val	Tyr	Pro	Val	Ala	Asn	Ala	Lys	Ala	Pro	Ser	Arg
	2030					2035						2040		
Asp	Val	Lys	Gly	Gln	Asn	Leu	Thr	Asn	Gly	Thr	Asp	Ala	Met	Asn
	2045					2050						2055		
Tyr	Ile	Thr	Phe	Asp	Pro	Asn	Thr	Asn	Thr	Asn	Gly	Ile	Thr	Ala
	2060					2065						2070		
Ala	Trp	Ala	Asn	Arg	Gln	Gln	Pro	Asn	Asn	Gln	Gln	Ala	Gly	Val
	2075					2080						2085		
Gln	His	Leu	Asn	Val	Asp	Val	Thr	Tyr	Pro	Gly	Ile	Ser	Ala	Ala
	2090					2095						2100		
Lys	Arg	Val	Pro	Val	Thr	Val	Asn	Val	Tyr	Gln	Phe	Glu	Phe	Pro
	2105					2110						2115		
Gln	Thr	Thr	Tyr	Thr	Thr	Thr	Val	Gly	Gly	Thr	Leu	Ala	Ser	Gly
	2120					2125						2130		
Thr	Gln	Ala	Ser	Gly	Tyr	Ala	His	Met	Gln	Asn	Ala	Thr	Gly	Leu
	2135					2140						2145		
Pro	Thr	Asp	Gly	Phe	Thr	Tyr	Lys	Trp	Asn	Arg	Asp	Thr	Thr	Gly
	2150					2155						2160		
Thr	Asn	Asp	Ala	Asn	Trp	Ser	Ala	Met	Asn	Lys	Pro	Asn	Val	Ala
	2165					2170						2175		
Lys	Val	Val	Asn	Ala	Lys	Tyr	Asp	Val	Ile	Tyr	Asn	Gly	His	Thr
	2180					2185						2190		

-continued

---

Phe	Ala	Thr	Ser	Leu	Pro	Ala	Lys	Phe	Val	Val	Lys	Asp	Val	Gln
2195						2200					2205			
Pro	Ala	Lys	Pro	Thr	Val	Thr	Glu	Thr	Ala	Ala	Gly	Ala	Ile	Thr
2210						2215					2220			
Ile	Ala	Pro	Gly	Ala	Asn	Gln	Thr	Val	Asn	Thr	His	Ala	Gly	Asn
2225						2230					2235			
Val	Thr	Thr	Tyr	Ala	Asp	Lys	Leu	Val	Ile	Lys	Arg	Asn	Gly	Asn
2240						2245					2250			
Val	Val	Thr	Thr	Phe	Thr	Arg	Arg	Asn	Asn	Thr	Ser	Pro	Trp	Val
2255						2260					2265			
Lys	Glu	Ala	Ser	Ala	Ala	Thr	Val	Ala	Gly	Ile	Ala	Gly	Thr	Asn
2270						2275					2280			
Asn	Gly	Ile	Thr	Val	Ala	Ala	Gly	Thr	Phe	Asn	Pro	Ala	Asp	Thr
2285						2290					2295			
Ile	Gln	Val	Val	Ala	Thr	Gln	Gly	Ser	Gly	Glu	Thr	Val	Ser	Asp
2300						2305					2310			
Glu	Gln	Arg	Ser	Asp	Asp	Phe	Thr	Val	Val	Ala	Pro	Gln	Pro	Asn
2315						2320					2325			
Gln	Ala	Thr	Thr	Lys	Ile	Trp	Gln	Asn	Gly	His	Ile	Asp	Ile	Thr
2330						2335					2340			
Pro	Asn	Asn	Pro	Ser	Gly	His	Leu	Ile	Asn	Pro	Thr	Gln	Ala	Met
2345						2350					2355			
Asp	Ile	Ala	Tyr	Thr	Glu	Lys	Val	Gly	Asn	Gly	Ala	Glu	His	Ser
2360						2365					2370			
Lys	Thr	Ile	Asn	Val	Val	Arg	Gly	Gln	Asn	Asn	Gln	Trp	Thr	Ile
2375						2380					2385			
Ala	Asn	Lys	Pro	Asp	Tyr	Val	Thr	Leu	Asp	Ala	Gln	Thr	Gly	Lys
2390						2395					2400			
Val	Thr	Phe	Asn	Ala	Asn	Thr	Ile	Lys	Pro	Asn	Ser	Ser	Ile	Thr
2405						2410					2415			
Ile	Thr	Pro	Lys	Ala	Gly	Thr	Gly	His	Ser	Val	Ser	Ser	Asn	Pro
2420						2425					2430			
Ser	Thr	Leu	Thr	Ala	Pro	Ala	Ala	His	Thr	Val	Asn	Thr	Thr	Glu
2435						2440					2445			
Ile	Val	Lys	Asp	Tyr	Gly	Ser	Asn	Val	Thr	Ala	Ala	Glu	Ile	Asn
2450						2455					2460			
Asn	Ala	Val	Gln	Val	Ala	Asn	Lys	Arg	Thr	Ala	Thr	Ile	Lys	Asn
2465						2470					2475			
Gly	Thr	Ala	Met	Pro	Thr	Asn	Leu	Ala	Gly	Gly	Ser	Thr	Thr	Thr
2480						2485					2490			
Ile	Pro	Val	Thr	Val	Thr	Tyr	Asn	Asp	Gly	Ser	Thr	Glu	Glu	Val
2495						2500					2505			
Gln	Glu	Ser	Ile	Phe	Thr	Lys	Ala	Asp	Lys	Arg	Glu	Leu	Ile	Thr
2510						2515					2520			
Ala	Lys	Asn	His	Leu	Asp	Asp	Pro	Val	Ser	Thr	Glu	Gly	Lys	Lys
2525						2530					2535			
Pro	Gly	Thr	Ile	Thr	Gln	Tyr	Asn	Asn	Ala	Met	His	Asn	Ala	Gln
2540						2545					2550			
Gln	Gln	Ile	Asn	Thr	Ala	Lys	Thr	Glu	Ala	Gln	Gln	Val	Ile	Asn
2555						2560					2565			
Asn	Glu	Arg	Ala	Thr	Pro	Gln	Gln	Val	Ser	Asp	Ala	Leu	Thr	Lys

-continued

2570	2575	2580
Val Arg Ala Ala Gln Thr Lys Ile Asp Gln Ala Lys Ala Leu Leu 2585 2590 2595		
Gln Asn Lys Glu Asp Asn Ser Gln Leu Val Thr Ser Lys Asn Asn 2600 2605 2610		
Leu Gln Ser Ser Val Asn Gln Val Pro Ser Thr Ala Gly Met Thr 2615 2620 2625		
Gln Gln Ser Ile Asp Asn Tyr Asn Ala Lys Lys Arg Glu Ala Glu 2630 2635 2640		
Thr Glu Ile Thr Ala Ala Gln Arg Val Ile Asp Asn Gly Asp Ala 2645 2650 2655		
Thr Ala Gln Gln Ile Ser Asp Glu Lys His Arg Val Asp Asn Ala 2660 2665 2670		
Leu Thr Ala Leu Asn Gln Ala Lys His Asp Leu Thr Ala Asp Thr 2675 2680 2685		
His Ala Leu Glu Gln Ala Val Gln Gln Leu Asn Arg Thr Gly Thr 2690 2695 2700		
Thr Thr Gly Lys Lys Pro Ala Ser Ile Thr Ala Tyr Asn Asn Ser 2705 2710 2715		
Ile Arg Ala Leu Gln Ser Asp Leu Thr Ser Ala Lys Asn Ser Ala 2720 2725 2730		
Asn Ala Ile Ile Gln Lys Pro Ile Arg Thr Val Gln Glu Val Gln 2735 2740 2745		
Ser Ala Leu Thr Asn Val Asn Arg Val Asn Glu Arg Leu Thr Gln 2750 2755 2760		
Ala Ile Asn Gln Leu Val Pro Leu Ala Asp Asn Ser Ala Leu Lys 2765 2770 2775		
Thr Ala Lys Thr Lys Leu Asp Glu Glu Ile Asn Lys Ser Val Thr 2780 2785 2790		
Thr Asp Gly Met Thr Gln Ser Ser Ile Gln Ala Tyr Glu Asn Ala 2795 2800 2805		
Lys Arg Ala Gly Gln Thr Glu Ser Thr Asn Ala Gln Asn Val Ile 2810 2815 2820		
Asn Asn Gly Asp Ala Thr Asp Gln Gln Ile Ala Ala Glu Lys Thr 2825 2830 2835		
Lys Val Glu Glu Lys Tyr Asn Ser Leu Lys Gln Ala Ile Ala Gly 2840 2845 2850		
Leu Thr Pro Asp Leu Ala Pro Leu Gln Thr Ala Lys Thr Gln Leu 2855 2860 2865		
Gln Asn Asp Ile Asp Gln Pro Thr Ser Thr Thr Gly Met Thr Ser 2870 2875 2880		
Ala Ser Ile Ala Ala Phe Asn Glu Lys Leu Ser Ala Ala Arg Thr 2885 2890 2895		
Lys Ile Gln Glu Ile Asp Arg Val Leu Ala Ser His Pro Asp Val 2900 2905 2910		
Ala Thr Ile Arg Gln Asn Val Thr Ala Ala Asn Ala Ala Lys Ser 2915 2920 2925		
Ala Leu Asp Gln Ala Arg Asn Gly Leu Thr Val Asp Lys Ala Pro 2930 2935 2940		
Leu Glu Asn Ala Lys Asn Gln Leu Gln His Ser Ile Asp Thr Gln 2945 2950 2955		

-continued

Thr	Ser	Thr	Thr	Gly	Met	Thr	Gln	Asp	Ser	Ile	Asn	Ala	Tyr	Asn
	2960					2965					2970			
Ala	Lys	Leu	Thr	Ala	Ala	Arg	Asn	Lys	Ile	Gln	Gln	Ile	Asn	Gln
	2975					2980					2985			
Val	Leu	Ala	Gly	Ser	Pro	Thr	Val	Glu	Gln	Ile	Asn	Thr	Asn	Thr
	2990					2995					3000			
Ser	Thr	Ala	Asn	Gln	Ala	Lys	Ser	Asp	Leu	Asp	His	Ala	Arg	Gln
	3005					3010					3015			
Ala	Leu	Thr	Pro	Asp	Lys	Ala	Pro	Leu	Gln	Thr	Ala	Lys	Thr	Gln
	3020					3025					3030			
Leu	Glu	Gln	Ser	Ile	Asn	Gln	Pro	Thr	Asp	Thr	Thr	Gly	Met	Thr
	3035					3040					3045			
Thr	Ala	Ser	Leu	Asn	Ala	Tyr	Asn	Gln	Lys	Leu	Gln	Ala	Ala	Arg
	3050					3055					3060			
Gln	Lys	Leu	Thr	Glu	Ile	Asn	Gln	Val	Leu	Asn	Gly	Asn	Pro	Thr
	3065					3070					3075			
Val	Gln	Asn	Ile	Asn	Asp	Lys	Val	Thr	Glu	Ala	Asn	Gln	Ala	Lys
	3080					3085					3090			
Asp	Gln	Leu	Asn	Thr	Ala	Arg	Gln	Gly	Leu	Thr	Leu	Asp	Arg	Gln
	3095					3100					3105			
Pro	Ala	Leu	Thr	Thr	Leu	His	Gly	Ala	Ser	Asn	Leu	Asn	Gln	Ala
	3110					3115					3120			
Gln	Gln	Asn	Asn	Phe	Thr	Gln	Gln	Ile	Asn	Ala	Ala	Gln	Asn	His
	3125					3130					3135			
Ala	Ala	Leu	Glu	Thr	Ile	Lys	Ser	Asn	Ile	Thr	Ala	Leu	Asn	Thr
	3140					3145					3150			
Ala	Met	Thr	Lys	Leu	Lys	Asp	Ser	Val	Ala	Asp	Asn	Asn	Thr	Ile
	3155					3160					3165			
Lys	Ser	Asp	Gln	Asn	Tyr	Thr	Asp	Ala	Thr	Pro	Ala	Asn	Lys	Gln
	3170					3175					3180			
Ala	Tyr	Asp	Asn	Ala	Val	Asn	Ala	Ala	Lys	Gly	Val	Ile	Gly	Glu
	3185					3190					3195			
Thr	Thr	Asn	Pro	Thr	Met	Asp	Val	Asn	Thr	Val	Asn	Gln	Lys	Ala
	3200					3205					3210			
Ala	Ser	Val	Lys	Ser	Thr	Lys	Asp	Ala	Leu	Asp	Gly	Gln	Gln	Asn
	3215					3220					3225			
Leu	Gln	Arg	Ala	Lys	Thr	Glu	Ala	Thr	Asn	Ala	Ile	Thr	His	Ala
	3230					3235					3240			
Ser	Asp	Leu	Asn	Gln	Ala	Gln	Lys	Asn	Ala	Leu	Thr	Gln	Gln	Val
	3245					3250					3255			
Asn	Ser	Ala	Gln	Asn	Val	Gln	Ala	Val	Asn	Asp	Ile	Lys	Gln	Thr
	3260					3265					3270			
Thr	Gln	Ser	Leu	Asn	Thr	Ala	Met	Thr	Gly	Leu	Lys	Arg	Gly	Val
	3275					3280					3285			
Ala	Asn	His	Asn	Gln	Val	Val	Gln	Ser	Asp	Asn	Tyr	Val	Asn	Ala
	3290					3295					3300			
Asp	Thr	Asn	Lys	Lys	Asn	Asp	Tyr	Asn	Asn	Ala	Tyr	Asn	His	Ala
	3305					3310					3315			
Asn	Asp	Ile	Ile	Asn	Gly	Asn	Ala	Gln	His	Pro	Val	Ile	Thr	Pro
	3320					3325					3330			
Ser	Asp	Val	Asn	Asn	Ala	Leu	Ser	Asn	Val	Thr	Ser	Lys	Glu	His
	3335					3340					3345			

-continued

---

Ala	Leu	Asn	Gly	Glu	Ala	Lys	Leu	Asn	Ala	Ala	Lys	Gln	Glu	Ala
3350						3355					3360			
Asn	Thr	Ala	Leu	Gly	His	Leu	Asn	Asn	Leu	Asn	Asn	Ala	Gln	Arg
3365						3370					3375			
Gln	Asn	Leu	Gln	Ser	Gln	Ile	Asn	Gly	Ala	His	Gln	Ile	Asp	Ala
3380						3385					3390			
Val	Asn	Thr	Ile	Lys	Gln	Asn	Ala	Thr	Asn	Leu	Asn	Ser	Ala	Met
3395						3400					3405			
Gly	Asn	Leu	Arg	Gln	Ala	Val	Ala	Asp	Lys	Asp	Gln	Val	Lys	Arg
3410						3415					3420			
Thr	Glu	Asp	Tyr	Ala	Asp	Ala	Asp	Thr	Ala	Lys	Gln	Asn	Ala	Tyr
3425						3430					3435			
Asn	Ser	Ala	Val	Ser	Ser	Ala	Glu	Thr	Ile	Ile	Asn	Gln	Thr	Thr
3440						3445					3450			
Asn	Pro	Thr	Met	Ser	Val	Asp	Asp	Val	Asn	Arg	Ala	Thr	Ser	Ala
3455						3460					3465			
Val	Thr	Ser	Asn	Lys	Asn	Ala	Leu	Asn	Gly	Tyr	Glu	Lys	Leu	Ala
3470						3475					3480			
Gln	Ser	Lys	Thr	Asp	Ala	Ala	Arg	Ala	Ile	Asp	Ala	Leu	Pro	His
3485						3490					3495			
Leu	Asn	Asn	Ala	Gln	Lys	Ala	Asp	Val	Lys	Ser	Lys	Ile	Asn	Ala
3500						3505					3510			
Ala	Ser	Asn	Ile	Ala	Gly	Val	Asn	Thr	Val	Lys	Gln	Gln	Gly	Thr
3515						3520					3525			
Asp	Leu	Asn	Thr	Ala	Met	Gly	Asn	Leu	Gln	Gly	Ala	Ile	Asn	Asp
3530						3535					3540			
Glu	Gln	Thr	Thr	Leu	Asn	Ser	Gln	Asn	Tyr	Gln	Asp	Ala	Thr	Pro
3545						3550					3555			
Ser	Lys	Lys	Thr	Ala	Tyr	Thr	Asn	Ala	Val	Gln	Ala	Ala	Lys	Asp
3560						3565					3570			
Ile	Leu	Asn	Lys	Ser	Asn	Gly	Gln	Asn	Lys	Thr	Lys	Asp	Gln	Val
3575						3580					3585			
Thr	Glu	Ala	Met	Asn	Gln	Val	Asn	Ser	Ala	Lys	Asn	Asn	Leu	Asp
3590						3595					3600			
Gly	Thr	Arg	Leu	Leu	Asp	Gln	Ala	Lys	Gln	Thr	Ala	Lys	Gln	Gln
3605						3610					3615			
Leu	Asn	Asn	Met	Thr	His	Leu	Thr	Thr	Ala	Gln	Lys	Thr	Asn	Leu
3620						3625					3630			
Thr	Asn	Gln	Ile	Asn	Ser	Gly	Thr	Thr	Val	Ala	Gly	Val	Gln	Thr
3635						3640					3645			
Val	Gln	Ser	Asn	Ala	Asn	Thr	Leu	Asp	Gln	Ala	Met	Asn	Thr	Leu
3650						3655					3660			
Arg	Gln	Ser	Ile	Ala	Asn	Lys	Asp	Ala	Thr	Lys	Ala	Ser	Glu	Asp
3665						3670					3675			
Tyr	Val	Asp	Ala	Asn	Asn	Asp	Lys	Gln	Thr	Ala	Tyr	Asn	Asn	Ala
3680						3685					3690			
Val	Ala	Ala	Ala	Glu	Thr	Ile	Ile	Asn	Ala	Asn	Ser	Asn	Pro	Glu
3695						3700					3705			
Met	Asn	Pro	Ser	Thr	Ile	Thr	Gln	Lys	Ala	Glu	Gln	Val	Asn	Ser
3710						3715					3720			
Ser	Lys	Thr	Ala	Leu	Asn	Gly	Asp	Glu	Asn	Leu	Ala	Ala	Ala	Lys

-continued

3725	3730	3735
Gln Asn Ala Lys Thr Tyr 3740	Leu Asn Thr Leu Thr 3745	Ser Ile Thr Asp 3750
Ala Gln Lys Asn Asn Leu 3755	Ile Ser Gln Ile Thr 3760	Ser Ala Thr Arg 3765
Val Ser Gly Val Asp Thr 3770	Val Lys Gln Asn Ala 3775	Gln His Leu Asp 3780
Gln Ala Met Ala Ser Leu 3785	Gln Asn Gly Ile Asn 3790	Asn Glu Ser Gln 3795
Val Lys Ser Ser Glu Lys 3800	Tyr Arg Asp Ala Asp 3805	Thr Asn Lys Gln 3810
Gln Glu Tyr Asp Asn Ala 3815	Ile Thr Ala Ala Lys 3820	Ala Ile Leu Asn 3825
Lys Ser Thr Gly Pro Asn 3830	Thr Ala Gln Asn Ala 3835	Val Glu Ala Ala 3840
Leu Gln Arg Val Asn Asn 3845	Ala Lys Asp Ala Leu 3850	Asn Gly Asp Ala 3855
Lys Leu Ile Ala Ala Gln 3860	Asn Ala Ala Lys Gln 3865	His Leu Gly Thr 3870
Leu Thr His Ile Thr Thr 3875	Ala Gln Arg Asn Asp 3880	Leu Thr Asn Gln 3885
Ile Ser Gln Ala Thr Asn 3890	Leu Ala Gly Val Glu 3895	Ser Val Lys Gln 3900
Asn Ala Asn Ser Leu Asp 3905	Gly Ala Met Gly Asn 3910	Leu Gln Thr Ala 3915
Ile Asn Asp Lys Ser Gly 3920	Thr Leu Ala Ser Gln 3925	Asn Phe Leu Asp 3930
Ala Asp Glu Gln Lys Arg 3935	Asn Ala Tyr Asn Gln 3940	Ala Val Ser Ala 3945
Ala Glu Thr Ile Leu Asn 3950	Lys Gln Thr Gly Pro 3955	Asn Thr Ala Lys 3960
Thr Ala Val Glu Gln Ala 3965	Leu Asn Asn Val Asn 3970	Asn Ala Lys His 3975
Ala Leu Asn Gly Thr Gln 3980	Asn Leu Asn Asn Ala 3985	Lys Gln Ala Ala 3990
Ile Thr Ala Ile Asn Gly 3995	Ala Ser Asp Leu Asn 4000	Gln Lys Gln Lys 4005
Asp Ala Leu Lys Ala Gln 4010	Ala Asn Gly Ala Gln 4015	Arg Val Ser Asn 4020
Ala Gln Asp Val Gln His 4025	Asn Ala Thr Glu Leu 4030	Asn Thr Ala Met 4035
Gly Thr Leu Lys His Ala 4040	Ile Ala Asp Lys Thr 4045	Asn Thr Leu Ala 4050
Ser Ser Lys Tyr Val Asn 4055	Ala Asp Ser Thr Lys 4060	Gln Asn Ala Tyr 4065
Thr Thr Lys Val Thr Asn 4070	Ala Glu His Ile Ile 4075	Ser Gly Thr Pro 4080
Thr Val Val Thr Thr Pro 4085	Ser Glu Val Thr Ala 4090	Ala Ala Asn Gln 4095
Val Asn Ser Ala Lys Gln 4100	Glu Leu Asn Gly Asp 4105	Glu Arg Leu Arg 4110

-continued

Glu	Ala	Lys	Gln	Asn	Ala	Asn	Thr	Ala	Ile	Asp	Ala	Leu	Thr	Gln
	4115					4120						4125		
Leu	Asn	Thr	Pro	Gln	Lys	Ala	Lys	Leu	Lys	Glu	Gln	Val	Gly	Gln
	4130					4135						4140		
Ala	Asn	Arg	Leu	Glu	Asp	Val	Gln	Thr	Val	Gln	Thr	Asn	Gly	Gln
	4145					4150						4155		
Ala	Leu	Asn	Asn	Ala	Met	Lys	Gly	Leu	Arg	Asp	Ser	Ile	Ala	Asn
	4160					4165						4170		
Glu	Thr	Thr	Val	Lys	Thr	Ser	Gln	Asn	Tyr	Thr	Asp	Ala	Ser	Pro
	4175					4180						4185		
Asn	Asn	Gln	Ser	Thr	Tyr	Asn	Ser	Ala	Val	Ser	Asn	Ala	Lys	Gly
	4190					4195						4200		
Ile	Ile	Asn	Gln	Thr	Asn	Asn	Pro	Thr	Met	Asp	Thr	Ser	Ala	Ile
	4205					4210						4215		
Thr	Gln	Ala	Thr	Thr	Gln	Val	Asn	Asn	Ala	Lys	Asn	Gly	Leu	Asn
	4220					4225						4230		
Gly	Ala	Glu	Asn	Leu	Arg	Asn	Ala	Gln	Asn	Thr	Ala	Lys	Gln	Asn
	4235					4240						4245		
Leu	Asn	Thr	Leu	Ser	His	Leu	Thr	Asn	Asn	Gln	Lys	Ser	Ala	Ile
	4250					4255						4260		
Ser	Ser	Gln	Ile	Asp	Arg	Ala	Gly	His	Val	Ser	Glu	Val	Thr	Ala
	4265					4270						4275		
Thr	Lys	Asn	Ala	Ala	Thr	Glu	Leu	Asn	Thr	Gln	Met	Gly	Asn	Leu
	4280					4285						4290		
Glu	Gln	Ala	Ile	His	Asp	Gln	Asn	Thr	Val	Lys	Gln	Ser	Val	Lys
	4295					4300						4305		
Phe	Thr	Asp	Ala	Asp	Lys	Ala	Lys	Arg	Asp	Ala	Tyr	Thr	Asn	Ala
	4310					4315						4320		
Val	Ser	Arg	Ala	Glu	Ala	Ile	Leu	Asn	Lys	Thr	Gln	Gly	Ala	Asn
	4325					4330						4335		
Thr	Ser	Lys	Gln	Asp	Val	Glu	Ala	Ala	Ile	Gln	Asn	Val	Ser	Ser
	4340					4345						4350		
Ala	Lys	Asn	Ala	Leu	Asn	Gly	Asp	Gln	Asn	Val	Thr	Asn	Ala	Lys
	4355					4360						4365		
Asn	Ala	Ala	Lys	Asn	Ala	Leu	Asn	Asn	Leu	Thr	Ser	Ile	Asn	Asn
	4370					4375						4380		
Ala	Gln	Lys	Arg	Asp	Leu	Thr	Thr	Lys	Ile	Asp	Gln	Ala	Thr	Thr
	4385					4390						4395		
Val	Ala	Gly	Val	Glu	Ala	Val	Ser	Asn	Thr	Ser	Thr	Gln	Leu	Asn
	4400					4405						4410		
Thr	Ala	Met	Ala	Asn	Leu	Gln	Asn	Gly	Ile	Asn	Asp	Lys	Thr	Asn
	4415					4420						4425		
Thr	Leu	Ala	Ser	Glu	Asn	Tyr	His	Asp	Ala	Asp	Ser	Asp	Lys	Lys
	4430					4435						4440		
Thr	Ala	Tyr	Thr	Gln	Ala	Val	Thr	Asn	Ala	Glu	Asn	Ile	Leu	Asn
	4445					4450						4455		
Lys	Asn	Ser	Gly	Ser	Asn	Leu	Asp	Lys	Thr	Ala	Val	Glu	Asn	Ala
	4460					4465						4470		
Leu	Ser	Gln	Val	Ala	Asn	Ala	Lys	Gly	Ala	Leu	Asn	Gly	Asn	His
	4475					4480						4485		
Asn	Leu	Glu	Gln	Ala	Lys	Ser	Asn	Ala	Asn	Thr	Thr	Ile	Asn	Gly
	4490					4495						4500		

-continued

---

Leu	Gln	His	Leu	Thr	Thr	Ala	Gln	Lys	Asp	Lys	Leu	Lys	Gln	Gln
4505						4510					4515			
Val	Gln	Gln	Ala	Gln	Asn	Val	Ala	Gly	Val	Asp	Thr	Val	Lys	Ser
4520						4525					4530			
Ser	Ala	Asn	Thr	Leu	Asn	Gly	Ala	Met	Gly	Thr	Leu	Arg	Asn	Ser
4535						4540					4545			
Ile	Gln	Asp	Asn	Thr	Ala	Thr	Lys	Asn	Gly	Gln	Asn	Tyr	Leu	Asp
4550						4555					4560			
Ala	Thr	Glu	Arg	Asn	Lys	Thr	Asn	Tyr	Asn	Asn	Ala	Val	Asp	Ser
4565						4570					4575			
Ala	Asn	Gly	Val	Ile	Asn	Ala	Thr	Ser	Asn	Pro	Asn	Met	Asp	Ala
4580						4585					4590			
Asn	Ala	Ile	Asn	Gln	Ile	Ala	Thr	Gln	Val	Thr	Ser	Thr	Lys	Asn
4595						4600					4605			
Ala	Leu	Asp	Gly	Thr	His	Asn	Leu	Thr	Gln	Ala	Lys	Gln	Thr	Ala
4610						4615					4620			
Thr	Asn	Ala	Ile	Asp	Gly	Ala	Thr	Asn	Leu	Asn	Lys	Ala	Gln	Lys
4625						4630					4635			
Asp	Ala	Leu	Lys	Ala	Gln	Val	Thr	Ser	Ala	Gln	Arg	Val	Ala	Asn
4640						4645					4650			
Val	Thr	Ser	Ile	Gln	Gln	Thr	Ala	Asn	Glu	Leu	Asn	Thr	Ala	Met
4655						4660					4665			
Gly	Gln	Leu	Gln	His	Gly	Ile	Asp	Asp	Glu	Asn	Ala	Thr	Lys	Gln
4670						4675					4680			
Thr	Gln	Lys	Tyr	Arg	Asp	Ala	Glu	Gln	Ser	Lys	Lys	Thr	Ala	Tyr
4685						4690					4695			
Asp	Gln	Ala	Val	Ala	Ala	Ala	Lys	Ala	Ile	Leu	Asn	Lys	Gln	Thr
4700						4705					4710			
Gly	Ser	Asn	Ser	Asp	Lys	Ala	Ala	Val	Asp	Arg	Ala	Leu	Gln	Gln
4715						4720					4725			
Val	Thr	Ser	Thr	Lys	Asp	Ala	Leu	Asn	Gly	Asp	Ala	Lys	Leu	Ala
4730						4735					4740			
Glu	Ala	Lys	Ala	Ala	Ala	Lys	Gln	Asn	Leu	Gly	Thr	Leu	Asn	His
4745						4750					4755			
Ile	Thr	Asn	Ala	Gln	Arg	Thr	Asp	Leu	Glu	Gly	Gln	Ile	Asn	Gln
4760						4765					4770			
Ala	Thr	Thr	Val	Asp	Gly	Val	Asn	Thr	Val	Lys	Thr	Asn	Ala	Asn
4775						4780					4785			
Thr	Leu	Asp	Gly	Ala	Met	Asn	Ser	Leu	Gln	Gly	Ser	Ile	Asn	Asp
4790						4795					4800			
Lys	Asp	Ala	Thr	Leu	Arg	Asn	Gln	Asn	Tyr	Leu	Asp	Ala	Asp	Glu
4805						4810					4815			
Ser	Lys	Arg	Asn	Ala	Tyr	Thr	Gln	Ala	Val	Thr	Ala	Ala	Glu	Gly
4820						4825					4830			
Ile	Leu	Asn	Lys	Gln	Thr	Gly	Gly	Asn	Thr	Ser	Lys	Ala	Asp	Val
4835						4840					4845			
Asp	Asn	Ala	Leu	Asn	Ala	Val	Thr	Arg	Ala	Lys	Ala	Ala	Leu	Asn
4850						4855					4860			
Gly	Ala	Asp	Asn	Leu	Arg	Asn	Ala	Lys	Thr	Ser	Ala	Thr	Asn	Thr
4865						4870					4875			
Ile	Asp	Gly	Leu	Pro	Asn	Leu	Thr	Gln	Leu	Gln	Lys	Asp	Asn	Leu

-continued

4880	4885	4890
Lys His Gln Val Glu Gln Ala Gln Asn Val Ala Gly Val Asn Gly 4895 4900 4905		
Val Lys Asp Lys Gly Asn Thr Leu Asn Thr Ala Met Gly Ala Leu 4910 4915 4920		
Arg Thr Ser Ile Gln Asn Asp Asn Thr Thr Lys Thr Ser Gln Asn 4925 4930 4935		
Tyr Leu Asp Ala Ser Asp Ser Asn Lys Asn Asn Tyr Asn Thr Ala 4940 4945 4950		
Val Asn Asn Ala Asn Gly Val Ile Asn Ala Thr Asn Asn Pro Asn 4955 4960 4965		
Met Asp Ala Asn Ala Ile Asn Gly Met Ala Asn Gln Val Asn Thr 4970 4975 4980		
Thr Lys Ala Ala Leu Asn Gly Ala Gln Asn Leu Ala Gln Ala Lys 4985 4990 4995		
Thr Asn Ala Thr Asn Thr Ile Asn Asn Ala His Asp Leu Asn Gln 5000 5005 5010		
Lys Gln Lys Asp Ala Leu Lys Thr Gln Val Asn Asn Ala Gln Arg 5015 5020 5025		
Val Ser Asp Ala Asn Asn Val Gln His Thr Ala Thr Glu Leu Asn 5030 5035 5040		
Ser Ala Met Thr Ala Leu Lys Ala Ala Ile Ala Asp Lys Glu Arg 5045 5050 5055		
Thr Lys Ala Ser Gly Asn Tyr Val Asn Ala Asp Gln Glu Lys Arg 5060 5065 5070		
Gln Ala Tyr Asp Ser Lys Val Thr Asn Ala Glu Asn Ile Ile Ser 5075 5080 5085		
Gly Thr Pro Asn Ala Thr Leu Thr Val Asn Asp Val Asn Ser Ala 5090 5095 5100		
Ala Ser Gln Val Asn Ala Ala Lys Thr Ala Leu Asn Gly Asp Asn 5105 5110 5115		
Asn Leu Arg Val Ala Lys Glu His Ala Asn Asn Thr Ile Asp Gly 5120 5125 5130		
Leu Ala Gln Leu Asn Asn Ala Gln Lys Ala Lys Leu Lys Glu Gln 5135 5140 5145		
Val Gln Ser Ala Thr Thr Leu Asp Gly Val Gln Thr Val Lys Asn 5150 5155 5160		
Ser Ser Gln Thr Leu Asn Thr Ala Met Lys Gly Leu Arg Asp Ser 5165 5170 5175		
Ile Ala Asn Glu Ala Thr Ile Lys Ala Gly Gln Asn Tyr Thr Asp 5180 5185 5190		
Ala Ser Pro Asn Asn Arg Asn Glu Tyr Asp Ser Ala Val Thr Ala 5195 5200 5205		
Ala Lys Ala Ile Ile Asn Gln Thr Ser Asn Pro Thr Met Glu Pro 5210 5215 5220		
Asn Thr Ile Thr Gln Val Thr Ser Gln Val Thr Thr Lys Glu Gln 5225 5230 5235		
Ala Leu Asn Gly Ala Arg Asn Leu Ala Gln Ala Lys Thr Thr Ala 5240 5245 5250		
Lys Asn Asn Leu Asn Asn Leu Thr Ser Ile Asn Asn Ala Gln Lys 5255 5260 5265		

-continued

---

Asp	Ala	Leu	Thr	Arg	Ser	Ile	Asp	Gly	Ala	Thr	Thr	Val	Ala	Gly
5270						5275						5280		
Val	Asn	Gln	Glu	Thr	Ala	Lys	Ala	Thr	Glu	Leu	Asn	Asn	Ala	Met
5285						5290						5295		
His	Ser	Leu	Gln	Asn	Gly	Ile	Asn	Asp	Glu	Thr	Gln	Thr	Lys	Gln
5300						5305						5310		
Thr	Gln	Lys	Tyr	Leu	Asp	Ala	Glu	Pro	Ser	Lys	Lys	Ser	Ala	Tyr
5315						5320						5325		
Asp	Gln	Ala	Val	Asn	Ala	Ala	Lys	Ala	Ile	Leu	Thr	Lys	Ala	Ser
5330						5335						5340		
Gly	Gln	Asn	Val	Asp	Lys	Ala	Ala	Val	Glu	Gln	Ala	Leu	Gln	Asn
5345						5350						5355		
Val	Asn	Ser	Thr	Lys	Thr	Ala	Leu	Asn	Gly	Asp	Ala	Lys	Leu	Asn
5360						5365						5370		
Glu	Ala	Lys	Ala	Ala	Ala	Lys	Gln	Thr	Leu	Gly	Thr	Leu	Thr	His
5375						5380						5385		
Ile	Asn	Asn	Ala	Gln	Arg	Thr	Ala	Leu	Asp	Asn	Glu	Ile	Thr	Gln
5390						5395						5400		
Ala	Thr	Asn	Val	Glu	Gly	Val	Asn	Thr	Val	Lys	Ala	Lys	Ala	Gln
5405						5410						5415		
Gln	Leu	Asp	Gly	Ala	Met	Gly	Gln	Leu	Glu	Thr	Ser	Ile	Arg	Asp
5420						5425						5430		
Lys	Asp	Thr	Thr	Leu	Gln	Ser	Gln	Asn	Tyr	Gln	Asp	Ala	Asp	Asp
5435						5440						5445		
Ala	Lys	Arg	Thr	Ala	Tyr	Ser	Gln	Ala	Val	Asn	Ala	Ala	Ala	Thr
5450						5455						5460		
Ile	Leu	Asn	Lys	Thr	Ala	Gly	Gly	Asn	Thr	Pro	Lys	Ala	Asp	Val
5465						5470						5475		
Glu	Arg	Ala	Met	Gln	Ala	Val	Thr	Gln	Ala	Asn	Thr	Ala	Leu	Asn
5480						5485						5490		
Gly	Ile	Gln	Asn	Leu	Asp	Arg	Ala	Lys	Gln	Ala	Ala	Asn	Thr	Ala
5495						5500						5505		
Ile	Thr	Asn	Ala	Ser	Asp	Leu	Asn	Thr	Lys	Gln	Lys	Glu	Ala	Leu
5510						5515						5520		
Lys	Ala	Gln	Val	Thr	Ser	Ala	Gly	Arg	Val	Ser	Ala	Ala	Asn	Gly
5525						5530						5535		
Val	Glu	His	Thr	Ala	Thr	Glu	Leu	Asn	Thr	Ala	Met	Thr	Ala	Leu
5540						5545						5550		
Lys	Arg	Ala	Ile	Ala	Asp	Lys	Ala	Glu	Thr	Lys	Ala	Ser	Gly	Asn
5555						5560						5565		
Tyr	Val	Asn	Ala	Asp	Ala	Asn	Lys	Arg	Gln	Ala	Tyr	Asp	Glu	Lys
5570						5575						5580		
Val	Thr	Ala	Ala	Glu	Asn	Ile	Val	Ser	Gly	Thr	Pro	Thr	Pro	Thr
5585						5590						5595		
Leu	Thr	Pro	Ala	Asp	Val	Thr	Asn	Ala	Ala	Thr	Gln	Val	Thr	Asn
5600						5605						5610		
Ala	Lys	Thr	Gln	Leu	Asn	Gly	Asn	His	Asn	Leu	Glu	Val	Ala	Lys
5615						5620						5625		
Gln	Asn	Ala	Asn	Thr	Ala	Ile	Asp	Gly	Leu	Thr	Ser	Leu	Asn	Gly
5630						5635						5640		
Pro	Gln	Lys	Ala	Lys	Leu	Lys	Glu	Gln	Val	Gly	Gln	Ala	Thr	Thr
5645						5650						5655		

-continued

Leu Pro 5660	Asn Val 5660	Gln Thr 5665	Val Arg 5665	Asp Asn 5670	Ala Gln 5670	Thr Leu 5670	Asn			
Thr Ala 5675	Met Lys 5675	Gly Leu 5680	Arg Asp 5680	Ser Ile 5685	Ala Asn 5685	Glu Ala 5685	Thr			
Ile Lys 5690	Ala Gly 5695	Gln Asn 5695	Tyr Thr 5695	Asp Ala 5700	Ser Gln 5700	Asn Lys 5700	Gln			
Thr Asp 5705	Tyr Asn 5710	Ser Ala 5710	Val Thr 5710	Ala Ala 5715	Lys Ala 5715	Ile Ile 5715	Gly			
Gln Thr 5720	Thr Ser 5725	Pro Ser 5725	Met Asn 5725	Ala Gln 5730	Glu Ile 5730	Asn Gln 5730	Ala			
Lys Asp 5735	Gln Val 5740	Thr Ala 5740	Lys Gln 5745	Ala Leu 5745	Asn Gly 5745	Gln Glu 5745				
Asn Leu 5750	Arg Thr 5755	Ala Gln 5755	Thr Asn 5755	Ala Lys 5760	Gln His 5760	Leu Asn 5760	Gly			
Leu Ser 5765	Asp Leu 5770	Thr Asp 5770	Ala Gln 5775	Lys Asp 5775	Ala Val 5775	Lys Arg 5775	Gln			
Ile Glu 5780	Gly Ala 5785	Thr His 5785	Val Asn 5790	Glu Val 5790	Thr Gln 5790	Ala Gln 5790	Asn			
Asn Ala 5795	Asp Ala 5800	Leu Asn 5800	Thr Ala 5805	Met Thr 5805	Asn Leu 5805	Lys Asn 5805	Gly			
Ile Gln 5810	Asp Gln 5815	Asn Thr 5815	Ile Lys 5820	Gln Gly 5820	Val Asn 5820	Phe Thr 5820	Asp			
Ala Asp 5825	Glu Ala 5830	Lys Arg 5830	Asn Ala 5835	Tyr Thr 5835	Asn Ala 5835	Val Thr 5835	Gln			
Ala Glu 5840	Gln Ile 5845	Leu Asn 5845	Lys Ala 5850	Gln Gly 5850	Pro Asn 5850	Thr Ser 5850	Lys			
Asp Gly 5855	Val Glu 5860	Thr Ala 5860	Leu Glu 5865	Asn Val 5865	Gln Arg 5865	Ala Lys 5865	Asn			
Glu Leu 5870	Asn Gly 5875	Asn Gln 5875	Asn Val 5880	Ala Asn 5880	Ala Lys 5880	Thr Thr 5880	Ala			
Lys Asn 5885	Ala Leu 5890	Asn Asn 5890	Leu Thr 5895	Ser Ile 5895	Asn Asn 5895	Ala Gln 5895	Lys			
Glu Ala 5900	Leu Lys 5905	Ser Gln 5905	Ile Glu 5910	Gly Ala 5910	Thr Thr 5910	Val Ala 5910	Gly			
Val Asn 5915	Gln Val 5920	Ser Thr 5920	Thr Ala 5925	Ser Glu 5925	Leu Asn 5925	Thr Ala 5925	Met			
Ser Asn 5930	Leu Gln 5935	Asn Gly 5935	Ile Asn 5940	Asp Glu 5940	Ala Ala 5940	Thr Lys 5940	Ala			
Ala Gln 5945	Lys Tyr 5950	Thr Asp 5950	Ala Asp 5955	Arg Glu 5955	Lys Gln 5955	Thr Ala 5955	Tyr			
Asn Asp 5960	Ala Val 5965	Thr Ala 5965	Ala Lys 5970	Thr Leu 5970	Leu Asp 5970	Lys Thr 5970	Ala			
Gly Ser 5975	Asn Asp 5980	Asn Lys 5980	Ala Ala 5985	Val Glu 5985	Gln Ala 5985	Leu Gln 5985	Arg			
Val Asn 5990	Thr Ala 5995	Lys Thr 5995	Ala Leu 6000	Asn Gly 6000	Asp Glu 6000	Arg Leu 6000	Asn			
Glu Ala 6005	Lys Asn 6010	Thr Ala 6010	Lys Gln 6015	Gln Val 6015	Ala Thr 6015	Met Ser 6015	His			
Leu Thr 6020	Asp Ala 6025	Gln Lys 6025	Ala Asn 6030	Leu Thr 6030	Ser Gln 6030	Ile Glu 6030	Ser			
Gly Thr 6035	Thr Val 6040	Ala Gly 6040	Val Gln 6045	Gly Ile 6045	Gln Ala 6045	Asn Ala 6045	Gly			

-continued

---

6035	6040	6045
Thr Leu Asp Gln Ala Met 6050	Asn Gln Leu Arg Gln 6055	Ser Ile Ala Ser 6060
Lys Asp Ala Thr Lys Ser 6065	Ser Ser Glu Asp Tyr Gln 6070	Asp Ala Asn Ala 6075
Asp Leu Gln Asn Ala Tyr 6080	Asn Asp Ala Val Thr 6085	Asn Ala Glu Gly 6090
Ile Ile Ser Ala Thr Asn 6095	Asn Pro Glu Met Asn 6100	Pro Asp Thr Ile 6105
Asn Gln Lys Ala Ser Gln 6110	Val Asn Ser Ala Lys 6115	Ser Ala Leu Asn 6120
Gly Asp Glu Lys Leu Ala 6125	Ala Ala Lys Gln Thr 6130	Ala Lys Ser Asp 6135
Ile Gly Arg Leu Thr Asp 6140	Leu Asn Asn Ala Gln 6145	Arg Thr Ala Ala 6150
Asn Ala Glu Val Asp Gln 6155	Ala Pro Asn Leu Ala 6160	Ala Val Thr Ala 6165
Ala Lys Asn Lys Ala Thr 6170	Ser Leu Asn Thr Ala 6175	Met Gly Asn Leu 6180
Lys His Ala Leu Ala Glu 6185	Lys Asp Asn Thr Lys 6190	Arg Ser Val Asn 6195
Tyr Thr Asp Ala Asp Gln 6200	Pro Lys Gln Gln Ala 6205	Tyr Asp Thr Ala 6210
Val Thr Gln Ala Glu Ala 6215	Ile Thr Asn Ala Asn 6220	Gly Ser Asn Ala 6225
Asn Glu Thr Gln Val Gln 6230	Ala Ala Leu Asn Gln 6235	Leu Asn Gln Ala 6240
Lys Asn Asp Leu Asn Gly 6245	Asp Asn Lys Val Ala 6250	Gln Ala Lys Glu 6255
Ser Ala Lys Arg Ala Leu 6260	Ala Ser Tyr Ser Asn 6265	Leu Asn Asn Ala 6270
Gln Ser Thr Ala Ala Ile 6275	Ser Gln Ile Asp Asn 6280	Ala Thr Thr Val 6285
Ala Gly Val Thr Ala Ala 6290	Gln Asn Thr Ala Asn 6295	Glu Leu Asn Thr 6300
Ala Met Gly Gln Leu Gln 6305	Asn Gly Ile Asn Asp 6310	Gln Asn Thr Val 6315
Lys Gln Gln Val Asn Phe 6320	Thr Asp Ala Asp Gln 6325	Gly Lys Lys Asp 6330
Ala Tyr Thr Asn Ala Val 6335	Thr Asn Ala Gln Gly 6340	Ile Leu Asp Lys 6345
Ala His Gly Gln Asn Met 6350	Thr Lys Ala Gln Val 6355	Glu Ala Ala Leu 6360
Asn Gln Val Thr Thr Ala 6365	Lys Asn Ala Leu Asn 6370	Gly Asp Ala Asn 6375
Val Arg Gln Ala Lys Ser 6380	Asp Ala Lys Ala Asn 6385	Leu Gly Thr Leu 6390
Thr His Leu Asn Asn Ala 6395	Gln Lys Gln Asp Leu 6400	Thr Ser Gln Ile 6405
Glu Gly Ala Thr Thr Val 6410	Asn Gly Val Asn Gly 6415	Val Lys Thr Lys 6420

-continued

Ala	Gln	Asp	Leu	Asp	Gly	Ala	Met	Gln	Arg	Leu	Gln	Ser	Ala	Ile
6425						6430					6435			
Ala	Asn	Lys	Asp	Gln	Thr	Lys	Ala	Ser	Glu	Asn	Tyr	Ile	Asp	Ala
6440						6445					6450			
Asp	Pro	Thr	Lys	Lys	Thr	Ala	Phe	Asp	Asn	Ala	Ile	Thr	Gln	Ala
6455						6460					6465			
Glu	Ser	Tyr	Leu	Asn	Lys	Asp	His	Gly	Ala	Asn	Lys	Asp	Lys	Gln
6470						6475					6480			
Ala	Val	Glu	Gln	Ala	Ile	Gln	Ser	Val	Thr	Ser	Thr	Glu	Asn	Ala
6485						6490					6495			
Leu	Asn	Gly	Asp	Ala	Asn	Leu	Gln	Arg	Ala	Lys	Thr	Glu	Ala	Ile
6500						6505					6510			
Gln	Ala	Ile	Asp	Asn	Leu	Thr	His	Leu	Asn	Thr	Pro	Gln	Lys	Thr
6515						6520					6525			
Ala	Leu	Lys	Gln	Gln	Val	Asn	Ala	Ala	Gln	Arg	Val	Ser	Gly	Val
6530						6535					6540			
Thr	Asp	Leu	Lys	Asn	Ser	Ala	Thr	Ser	Leu	Asn	Asn	Ala	Met	Asp
6545						6550					6555			
Gln	Leu	Lys	Gln	Ala	Ile	Ala	Asp	His	Asp	Thr	Ile	Val	Ala	Ser
6560						6565					6570			
Gly	Asn	Tyr	Thr	Asn	Ala	Ser	Pro	Asp	Lys	Gln	Gly	Ala	Tyr	Thr
6575						6580					6585			
Asp	Ala	Tyr	Asn	Ala	Ala	Lys	Asn	Ile	Val	Asn	Gly	Ser	Pro	Asn
6590						6595					6600			
Val	Ile	Thr	Asn	Ala	Ala	Asp	Val	Thr	Ala	Ala	Thr	Gln	Arg	Val
6605						6610					6615			
Asn	Asn	Ala	Glu	Thr	Gly	Leu	Asn	Gly	Asp	Thr	Asn	Leu	Ala	Thr
6620						6625					6630			
Ala	Lys	Gln	Gln	Ala	Lys	Asp	Ala	Leu	Arg	Gln	Met	Thr	His	Leu
6635						6640					6645			
Ser	Asp	Ala	Gln	Lys	Gln	Ser	Ile	Thr	Gly	Gln	Ile	Asp	Ser	Ala
6650						6655					6660			
Thr	Gln	Val	Thr	Gly	Val	Gln	Ser	Val	Lys	Asp	Asn	Ala	Thr	Asn
6665						6670					6675			
Leu	Asp	Asn	Ala	Met	Asn	Gln	Leu	Arg	Asn	Ser	Ile	Ala	Asn	Lys
6680						6685					6690			
Asp	Asp	Val	Lys	Ala	Ser	Gln	Pro	Tyr	Val	Asp	Ala	Asp	Arg	Asp
6695						6700					6705			
Lys	Gln	Asn	Ala	Tyr	Asn	Thr	Ala	Val	Thr	Asn	Ala	Glu	Asn	Ile
6710						6715					6720			
Ile	Asn	Ala	Thr	Ser	Gln	Pro	Thr	Leu	Asp	Pro	Ser	Ala	Val	Thr
6725						6730					6735			
Gln	Ala	Ala	Asn	Gln	Val	Ser	Thr	Asn	Lys	Thr	Ala	Leu	Asn	Gly
6740						6745					6750			
Ala	Gln	Asn	Leu	Ala	Asn	Lys	Lys	Gln	Glu	Thr	Thr	Ala	Asn	Ile
6755						6760					6765			
Asn	Gln	Leu	Ser	His	Leu	Asn	Asn	Ala	Gln	Lys	Gln	Asp	Leu	Asn
6770						6775					6780			
Thr	Gln	Val	Thr	Asn	Ala	Pro	Asn	Ile	Ser	Thr	Val	Asn	Gln	Val
6785						6790					6795			
Lys	Thr	Lys	Ala	Glu	Gln	Leu	Asp	Gln	Ala	Met	Glu	Arg	Leu	Ile
6800						6805					6810			

-continued

---

Asn Gly 6815	Ile Gln Asp Lys Asp 6820	Gln Val Lys Gln Ser 6825	Val Asn Phe
Thr Asp 6830	Ala Asp Pro Glu Lys 6835	Gln Thr Ala Tyr Asn 6840	Asn Ala Val
Thr Ala 6845	Ala Glu Asn Ile Ile 6850	Asn Gln Ala Asn Gly 6855	Thr Asn Ala
Asn Gln 6860	Ser Gln Val Glu Ala 6865	Ala Leu Ser Thr Val 6870	Thr Thr Thr
Lys Gln 6875	Ala Leu Asn Gly Asp 6880	Arg Lys Val Thr Asp 6885	Ala Lys Asn
Asn Ala 6890	Asn Gln Thr Leu Ser 6895	Thr Leu Asp Asn Leu 6900	Asn Asn Ala
Gln Lys 6905	Gly Ala Val Thr Gly 6910	Asn Ile Asn Gln Ala 6915	His Thr Val
Ala Glu 6920	Val Thr Gln Ala Ile 6925	Gln Thr Ala Gln Glu 6930	Leu Asn Thr
Ala Met 6935	Gly Asn Leu Lys Asn 6940	Ser Leu Asn Asp Lys 6945	Asp Thr Thr
Leu Gly 6950	Ser Gln Asn Phe Ala 6955	Asp Ala Asp Pro Glu 6960	Lys Lys Asn
Ala Tyr 6965	Asn Glu Ala Val His 6970	Asn Ala Glu Asn Ile 6975	Leu Asn Lys
Ser Thr 6980	Gly Thr Asn Val Pro 6985	Lys Asp Gln Val Glu 6990	Ala Ala Met
Asn Gln 6995	Val Asn Ala Thr Lys 7000	Ala Ala Leu Asn Gly 7005	Thr Gln Asn
Leu Glu 7010	Lys Ala Lys Gln His 7015	Ala Asn Thr Ala Ile 7020	Asp Gly Leu
Ser His 7025	Leu Thr Asn Ala Gln 7030	Lys Glu Ala Leu Lys 7035	Gln Leu Val
Gln Gln 7040	Ser Thr Thr Val Ala 7045	Glu Ala Gln Gly Asn 7050	Glu Gln Lys
Ala Asn 7055	Asn Val Asp Ala Ala 7060	Met Asp Lys Leu Arg 7065	Gln Ser Ile
Ala Asp 7070	Asn Ala Thr Thr Lys 7075	Gln Asn Gln Asn Tyr 7080	Thr Asp Ala
Ser Gln 7085	Asn Lys Lys Asp Ala 7090	Tyr Asn Asn Ala Val 7095	Thr Thr Ala
Gln Gly 7100	Ile Ile Asp Gln Thr 7105	Thr Ser Pro Thr Leu 7110	Asp Pro Thr
Val Ile 7115	Asn Gln Ala Ala Gly 7120	Gln Val Ser Thr Thr 7125	Lys Asn Ala
Leu Asn 7130	Gly Asn Glu Asn Leu 7135	Glu Ala Ala Lys Gln 7140	Gln Ala Ser
Gln Ser 7145	Leu Gly Ser Leu Asp 7150	Asn Leu Asn Asn Ala 7155	Gln Lys Gln
Thr Val 7160	Thr Asp Gln Ile Asn 7165	Gly Ala His Thr Val 7170	Asp Glu Ala
Asn Gln 7175	Ile Lys Gln Asn Ala 7180	Gln Asn Leu Asn Thr 7185	Ala Met Gly
Asn Leu	Lys Gln Ala Ile Ala	Asp Lys Asp Ala Thr	Lys Ala Thr

-continued

---

7190	7195	7200
Val Asn Phe Thr Asp Ala Asp Gln Ala Lys Gln Gln Ala Tyr Asn 7205 7210 7215		
Thr Ala Val Thr Asn Ala Glu Asn Ile Ser Lys Ala Asn Gly Asn 7220 7225 7230		
Ala Thr Gln Ala Glu Val Glu Gln Ala Ile Lys Gln Val Asn Ala 7235 7240 7245		
Ala Lys Gln Ala Leu Asn Gly Asn Ala Asn Val Gln His Ala Lys 7250 7255 7260		
Asp Glu Ala Thr Ala Leu Ile Asn Ser Ser Asn Asp Leu Asn Gln 7265 7270 7275		
Ala Gln Lys Asp Ala Leu Lys Gln Gln Val Gln Asn Ala Thr Thr 7280 7285 7290		
Val Ala Gly Val Asn Asn Val Lys Gln Thr Ala Gln Glu Leu Asn 7295 7300 7305		
Asn Ala Met Thr Gln Leu Lys Gln Gly Ile Ala Asp Lys Glu Gln 7310 7315 7320		
Thr Lys Ala Asp Gly Asn Phe Val Asn Ala Asp Pro Asp Lys Gln 7325 7330 7335		
Asn Ala Tyr Asn Gln Ala Val Ala Lys Ala Glu Ala Leu Ile Ser 7340 7345 7350		
Ala Thr Pro Asp Val Val Val Thr Pro Ser Glu Ile Thr Ala Ala 7355 7360 7365		
Leu Asn Lys Val Thr Gln Ala Lys Asn Asp Leu Asn Gly Asn Thr 7370 7375 7380		
Asn Leu Ala Thr Ala Lys Gln Asn Val Gln His Ala Ile Asp Gln 7385 7390 7395		
Leu Pro Asn Leu Asn Gln Ala Gln Arg Asp Glu Tyr Ser Lys Gln 7400 7405 7410		
Ile Thr Gln Ala Thr Leu Val Pro Asn Val Asn Ala Ile Gln Gln 7415 7420 7425		
Ala Ala Thr Thr Leu Asn Asp Ala Met Thr Gln Leu Lys Gln Gly 7430 7435 7440		
Ile Ala Asn Lys Ala Gln Ile Lys Gly Ser Glu Asn Tyr His Asp 7445 7450 7455		
Ala Asp Thr Asp Lys Gln Thr Ala Tyr Asp Asn Ala Val Thr Lys 7460 7465 7470		
Ala Glu Glu Leu Leu Lys Gln Thr Thr Asn Pro Thr Met Asp Pro 7475 7480 7485		
Asn Thr Ile Gln Gln Ala Leu Thr Lys Val Asn Asp Thr Asn Gln 7490 7495 7500		
Ala Leu Asn Gly Asn Gln Lys Leu Ala Asp Ala Lys Gln Asp Ala 7505 7510 7515		
Lys Thr Thr Leu Gly Thr Leu Asp His Leu Asn Asp Ala Gln Lys 7520 7525 7530		
Gln Ala Leu Thr Thr Gln Val Glu Gln Ala Pro Asp Ile Ala Thr 7535 7540 7545		
Val Asn Asn Val Lys Gln Asn Ala Gln Asn Leu Asn Asn Ala Met 7550 7555 7560		
Thr Asn Leu Asn Asn Ala Leu Gln Asp Lys Thr Glu Thr Leu Asn 7565 7570 7575		

-continued

Ser	Ile	Asn	Phe	Thr	Asp	Ala	Asp	Gln	Ala	Lys	Lys	Asp	Ala	Tyr
	7580					7585						7590		
Thr	Asn	Ala	Val	Ser	His	Ala	Glu	Gly	Ile	Leu	Ser	Lys	Ala	Asn
	7595					7600						7605		
Gly	Ser	Asn	Ala	Ser	Gln	Thr	Glu	Val	Glu	Gln	Ala	Met	Gln	Arg
	7610					7615						7620		
Val	Asn	Glu	Ala	Lys	Gln	Ala	Leu	Asn	Gly	Asn	Asp	Asn	Val	Gln
	7625					7630						7635		
Arg	Ala	Lys	Asp	Ala	Ala	Lys	Gln	Val	Ile	Thr	Asn	Ala	Asn	Asp
	7640					7645						7650		
Leu	Asn	Gln	Ala	Gln	Lys	Asp	Ala	Leu	Lys	Gln	Gln	Val	Asp	Ala
	7655					7660						7665		
Ala	Gln	Thr	Val	Ala	Asn	Val	Asn	Thr	Ile	Lys	Gln	Thr	Ala	Gln
	7670					7675						7680		
Asp	Leu	Asn	Gln	Ala	Met	Thr	Gln	Leu	Lys	Gln	Gly	Ile	Ala	Asp
	7685					7690						7695		
Lys	Asp	Gln	Thr	Lys	Ala	Asn	Gly	Asn	Phe	Val	Asn	Ala	Asp	Thr
	7700					7705						7710		
Asp	Lys	Gln	Asn	Ala	Tyr	Asn	Asn	Ala	Val	Ala	His	Ala	Glu	Gln
	7715					7720						7725		
Ile	Ile	Ser	Gly	Thr	Pro	Asn	Ala	Asn	Val	Asp	Pro	Gln	Gln	Val
	7730					7735						7740		
Ala	Gln	Ala	Leu	Gln	Gln	Val	Asn	Gln	Ala	Lys	Gly	Asp	Leu	Asn
	7745					7750						7755		
Gly	Asn	His	Asn	Leu	Gln	Val	Ala	Lys	Asp	Asn	Ala	Asn	Thr	Ala
	7760					7765						7770		
Ile	Asp	Gln	Leu	Pro	Asn	Leu	Asn	Gln	Pro	Gln	Lys	Thr	Ala	Leu
	7775					7780						7785		
Lys	Asp	Gln	Val	Ser	His	Ala	Glu	Leu	Val	Thr	Gly	Val	Asn	Ala
	7790					7795						7800		
Ile	Lys	Gln	Asn	Ala	Asp	Ala	Leu	Asn	Asn	Ala	Met	Gly	Thr	Leu
	7805					7810						7815		
Lys	Gln	Gln	Ile	Gln	Ala	Asn	Ser	Gln	Val	Pro	Gln	Ser	Val	Asp
	7820					7825						7830		
Phe	Thr	Gln	Ala	Asp	Gln	Asp	Lys	Gln	Gln	Ala	Tyr	Asn	Asn	Ala
	7835					7840						7845		
Ala	Asn	Gln	Ala	Gln	Gln	Ile	Ala	Asn	Gly	Ile	Pro	Thr	Pro	Val
	7850					7855						7860		
Leu	Thr	Pro	Asp	Thr	Val	Thr	Gln	Ala	Val	Thr	Thr	Met	Asn	Gln
	7865					7870						7875		
Ala	Lys	Asp	Ala	Leu	Asn	Gly	Asp	Glu	Lys	Leu	Ala	Gln	Ala	Lys
	7880					7885						7890		
Gln	Glu	Ala	Leu	Ala	Asn	Leu	Asp	Thr	Leu	Arg	Asp	Leu	Asn	Gln
	7895					7900						7905		
Pro	Gln	Arg	Asp	Ala	Leu	Arg	Asn	Gln	Ile	Asn	Gln	Ala	Gln	Ala
	7910					7915						7920		
Leu	Ala	Thr	Val	Glu	Gln	Thr	Lys	Gln	Asn	Ala	Gln	Asn	Val	Asn
	7925					7930						7935		
Thr	Ala	Met	Ser	Asn	Leu	Lys	Gln	Gly	Ile	Ala	Asn	Lys	Asp	Thr
	7940					7945						7950		
Val	Lys	Ala	Ser	Glu	Asn	Tyr	His	Asp	Ala	Asp	Ala	Asp	Lys	Gln
	7955					7960						7965		

-continued

---

Thr	Ala	Tyr	Thr	Asn	Ala	Val	Ser	Gln	Ala	Glu	Gly	Ile	Ile	Asn
7970						7975					7980			
Gln	Thr	Thr	Asn	Pro	Thr	Leu	Asn	Pro	Asp	Glu	Ile	Thr	Arg	Ala
7985						7990					7995			
Leu	Thr	Gln	Val	Thr	Asp	Ala	Lys	Asn	Gly	Leu	Asn	Gly	Glu	Ala
8000						8005					8010			
Lys	Leu	Ala	Thr	Glu	Lys	Gln	Asn	Ala	Lys	Asp	Ala	Val	Ser	Gly
8015						8020					8025			
Met	Thr	His	Leu	Asn	Asp	Ala	Gln	Lys	Gln	Ala	Leu	Lys	Gly	Gln
8030						8035					8040			
Ile	Asp	Gln	Ser	Pro	Glu	Ile	Ala	Thr	Val	Asn	Gln	Val	Lys	Gln
8045						8050					8055			
Thr	Ala	Thr	Ser	Leu	Asp	Gln	Ala	Met	Asp	Gln	Leu	Ser	Gln	Ala
8060						8065					8070			
Ile	Asn	Asp	Lys	Ala	Gln	Thr	Leu	Ala	Asp	Gly	Asn	Tyr	Leu	Asn
8075						8080					8085			
Ala	Asp	Pro	Asp	Lys	Gln	Asn	Ala	Tyr	Lys	Gln	Ala	Val	Ala	Lys
8090						8095					8100			
Ala	Glu	Ala	Leu	Leu	Asn	Lys	Gln	Ser	Gly	Thr	Asn	Glu	Val	Gln
8105						8110					8115			
Ala	Gln	Val	Glu	Ser	Ile	Thr	Asn	Glu	Val	Asn	Ala	Ala	Lys	Gln
8120						8125					8130			
Ala	Leu	Asn	Gly	Asn	Asp	Asn	Leu	Ala	Asn	Ala	Lys	Gln	Gln	Ala
8135						8140					8145			
Lys	Gln	Gln	Leu	Ala	Asn	Leu	Thr	His	Leu	Asn	Asp	Ala	Gln	Lys
8150						8155					8160			
Gln	Ser	Phe	Glu	Ser	Gln	Ile	Thr	Gln	Ala	Pro	Leu	Val	Thr	Asp
8165						8170					8175			
Val	Thr	Thr	Ile	Asn	Gln	Lys	Ala	Gln	Thr	Leu	Asp	His	Ala	Met
8180						8185					8190			
Glu	Leu	Leu	Arg	Asn	Ser	Val	Ala	Asp	Asn	Gln	Thr	Thr	Leu	Ala
8195						8200					8205			
Ser	Glu	Asp	Tyr	His	Asp	Ala	Thr	Ala	Gln	Arg	Gln	Asn	Asp	Tyr
8210						8215					8220			
Asn	Gln	Ala	Val	Thr	Ala	Ala	Asn	Asn	Ile	Ile	Asn	Gln	Thr	Thr
8225						8230					8235			
Ser	Pro	Thr	Met	Asn	Pro	Asp	Asp	Val	Asn	Gly	Ala	Thr	Thr	Gln
8240						8245					8250			
Val	Asn	Asn	Thr	Lys	Val	Ala	Leu	Asp	Gly	Asp	Glu	Asn	Leu	Ala
8255						8260					8265			
Ala	Ala	Lys	Gln	Gln	Ala	Asn	Asn	Arg	Leu	Asp	Gln	Leu	Asp	His
8270						8275					8280			
Leu	Asn	Asn	Ala	Gln	Lys	Gln	Gln	Leu	Gln	Ser	Gln	Ile	Thr	Gln
8285						8290					8295			
Ser	Ser	Asp	Ile	Ala	Ala	Val	Asn	Gly	His	Lys	Gln	Thr	Ala	Glu
8300						8305					8310			
Ser	Leu	Asn	Thr	Ala	Met	Gly	Asn	Leu	Ile	Asn	Ala	Ile	Ala	Asp
8315						8320					8325			
His	Gln	Ala	Val	Glu	Gln	Arg	Gly	Asn	Phe	Ile	Asn	Ala	Asp	Thr
8330						8335					8340			
Asp	Lys	Gln	Thr	Ala	Tyr	Asn	Thr	Ala	Val	Asn	Glu	Ala	Ala	Ala

-continued

8345	8350	8355
Met Ile Asn Lys Gln Thr Gly Gln Asn Ala Asn Gln Thr Glu Val 8360 8365 8370		
Glu Gln Ala Ile Thr Lys Val Gln Thr Thr Leu Gln Ala Leu Asn 8375 8380 8385		
Gly Asp His Asn Leu Gln Val Ala Lys Thr Asn Ala Thr Gln Ala 8390 8395 8400		
Ile Asp Ala Leu Thr Ser Leu Asn Asp Pro Gln Lys Thr Ala Leu 8405 8410 8415		
Lys Asp Gln Val Thr Ala Ala Thr Leu Val Thr Ala Val His Gln 8420 8425 8430		
Ile Glu Gln Asn Ala Asn Thr Leu Asn Gln Ala Met His Gly Leu 8435 8440 8445		
Arg Gln Ser Ile Gln Asp Asn Ala Ala Thr Lys Ala Asn Ser Lys 8450 8455 8460		
Tyr Ile Asn Glu Asp Gln Pro Glu Gln Gln Asn Tyr Asp Gln Ala 8465 8470 8475		
Val Gln Ala Ala Asn Asn Ile Ile Asn Glu Gln Thr Ala Thr Leu 8480 8485 8490		
Asp Asn Asn Ala Ile Asn Gln Ala Ala Thr Thr Val Asn Thr Thr 8495 8500 8505		
Lys Ala Ala Leu His Gly Asp Val Lys Leu Gln Asn Asp Lys Asp 8510 8515 8520		
His Ala Lys Gln Thr Val Ser Gln Leu Ala His Leu Asn Asn Ala 8525 8530 8535		
Gln Lys His Met Glu Asp Thr Leu Ile Asp Ser Glu Thr Thr Arg 8540 8545 8550		
Thr Ala Val Lys Gln Asp Leu Thr Glu Ala Gln Ala Leu Asp Gln 8555 8560 8565		
Leu Met Asp Ala Leu Gln Gln Ser Ile Ala Asp Lys Asp Ala Thr 8570 8575 8580		
Arg Ala Ser Ser Ala Tyr Val Asn Ala Glu Pro Asn Lys Lys Gln 8585 8590 8595		
Ser Tyr Asp Glu Ala Val Gln Asn Ala Glu Ser Ile Ile Ala Gly 8600 8605 8610		
Leu Asn Asn Pro Thr Ile Asn Lys Gly Asn Val Ser Ser Ala Thr 8615 8620 8625		
Gln Ala Val Ile Ser Ser Lys Asn Ala Leu Asp Gly Val Glu Arg 8630 8635 8640		
Leu Ala Gln Asp Lys Gln Thr Ala Gly Asn Ser Leu Asn His Leu 8645 8650 8655		
Asp Gln Leu Thr Pro Ala Gln Gln Gln Ala Leu Glu Asn Gln Ile 8660 8665 8670		
Asn Asn Ala Thr Thr Arg Gly Glu Val Ala Gln Lys Leu Thr Glu 8675 8680 8685		
Ala Gln Ala Leu Asn Gln Ala Met Glu Ala Leu Arg Asn Ser Ile 8690 8695 8700		
Gln Asp Gln Gln Gln Thr Glu Ala Gly Ser Lys Phe Ile Asn Glu 8705 8710 8715		
Asp Lys Pro Gln Lys Asp Ala Tyr Gln Ala Ala Val Gln Asn Ala 8720 8725 8730		

-continued

Lys Asp 8735	Leu Ile Asn Gln Thr	Asn Asn Pro Thr	Leu Asp Lys Ala	8740	8745
Gln Val 8750	Glu Gln Leu Thr Gln	Ala Val Asn Gln Ala	Lys Asp Asn	8755	8760
Leu His 8765	Gly Asp Gln Lys Leu	Ala Asp Asp Lys Gln	His Ala Val	8770	8775
Thr Asp 8780	Leu Asn Gln Leu Asn	Gly Leu Asn Asn Pro	Gln Arg Gln	8785	8790
Ala Leu 8795	Glu Ser Gln Ile Asn	Asn Ala Ala Thr Arg	Gly Glu Val	8800	8805
Ala Gln 8810	Lys Leu Ala Glu Ala	Lys Ala Leu Asp Gln	Ala Met Gln	8815	8820
Ala Leu 8825	Arg Asn Ser Ile Gln	Asp Gln Gln Gln Thr	Glu Ser Gly	8830	8835
Ser Lys 8840	Phe Ile Asn Glu Asp	Lys Pro Gln Lys Asp	Ala Tyr Gln	8845	8850
Ala Ala 8855	Val Gln Asn Ala Lys	Asp Leu Ile Asn Gln	Thr Gly Asn	8860	8865
Pro Thr 8870	Leu Asp Lys Ser Gln	Val Glu Gln Leu Thr	Gln Ala Val	8875	8880
Thr Thr 8885	Ala Lys Asp Asn Leu	His Gly Asp Gln Lys	Leu Ala Arg	8890	8895
Asp Gln 8900	Gln Gln Ala Val Thr	Thr Val Asn Ala Leu	Pro Asn Leu	8905	8910
Asn His 8915	Ala Gln Gln Gln Ala	Leu Thr Asp Ala Ile	Asn Ala Ala	8920	8925
Pro Thr 8930	Arg Thr Glu Val Ala	Gln His Val Gln Thr	Ala Thr Glu	8935	8940
Leu Asp 8945	His Ala Met Glu Thr	Leu Lys Asn Lys Val	Asp Gln Val	8950	8955
Asn Thr 8960	Asp Lys Ala Gln Pro	Asn Tyr Thr Glu Ala	Ser Thr Asp	8965	8970
Lys Lys 8975	Glu Ala Val Asp Gln	Ala Leu Gln Ala Ala	Glu Ser Ile	8980	8985
Thr Asp 8990	Pro Thr Asn Gly Ser	Asn Ala Asn Lys Asp	Ala Val Asp	8995	9000
Gln Val 9005	Leu Thr Lys Leu Gln	Glu Lys Glu Asn Glu	Leu Asn Gly	9010	9015
Asn Glu 9020	Arg Val Ala Glu Ala	Lys Thr Gln Ala Lys	Gln Thr Ile	9025	9030
Asp Gln 9035	Leu Thr His Leu Asn	Ala Asp Gln Ile Ala	Thr Ala Lys	9040	9045
Gln Asn 9050	Ile Asp Gln Ala Thr	Lys Leu Gln Pro Ile	Ala Glu Leu	9055	9060
Val Asp 9065	Gln Ala Thr Gln Leu	Asn Gln Ser Met Asp	Gln Leu Gln	9070	9075
Gln Ala 9080	Val Asn Glu His Ala	Asn Val Glu Gln Thr	Val Asp Tyr	9085	9090
Thr Gln 9095	Ala Asp Ser Asp Lys	Gln Asn Ala Tyr Lys	Gln Ala Ile	9100	9105
Ala Asp 9110	Ala Glu Asn Val Leu	Lys Gln Asn Ala Asn	Lys Gln Gln	9115	9120

-continued

---

Val Asp 9125	Gln Ala Leu Gln Asn 9130	Ile Leu Asn Ala Lys 9135	Gln Ala Leu
Asn Gly 9140	Asp Glu Arg Val Ala 9145	Leu Ala Lys Thr Asn 9150	Gly Lys His
Asp Ile 9155	Asp Gln Leu Asn Ala 9160	Leu Asn Asn Ala Gln 9165	Gln Asp Gly
Phe Lys 9170	Gly Arg Ile Asp Gln 9175	Ser Asn Asp Leu Asn 9180	Gln Ile Gln
Gln Ile 9185	Val Asp Glu Ala Lys 9190	Ala Leu Asn Arg Ala 9195	Met Asp Gln
Leu Ser 9200	Gln Glu Ile Thr Asp 9205	Asn Glu Gly Arg Thr 9210	Lys Gly Ser
Thr Asn 9215	Tyr Val Asn Ala Asp 9220	Thr Gln Val Lys Gln 9225	Val Tyr Asp
Glu Thr 9230	Val Asp Lys Ala Lys 9235	Gln Ala Leu Asp Lys 9240	Ser Thr Gly
Gln Asn 9245	Leu Thr Ala Lys Gln 9250	Val Ile Lys Leu Asn 9255	Asp Ala Val
Thr Ala 9260	Ala Lys Lys Ala Leu 9265	Asn Gly Glu Glu Arg 9270	Leu Asn Asn
Arg Lys 9275	Ala Glu Ala Leu Gln 9280	Arg Leu Asp Gln Leu 9285	Thr His Leu
Asn Asn 9290	Ala Gln Arg Gln Leu 9295	Ala Ile Gln Gln Ile 9300	Asn Asn Ala
Glu Thr 9305	Leu Asn Lys Ala Ser 9310	Arg Ala Ile Asn Arg 9315	Ala Thr Lys
Leu Asp 9320	Asn Ala Met Gly Ala 9325	Val Gln Gln Tyr Ile 9330	Asp Glu Gln
His Leu 9335	Gly Val Ile Ser Ser 9340	Thr Asn Tyr Ile Asn 9345	Ala Asp Asp
Asn Leu 9350	Lys Ala Asn Tyr Asp 9355	Asn Ala Ile Ala Asn 9360	Ala Ala His
Glu Leu 9365	Asp Lys Val Gln Gly 9370	Asn Ala Ile Ala Lys 9375	Ala Glu Ala
Glu Gln 9380	Leu Lys Gln Asn Ile 9385	Ile Asp Ala Gln Asn 9390	Ala Leu Asn
Gly Asp 9395	Gln Asn Leu Ala Asn 9400	Ala Lys Asp Lys Ala 9405	Asn Ala Phe
Val Asn 9410	Ser Leu Asn Gly Leu 9415	Asn Gln Gln Gln Gln 9420	Asp Leu Ala
His Lys 9425	Ala Ile Asn Asn Ala 9430	Asp Thr Val Ser Asp 9435	Val Thr Asp
Ile Val 9440	Asn Asn Gln Ile Asp 9445	Leu Asn Asp Ala Met 9450	Glu Thr Leu
Lys His 9455	Leu Val Asp Asn Glu 9460	Ile Pro Asn Ala Glu 9465	Gln Thr Val
Asn Tyr 9470	Gln Asn Ala Asp Asp 9475	Asn Ala Lys Thr Asn 9480	Phe Asp Asp
Ala Lys 9485	Arg Leu Ala Asn Thr 9490	Leu Leu Asn Ser Asp 9495	Asn Thr Asn
Val Asn	Asp Ile Asn Gly Ala	Ile Gln Ala Val Asn	Asp Ala Ile

-continued

9500	9505	9510
His Asn Leu Asn Gly Asp 9515	Gln Arg Leu Gln Asp 9520	Ala Lys Asp Lys 9525
Ala Ile Gln Ser Ile Asn 9530	Gln Ala Leu Ala Asn 9535	Lys Leu Lys Glu 9540
Ile Glu Ala Ser Asn Ala 9545	Thr Asp Gln Asp Lys 9550	Leu Ile Ala Lys 9555
Asn Lys Ala Glu Glu Leu 9560	Ala Asn Ser Ile Ile 9565	Asn Asn Ile Asn 9570
Lys Ala Thr Ser Asn Gln 9575	Ala Val Ser Gln Val 9580	Gln Thr Ala Gly 9585
Asn His Ala Ile Glu Gln 9590	Val His Ala Asn Glu 9595	Ile Pro Lys Ala 9600
Lys Ile Asp Ala Asn Lys 9605	Asp Val Asp Lys Gln 9610	Val Gln Ala Leu 9615
Ile Asp Glu Ile Asp Arg 9620	Asn Pro Asn Leu Thr 9625	Asp Lys Glu Lys 9630
Gln Ala Leu Lys Asp Arg 9635	Ile Asn Gln Ile Leu 9640	Gln Gln Gly His 9645
Asn Gly Ile Asn Asn Ala 9650	Met Thr Lys Glu Glu 9655	Ile Glu Gln Ala 9660
Lys Ala Gln Leu Ala Gln 9665	Ala Leu Gln Asp Ile 9670	Lys Asp Leu Val 9675
Lys Ala Lys Glu Asp Ala 9680	Lys Gln Asp Val Asp 9685	Lys Gln Val Gln 9690
Ala Leu Ile Asp Glu Ile 9695	Asp Gln Asn Pro Asn 9700	Leu Thr Asp Lys 9705
Glu Lys Gln Ala Leu Lys 9710	Tyr Arg Ile Asn Gln 9715	Ile Leu Gln Gln 9720
Gly His Asn Asp Ile Asn 9725	Asn Ala Leu Thr Lys 9730	Glu Glu Ile Glu 9735
Gln Ala Lys Ala Gln Leu 9740	Ala Gln Ala Leu Gln 9745	Asp Ile Lys Asp 9750
Leu Val Lys Ala Lys Glu 9755	Asp Ala Lys Asn Ala 9760	Ile Lys Ala Leu 9765
Ala Asn Ala Lys Arg Asp 9770	Gln Ile Asn Ser Asn 9775	Pro Asp Leu Thr 9780
Pro Glu Gln Lys Ala Lys 9785	Ala Leu Lys Glu Ile 9790	Asp Glu Ala Glu 9795
Lys Arg Ala Leu Gln Asn 9800	Val Glu Asn Ala Gln 9805	Thr Ile Asp Gln 9810
Leu Asn Arg Gly Leu Asn 9815	Leu Gly Leu Asp Asp 9820	Ile Arg Asn Thr 9825
His Val Trp Glu Val Asp 9830	Glu Gln Pro Ala Val 9835	Asn Glu Ile Phe 9840
Glu Ala Thr Pro Glu Gln 9845	Ile Leu Val Asn Gly 9850	Glu Leu Ile Val 9855
His Arg Asp Asp Ile Ile 9860	Thr Glu Gln Asp Ile 9865	Leu Ala His Ile 9870
Asn Leu Ile Asp Gln Leu 9875	Ser Ala Glu Val Ile 9880	Asp Thr Pro Ser 9885

-continued

Thr Ala	Thr Ile Ser Asp	Ser	Leu Thr Ala Lys Val	Glu Val Thr
9890		9895		9900
Leu Leu	Asp Gly Ser Lys	Val	Ile Val Asn Val Pro	Val Lys Val
9905		9910		9915
Val Glu	Lys Glu Leu Ser	Val	Val Lys Gln Gln Ala	Ile Glu Ser
9920		9925		9930
Ile Glu	Asn Ala Ala Gln	Gln	Lys Ile Asn Glu Ile	Asn Asn Ser
9935		9940		9945
Val Thr	Leu Thr Leu Glu	Gln	Lys Glu Ala Ala Ile	Ala Glu Val
9950		9955		9960
Asn Lys	Leu Lys Gln Gln	Ala	Ile Asp His Val Asn	Asn Ala Pro
9965		9970		9975
Asp Val	His Ser Val Glu	Glu	Ile Gln Gln Gln Glu	Gln Ala His
9980		9985		9990
Ile Glu	Gln Phe Asn Pro	Glu	Gln Phe Thr Ile Glu	Gln Ala Lys
9995		10000		10005
Ser Asn	Ala Ile Lys Ser	Ile	Glu Asp Ala Ile Gln	His Met Ile
10010		10015		10020
Asp Glu	Ile Lys Ala Arg	Thr	Asp Leu Thr Asp Lys	Glu Lys Gln
10025		10030		10035
Glu Ala	Ile Ala Lys Leu	Asn	Gln Leu Lys Glu Gln	Ala Ile Gln
10040		10045		10050
Ala Ile	Gln Arg Ala Gln	Ser	Ile Asp Glu Ile Ser	Glu Gln Leu
10055		10060		10065
Glu Gln	Phe Lys Ala Gln	Met	Lys Ala Ala Asn Pro	Thr Ala Lys
10070		10075		10080
Glu Leu	Ala Lys Arg Lys	Gln	Glu Ala Ile Ser Arg	Ile Lys Asp
10085		10090		10095
Phe Ser	Asn Glu Lys Ile	Asn	Ser Ile Arg Asn Ser	Glu Ile Gly
10100		10105		10110
Thr Ala	Asp Glu Lys Gln	Ala	Ala Met Asn Gln Ile	Asn Glu Ile
10115		10120		10125
Val Leu	Glu Thr Ile Arg	Asp	Ile Asn Asn Ala His	Thr Leu Gln
10130		10135		10140
Gln Val	Glu Ala Ala Leu	Asn	Asn Gly Ile Ala Arg	Ile Ser Ala
10145		10150		10155
Val Gln	Ile Val Thr Ser	Asp	Arg Ala Lys Gln Ser	Ser Ser Thr
10160		10165		10170
Gly Asn	Glu Ser Asn Ser	His	Leu Thr Ile Gly Tyr	Gly Thr Ala
10175		10180		10185
Asn His	Pro Phe Asn Ser	Ser	Thr Ile Gly His Lys	Lys Lys Leu
10190		10195		10200
Asp Glu	Asp Asp Asp Ile	Asp	Pro Leu His Met Arg	His Phe Ser
10205		10210		10215
Asn Asn	Phe Gly Asn Val	Ile	Lys Asn Ala Ile Gly	Val Val Gly
10220		10225		10230
Ile Ser	Gly Leu Leu Ala	Ser	Phe Trp Phe Phe Ile	Ala Lys Arg
10235		10240		10245
Arg Arg	Lys Glu Asp Glu	Glu	Glu Glu Leu Glu Ile	Arg Asp Asn
10250		10255		10260
Asn Lys	Asp Ser Ile Lys	Glu	Thr Leu Asp Asp Thr	Lys His Leu
10265		10270		10275

-continued

---

```

Pro Leu  Leu Phe Ala Lys Arg  Arg Arg Lys Glu Asp  Glu Glu Asp
 10280                                10285                10290

Val Thr  Val Glu Glu Lys Asp  Ser Leu Asn Asn Gly  Glu Ser Leu
 10295                                10300                10305

Asp Lys  Val Lys His Thr Pro  Phe Phe Leu Pro Lys  Arg Arg Arg
 10310                                10315                10320

Lys Glu  Asp Glu Glu Asp Val  Glu Val Thr Asn Glu  Asn Thr Asp
 10325                                10330                10335

Glu Lys  Val Leu Lys Asp Asn  Glu His Ser Pro Leu  Leu Phe Ala
 10340                                10345                10350

Lys Arg  Arg Lys Asp Lys Glu  Glu Asp Val Glu Thr  Thr Thr Ser
 10355                                10360                10365

Ile Glu  Ser Lys Asp Glu Asp  Val Pro Leu Leu Leu  Ala Lys Lys
 10370                                10375                10380

Lys Asn  Gln Lys Asp Asn Gln  Ser Lys Asp Lys Lys  Ser Ala Ser
 10385                                10390                10395

Lys Asn  Thr Ser Lys Lys Val  Ala Ala Lys Lys Lys  Lys Lys Lys
 10400                                10405                10410

Ala Lys  Lys Asn Lys Lys
 10415

```

&lt;210&gt; SEQ ID NO 25

&lt;211&gt; LENGTH: 340

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Staphylococcus sp

&lt;400&gt; SEQUENCE: 25

```

Met Lys Lys Lys Leu Leu Val Leu Thr Met Ser Thr Leu Phe Ala Thr
 1          5          10          15

Gln Ile Met Asn Ser Asn His Ala Lys Ala Ser Val Thr Glu Ser Val
 20          25          30

Asp Lys Lys Phe Val Val Pro Glu Ser Gly Ile Asn Lys Ile Ile Pro
 35          40          45

Ala Tyr Asp Glu Phe Lys Asn Ser Pro Lys Val Asn Val Ser Asn Leu
 50          55          60

Thr Asp Asn Lys Asn Phe Val Ala Ser Glu Asp Lys Leu Asn Lys Ile
 65          70          75          80

Ala Asp Ser Ser Ala Ala Ser Lys Ile Val Asp Lys Asn Phe Val Val
 85          90          95

Pro Glu Ser Lys Leu Gly Asn Ile Val Pro Glu Tyr Lys Glu Ile Asn
 100         105         110

Asn Arg Val Asn Val Ala Thr Asn Asn Pro Ala Ser Gln Gln Val Asp
 115         120         125

Lys His Phe Val Ala Lys Gly Pro Glu Val Asn Arg Phe Ile Thr Gln
 130         135         140

Asn Lys Val Asn His His Phe Ile Thr Thr Gln Thr His Tyr Lys Lys
 145         150         155         160

Val Ile Thr Ser Tyr Lys Ser Thr His Val His Lys His Val Asn His
 165         170         175

Ala Lys Asp Ser Ile Asn Lys His Phe Ile Val Lys Pro Ser Glu Ser
 180         185         190

Pro Arg Tyr Thr His Pro Ser Gln Ser Leu Ile Ile Lys His His Phe
 195         200         205

```

-continued

---

Ala Val Pro Gly Tyr His Ala His Lys Phe Val Thr Pro Gly His Ala  
 210 215 220

Ser Ile Lys Ile Asn His Phe Cys Val Val Pro Gln Ile Asn Ser Phe  
 225 230 235 240

Lys Val Ile Pro Pro Tyr Gly His Asn Ser His Arg Met His Val Pro  
 245 250 255

Ser Phe Gln Asn Asn Thr Thr Ala Thr His Gln Asn Ala Lys Val Asn  
 260 265 270

Lys Ala Tyr Asp Tyr Lys Tyr Phe Tyr Ser Tyr Lys Val Val Lys Gly  
 275 280 285

Val Lys Lys Tyr Phe Ser Phe Ser Gln Ser Asn Gly Tyr Lys Ile Gly  
 290 295 300

Lys Pro Ser Leu Asn Ile Lys Asn Val Asn Tyr Gln Tyr Ala Val Pro  
 305 310 315 320

Ser Tyr Ser Pro Thr His Tyr Val Pro Glu Phe Lys Gly Ser Leu Pro  
 325 330 335

Ala Pro Arg Val  
 340

<210> SEQ ID NO 26  
 <211> LENGTH: 130  
 <212> TYPE: PRT  
 <213> ORGANISM: Staphylococcus sp

<400> SEQUENCE: 26

Met Asn Phe Asn Asp Ile Glu Thr Met Val Lys Ser Lys Phe Lys Asp  
 1 5 10 15

Ile Lys Lys His Ala Glu Glu Ile Ala His Glu Ile Glu Val Arg Ser  
 20 25 30

Gly Tyr Leu Arg Lys Ala Glu Gln Tyr Lys Arg Leu Glu Phe Asn Leu  
 35 40 45

Ser Phe Ala Leu Asp Asp Ile Glu Ser Thr Ala Lys Asp Val Gln Thr  
 50 55 60

Ala Lys Ser Ser Ala Asn Lys Asp Ser Val Thr Val Lys Gly Lys Ala  
 65 70 75 80

Pro Asn Thr Leu Tyr Ile Glu Lys Arg Asn Leu Met Lys Gln Lys Leu  
 85 90 95

Glu Met Leu Gly Glu Asp Ile Asp Lys Asn Lys Glu Ser Leu Gln Lys  
 100 105 110

Ala Lys Glu Ile Ala Gly Glu Lys Ala Ser Glu Tyr Phe Asn Lys Ala  
 115 120 125

Met Asn  
 130

<210> SEQ ID NO 27  
 <211> LENGTH: 636  
 <212> TYPE: PRT  
 <213> ORGANISM: Staphylococcus sp

<400> SEQUENCE: 27

Met Lys Lys Gln Ile Ile Ser Leu Gly Ala Leu Ala Val Ala Ser Ser  
 1 5 10 15

Leu Phe Thr Trp Asp Asn Lys Ala Asp Ala Ile Val Thr Lys Asp Tyr  
 20 25 30

-continued

---

Ser	Gly	Lys	Ser	Gln	Val	Asn	Ala	Gly	Ser	Lys	Asn	Gly	Thr	Leu	Ile	
		35					40					45				
Asp	Ser	Arg	Tyr	Leu	Asn	Ser	Ala	Leu	Tyr	Tyr	Leu	Glu	Asp	Tyr	Ile	
	50				55						60					
Ile	Tyr	Ala	Ile	Gly	Leu	Thr	Asn	Lys	Tyr	Glu	Tyr	Gly	Asp	Asn	Ile	
65					70					75					80	
Tyr	Lys	Glu	Ala	Lys	Asp	Arg	Leu	Leu	Glu	Lys	Val	Leu	Arg	Glu	Asp	
				85					90					95		
Gln	Tyr	Leu	Leu	Glu	Arg	Lys	Lys	Ser	Gln	Tyr	Glu	Asp	Tyr	Lys	Gln	
			100						105					110		
Trp	Tyr	Ala	Asn	Tyr	Lys	Lys	Glu	Asn	Pro	Arg	Thr	Asp	Leu	Lys	Met	
		115					120					125				
Ala	Asn	Phe	His	Lys	Tyr	Asn	Leu	Glu	Glu	Leu	Ser	Met	Lys	Glu	Tyr	
	130					135						140				
Asn	Glu	Leu	Gln	Asp	Ala	Leu	Lys	Arg	Ala	Leu	Asp	Asp	Phe	His	Arg	
145					150						155				160	
Glu	Val	Lys	Asp	Ile	Lys	Asp	Lys	Asn	Ser	Asp	Leu	Lys	Thr	Phe	Asn	
				165					170						175	
Ala	Ala	Glu	Glu	Asp	Lys	Ala	Thr	Lys	Glu	Val	Tyr	Asp	Leu	Val	Ser	
			180						185					190		
Glu	Ile	Asp	Thr	Leu	Val	Val	Ser	Tyr	Tyr	Gly	Asp	Lys	Asp	Tyr	Gly	
		195						200					205			
Glu	His	Ala	Lys	Glu	Leu	Arg	Ala	Lys	Leu	Asp	Leu	Ile	Leu	Gly	Asp	
	210						215					220				
Thr	Asp	Asn	Pro	His	Lys	Ile	Thr	Asn	Glu	Arg	Ile	Lys	Lys	Glu	Met	
225					230						235				240	
Ile	Asp	Asp	Leu	Asn	Ser	Ile	Ile	Asp	Asp	Phe	Phe	Met	Glu	Thr	Lys	
				245						250					255	
Gln	Asn	Arg	Pro	Lys	Ser	Ile	Thr	Lys	Tyr	Asn	Pro	Thr	Thr	His	Asn	
			260						265					270		
Tyr	Lys	Thr	Asn	Ser	Asp	Asn	Lys	Pro	Asn	Phe	Asp	Lys	Leu	Val	Glu	
		275						280					285			
Glu	Thr	Lys	Lys	Ala	Val	Lys	Glu	Ala	Asp	Asp	Ser	Trp	Lys	Lys	Lys	
		290					295					300				
Thr	Val	Lys	Lys	Tyr	Gly	Glu	Thr	Glu	Thr	Lys	Ser	Pro	Val	Val	Lys	
305					310						315				320	
Glu	Glu	Lys	Lys	Val	Glu	Glu	Pro	Gln	Ala	Pro	Lys	Val	Asp	Asn	Gln	
				325						330				335		
Gln	Glu	Val	Lys	Thr	Thr	Ala	Gly	Lys	Ala	Glu	Glu	Thr	Thr	Gln	Pro	
			340						345					350		
Val	Ala	Gln	Pro	Leu	Val	Lys	Ile	Pro	Gln	Gly	Thr	Ile	Thr	Gly	Glu	
		355					360							365		
Ile	Val	Lys	Gly	Pro	Glu	Tyr	Pro	Thr	Met	Glu	Asn	Lys	Thr	Val	Gln	
	370						375					380				
Gly	Glu	Ile	Val	Gln	Gly	Pro	Asp	Phe	Leu	Thr	Met	Glu	Gln	Ser	Gly	
385					390						395				400	
Pro	Ser	Leu	Ser	Asn	Asn	Tyr	Thr	Asn	Pro	Pro	Leu	Thr	Asn	Pro	Ile	
				405					410					415		
Leu	Glu	Gly	Leu	Glu	Gly	Ser	Ser	Ser	Lys	Leu	Glu	Ile	Lys	Pro	Gln	
			420						425					430		
Gly	Thr	Glu	Ser	Thr	Leu	Lys	Gly	Thr	Gln	Gly	Glu	Ser	Ser	Asp	Ile	
		435						440						445		

-continued

---

Glu Val Lys Pro Gln Ala Thr Glu Thr Thr Glu Ala Ser Gln Tyr Gly  
 450 455 460  
 Pro Arg Pro Gln Phe Asn Lys Thr Pro Lys Tyr Val Lys Tyr Arg Asp  
 465 470 475 480  
 Ala Gly Thr Gly Ile Arg Glu Tyr Asn Asp Gly Thr Phe Gly Tyr Glu  
 485 490 495  
 Ala Arg Pro Arg Phe Asn Lys Pro Ser Glu Thr Asn Ala Tyr Asn Val  
 500 505 510  
 Thr Thr His Ala Asn Gly Gln Val Ser Tyr Gly Ala Arg Pro Thr Tyr  
 515 520 525  
 Lys Lys Pro Ser Glu Thr Asn Ala Tyr Asn Val Thr Thr His Ala Asn  
 530 535 540  
 Gly Gln Val Ser Tyr Gly Ala Arg Pro Thr Gln Asn Lys Pro Ser Lys  
 545 550 555 560  
 Thr Asn Ala Tyr Asn Val Thr Thr His Gly Asn Gly Gln Val Ser Tyr  
 565 570 575  
 Gly Ala Arg Pro Thr Gln Asn Lys Pro Ser Lys Thr Asn Ala Tyr Asn  
 580 585 590  
 Val Thr Thr His Ala Asn Gly Gln Val Ser Tyr Gly Ala Arg Pro Thr  
 595 600 605  
 Tyr Lys Lys Pro Ser Lys Thr Asn Ala Tyr Asn Val Thr Thr His Ala  
 610 615 620  
 Asp Gly Thr Ala Thr Tyr Gly Pro Arg Val Thr Lys  
 625 630 635

&lt;210&gt; SEQ ID NO 28

&lt;211&gt; LENGTH: 745

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Staphylococcus sp

&lt;400&gt; SEQUENCE: 28

Ala Glu Gln His Thr Pro Met Lys Ala His Ala Val Thr Thr Ile Asp  
 1 5 10 15  
 Lys Ala Thr Thr Asp Lys Gln Gln Val Pro Pro Thr Lys Glu Ala Ala  
 20 25 30  
 His His Ser Gly Lys Glu Ala Ala Thr Asn Val Ser Ala Ser Ala Gln  
 35 40 45  
 Gly Thr Ala Asp Asp Thr Asn Ser Lys Val Thr Ser Asn Ala Pro Ser  
 50 55 60  
 Asn Lys Pro Ser Thr Val Val Ser Thr Lys Val Asn Glu Thr Arg Asp  
 65 70 75 80  
 Val Asp Thr Gln Gln Ala Ser Thr Gln Lys Pro Thr His Thr Ala Thr  
 85 90 95  
 Phe Lys Leu Ser Asn Ala Lys Thr Ala Ser Leu Ser Pro Arg Met Phe  
 100 105 110  
 Ala Ala Asn Ala Pro Gln Thr Thr Thr His Lys Ile Leu His Thr Asn  
 115 120 125  
 Asp Ile His Gly Arg Leu Ala Glu Glu Lys Gly Arg Val Ile Gly Met  
 130 135 140  
 Ala Lys Leu Lys Thr Val Lys Glu Gln Glu Lys Pro Asp Leu Met Leu  
 145 150 155 160  
 Asp Ala Gly Asp Ala Phe Gln Gly Leu Pro Leu Ser Asn Gln Ser Lys  
 165 170 175

-continued

---

Gly Glu Glu Met Ala Lys Ala Met Asn Ala Val Gly Tyr Asp Ala Met  
 180 185 190  
 Ala Val Gly Asn His Glu Phe Asp Phe Gly Tyr Asp Gln Leu Lys Lys  
 195 200 205  
 Leu Glu Gly Met Leu Asp Phe Pro Met Leu Ser Thr Asn Val Tyr Lys  
 210 215 220  
 Asp Gly Lys Arg Ala Phe Lys Pro Ser Thr Ile Val Thr Lys Asn Gly  
 225 230 235 240  
 Ile Arg Tyr Gly Ile Ile Gly Val Thr Thr Pro Glu Thr Lys Thr Lys  
 245 250 255  
 Thr Arg Pro Glu Gly Ile Lys Gly Val Glu Phe Arg Asp Pro Leu Gln  
 260 265 270  
 Ser Val Thr Ala Glu Met Met Arg Ile Tyr Lys Asp Val Asp Thr Phe  
 275 280 285  
 Val Val Ile Ser His Leu Gly Ile Asp Pro Ser Thr Gln Glu Thr Trp  
 290 295 300  
 Arg Gly Asp Tyr Leu Val Lys Gln Leu Ser Gln Asn Pro Gln Leu Lys  
 305 310 315 320  
 Lys Arg Ile Thr Val Ile Asp Gly His Ser His Thr Val Leu Gln Asn  
 325 330 335  
 Gly Gln Ile Tyr Asn Asn Asp Ala Leu Ala Gln Thr Gly Thr Ala Leu  
 340 345 350  
 Ala Asn Ile Gly Lys Ile Thr Phe Asn Tyr Arg Asn Gly Glu Val Ser  
 355 360 365  
 Asn Ile Lys Pro Ser Leu Ile Asn Val Lys Asp Val Glu Asn Val Thr  
 370 375 380  
 Pro Asn Lys Ala Leu Ala Glu Gln Ile Asn Gln Ala Asp Gln Thr Phe  
 385 390 395 400  
 Arg Ala Gln Thr Ala Glu Val Ile Ile Pro Asn Asn Thr Ile Asp Phe  
 405 410 415  
 Lys Gly Glu Arg Asp Asp Val Arg Thr Arg Glu Thr Asn Leu Gly Asn  
 420 425 430  
 Ala Ile Ala Asp Ala Met Glu Ala Tyr Gly Val Lys Asn Phe Ser Lys  
 435 440 445  
 Lys Thr Asp Phe Ala Val Thr Asn Gly Gly Gly Ile Arg Ala Ser Ile  
 450 455 460  
 Ala Lys Gly Lys Val Thr Arg Tyr Asp Leu Ile Ser Val Leu Pro Phe  
 465 470 475 480  
 Gly Asn Thr Ile Ala Gln Ile Asp Val Lys Gly Ser Asp Val Trp Thr  
 485 490 495  
 Ala Phe Glu His Ser Leu Gly Ala Pro Thr Thr Gln Lys Asp Gly Lys  
 500 505 510  
 Thr Val Leu Thr Ala Asn Gly Gly Leu Leu His Ile Ser Asp Ser Ile  
 515 520 525  
 Arg Val Tyr Tyr Asp Ile Asn Lys Pro Ser Gly Lys Arg Ile Asn Ala  
 530 535 540  
 Ile Gln Ile Leu Asn Lys Glu Thr Gly Lys Phe Glu Asn Ile Asp Leu  
 545 550 555 560  
 Lys Arg Val Tyr His Val Thr Met Asn Asp Phe Thr Ala Ser Gly Gly  
 565 570 575  
 Asp Gly Tyr Ser Met Phe Gly Gly Pro Arg Glu Glu Gly Ile Ser Leu

-continued

580					585					590									
Asp	Gln	Val	Leu	Ala	Ser	Tyr	Leu	Lys	Thr	Ala	Asn	Leu	Ala	Lys	Tyr				
		595					600					605							
Asp	Thr	Thr	Glu	Pro	Gln	Arg	Met	Leu	Leu	Gly	Lys	Pro	Ala	Val	Ser				
		610					615					620							
Glu	Gln	Pro	Ala	Lys	Gly	Gln	Gln	Gly	Ser	Lys	Gly	Ser	Lys	Ser	Gly				
		625					630					635							640
Lys	Asp	Thr	Gln	Pro	Ile	Gly	Asp	Asp	Lys	Val	Met	Asp	Pro	Ala	Lys				
				645					650					655					
Lys	Pro	Ala	Pro	Gly	Lys	Val	Val	Leu	Leu	Leu	Ala	His	Arg	Gly	Thr				
			660					665						670					
Val	Ser	Ser	Gly	Thr	Glu	Gly	Ser	Gly	Arg	Thr	Ile	Glu	Gly	Ala	Thr				
			675					680					685						
Val	Ser	Ser	Lys	Ser	Gly	Lys	Gln	Leu	Ala	Arg	Met	Ser	Val	Pro	Lys				
			690				695						700						
Gly	Ser	Ala	His	Glu	Lys	Gln	Leu	Pro	Lys	Thr	Gly	Thr	Asn	Gln	Ser				
				705			710					715							720
Ser	Ser	Pro	Glu	Ala	Met	Phe	Val	Leu	Leu	Ala	Gly	Ile	Gly	Leu	Ile				
				725					730					735					
Ala	Thr	Val	Arg	Arg	Lys	Ala	Ser												
			740				745												
<210> SEQ ID NO 29																			
<211> LENGTH: 628																			
<212> TYPE: PRT																			
<213> ORGANISM: Staphylococcus sp																			
<400> SEQUENCE: 29																			
Met	Ser	Asp	Arg	Phe	Ile	Lys	Phe	Asn	Asp	Glu	Gln	Leu	Asp	Ala	Lys				
				5					10					15					
Gln	Val	Met	Met	Leu	Gln	Asp	Leu	Ala	Arg	Leu	Leu	Leu	Lys	Asn	Glu				
			20					25						30					
Gln	Thr	Gln	Val	Lys	Ile	Gln	Lys	Phe	Pro	Tyr	Tyr	Asn	Pro	Val	Gln				
			35				40						45						
Asn	Val	Leu	Ile	Thr	Ser	Trp	Phe	Trp	Ser	His	Arg	Pro	Ser	His	Ile				
		50					55					60							
Glu	Met	Ala	Gly	Leu	Lys	Thr	Asp	Val	Met	Leu	Ala	Ala	Tyr	Gly	Tyr				
		65					70					75							80
His	Met	Met	Asp	Val	Gln	Ile	Val	Asn	Glu	Val	Val	Gln	Asp	Lys	Thr				
				85					90					95					
Phe	Lys	His	Pro	Lys	Phe	Tyr	Gln	Gln	Leu	Phe	Lys	Leu	Leu	Glu	Asp				
			100					105						110					
Met	Arg	Val	Leu	Asn	Ser	Ile	Lys	Val	Glu	Arg	Pro	Ser	Thr	Ala	Lys				
			115				120							125					
Leu	Ile	Asp	Leu	Arg	Leu	Asp	Thr	Arg	Ile	Ser	Tyr	Thr	Glu	Ser	Gln				
		130					135						140						
Ile	Lys	Val	Tyr	Arg	Thr	Lys	Thr	Gln	Tyr	Thr	Asp	Leu	Leu	Phe	Leu				
		145					150					155							160
Tyr	Leu	Glu	His	Ala	Phe	Leu	Ser	Gln	Asp	Phe	Phe	Asp	Ile	Pro	Ser				
				165					170					175					
Ile	His	Ser	Asp	Leu	Asp	Asp	Ile	Leu	Val	Asn	Met	Phe	Leu	Tyr	Leu				
			180					185						190					
Pro	Asn	Phe	Phe	Gln	Asn	Gln	Asn	Ser	Glu	Asp	Asn	Met	Tyr	Leu	Ala				

-continued

195					200					205					
Gln	Arg	Ile	Met	Tyr	Gln	Val	Asp	Asp	Ile	Leu	Lys	Glu	Asp	Met	Leu
210					215					220					
Asn	Glu	Tyr	Tyr	Tyr	Leu	Pro	Lys	Thr	Leu	Tyr	Asn	Thr	Leu	Ala	Ser
225					230					235					240
Pro	Glu	Phe	Asp	Asp	Leu	Lys	Arg	Thr	Asp	Ala	Ser	Gln	Val	Asp	Gly
					245					250					255
Gln	Asp	Asp	Thr	Ser	Glu	Asp	Asp	Asp	Asn	Glu	Ser	Glu	Lys	Ala	Asp
					260					265					270
Ser	Lys	Ser	Ala	Asp	Ser	Glu	Ser	Lys	Gly	Gly	Ala	Tyr	Leu	Glu	Met
					275					280					285
Glu	Leu	His	Glu	Gly	Gln	Asn	Ser	Glu	Thr	Leu	Gly	Asn	Asp	Glu	Ala
					290					295					300
Arg	Glu	Gly	Asp	Ala	Thr	Asp	Asp	Met	Thr	Asp	Met	Met	Thr	Lys	Lys
305					310					315					320
Gly	Lys	Gly	Ser	Asn	Asp	Thr	Leu	Asn	Arg	Glu	Glu	Gly	Asp	Ala	Val
					325					330					335
Gly	Gln	Ser	Gln	Ala	Phe	Gln	Leu	Asp	Gly	Val	Asn	Lys	Asn	Val	Glu
					340					345					350
Ile	Lys	Trp	Gln	Ile	Pro	Glu	Ile	Glu	Pro	Gln	Tyr	Val	Leu	Glu	Tyr
					355					360					365
Gln	Glu	Ser	Lys	Gln	Asp	Val	Gln	Tyr	Glu	Ile	Lys	Asp	Leu	Ile	Gln
					370					375					380
Ile	Ile	Lys	Lys	Thr	Ile	Glu	Arg	Glu	Gln	Arg	Asp	Ala	Arg	Phe	Asn
385					390					395					400
Leu	Thr	Lys	Gly	Arg	Leu	Gln	Lys	Asp	Leu	Ile	Asn	Trp	Phe	Ile	Asp
					405					410					415
Asp	Gln	Tyr	Lys	Leu	Phe	Tyr	Lys	Lys	Gln	Asp	Leu	Ser	Lys	Ser	Phe
					420					425					430
Asp	Ala	Thr	Phe	Thr	Leu	Leu	Ile	Asp	Ala	Ser	Ala	Ser	Met	His	Asp
					435					440					445
Lys	Met	Ala	Glu	Thr	Lys	Lys	Gly	Val	Val	Leu	Phe	His	Glu	Thr	Leu
					450					455					460
Lys	Ala	Leu	Asn	Ile	Lys	His	Glu	Ile	Leu	Ser	Phe	Ser	Glu	Asp	Ala
465					470					475					480
Phe	Asp	Ser	Asp	Glu	His	Ala	Gln	Pro	Asn	Ile	Ile	Asn	Glu	Ile	Ile
					485					490					495
Asn	Tyr	Asp	Tyr	Ser	Thr	Phe	Glu	Lys	Asp	Gly	Pro	Arg	Ile	Met	Ala
					500					505					510
Leu	Glu	Pro	Gln	Asp	Asp	Asn	Arg	Asp	Gly	Val	Ala	Ile	Arg	Val	Ala
					515					520					525
Ser	Glu	Arg	Leu	Met	Arg	Arg	Asn	Gln	His	Gln	Arg	Phe	Leu	Ile	Val
					530					535					540
Phe	Ser	Asp	Gly	Glu	Pro	Ser	Ala	Phe	Asn	Tyr	Ser	Gln	Asp	Gly	Ile
545					550					555					560
Ile	Asp	Thr	Tyr	Glu	Ala	Val	Glu	Met	Ser	Arg	Lys	Phe	Gly	Ile	Glu
					565					570					575
Val	Phe	Asn	Val	Phe	Leu	Ser	Gln	Asp	Pro	Ile	Thr	Glu	Asp	Val	Glu
					580					585					590
Gln	Thr	Ile	His	Asn	Ile	Tyr	Gly	Gln	Tyr	Ala	Ile	Phe	Val	Glu	Gly
					595					600					605

-continued

---

Val Ala His Leu Pro Gly His Leu Ser Pro Leu Leu Lys Lys Leu Leu  
610 615 620

Leu Lys Ser Leu  
625

<210> SEQ ID NO 30  
<211> LENGTH: 154  
<212> TYPE: PRT  
<213> ORGANISM: Staphylococcus sp  
<400> SEQUENCE: 30

Ala Glu Ile Asn Lys Gln Thr Thr Ser Gln Gly Val Thr Thr Glu Lys  
1 5 10 15  
Asn Asn Gly Ile Ala Val Leu Glu Gln Asp Val Ile Thr Pro Thr Val  
20 25 30  
Lys Pro Gln Ala Lys Gln Asp Ile Ile Gln Ala Val Thr Thr Arg Lys  
35 40 45  
Gln Gln Ile Lys Lys Ser Asn Ala Ser Leu Gln Asp Glu Lys Asp Val  
50 55 60  
Ala Asn Asp Lys Ile Gly Lys Ile Glu Thr Lys Ala Ile Lys Asp Ile  
65 70 75 80  
Asp Ala Ala Thr Thr Asn Ala Gln Val Glu Ala Ile Lys Thr Lys Ala  
85 90 95  
Ile Asn Asp Ile Asn Gln Thr Thr Pro Ala Thr Thr Ala Lys Ala Ala  
100 105 110  
Ala Leu Glu Glu Phe Asp Glu Val Val Gln Ala Gln Ile Asp Gln Ala  
115 120 125  
Pro Leu Asn Pro Asp Thr Thr Asn Glu Glu Val Ala Glu Ala Ile Glu  
130 135 140  
Arg Ile Asn Ala Ala Lys Val Ser Gly Val  
145 150

<210> SEQ ID NO 31  
<211> LENGTH: 584  
<212> TYPE: PRT  
<213> ORGANISM: Staphylococcus sp  
<400> SEQUENCE: 31

Met Lys Phe Lys Ser Leu Ile Thr Thr Thr Leu Ala Leu Gly Val Leu  
1 5 10 15  
Ala Ser Thr Gly Ala Asn Phe Asn Asn Asn Glu Ala Ser Ala Ala Ala  
20 25 30  
Lys Pro Leu Asp Lys Ser Ser Ser Ser Leu His His Gly Tyr Ser Lys  
35 40 45  
Val His Val Pro Tyr Ala Ile Thr Val Asn Gly Thr Ser Gln Asn Ile  
50 55 60  
Leu Ser Ser Leu Thr Phe Asn Lys Asn Gln Asn Ile Ser Tyr Lys Asp  
65 70 75 80  
Leu Glu Asp Arg Val Lys Ser Val Leu Lys Ser Asp Arg Gly Ile Ser  
85 90 95  
Asp Ile Asp Leu Arg Leu Ser Lys Gln Ala Lys Tyr Thr Val Tyr Phe  
100 105 110  
Lys Asn Gly Thr Lys Lys Val Ile Asp Leu Lys Ala Gly Ile Tyr Thr  
115 120 125  
Ala Asp Leu Ile Asn Thr Ser Glu Ile Lys Ala Ile Asn Ile Asn Val

-continued

130				135				140							
Asp	Thr	Lys	Lys	Gln	Val	Glu	Asp	Lys	Lys	Lys	Asp	Lys	Ala	Asn	Tyr
145					150					155					160
Gln	Val	Pro	Tyr	Thr	Ile	Thr	Val	Asn	Gly	Thr	Ser	Gln	Asn	Ile	Leu
				165					170					175	
Ser	Asn	Leu	Thr	Phe	Asn	Lys	Asn	Gln	Asn	Ile	Ser	Tyr	Lys	Asp	Leu
		180						185					190		
Glu	Asp	Lys	Val	Lys	Ser	Val	Leu	Glu	Ser	Asn	Arg	Gly	Ile	Thr	Asp
		195					200					205			
Val	Asp	Leu	Arg	Leu	Ser	Lys	Gln	Ala	Lys	Tyr	Thr	Val	Asn	Phe	Lys
	210					215					220				
Asn	Gly	Thr	Lys	Lys	Val	Ile	Asp	Leu	Lys	Ser	Gly	Ile	Tyr	Thr	Ala
225					230					235					240
Asn	Leu	Ile	Asn	Ser	Ser	Asp	Ile	Lys	Ser	Ile	Asn	Ile	Asn	Val	Asp
				245					250					255	
Thr	Lys	Lys	His	Ile	Glu	Asn	Lys	Ala	Lys	Arg	Asn	Tyr	Gln	Val	Pro
			260					265					270		
Tyr	Ser	Ile	Asn	Leu	Asn	Gly	Thr	Ser	Thr	Asn	Ile	Leu	Ser	Asn	Leu
		275					280					285			
Ser	Phe	Ser	Asn	Lys	Pro	Trp	Thr	Asn	Tyr	Lys	Asn	Leu	Thr	Ser	Gln
	290					295					300				
Ile	Lys	Ser	Val	Leu	Lys	His	Asp	Arg	Gly	Ile	Ser	Glu	Gln	Asp	Leu
305					310					315					320
Lys	Tyr	Ala	Lys	Lys	Ala	Tyr	Tyr	Thr	Val	Tyr	Phe	Lys	Asn	Gly	Gly
				325					330					335	
Lys	Arg	Ile	Leu	Gln	Leu	Asn	Ser	Lys	Asn	Tyr	Thr	Ala	Asn	Leu	Val
			340					345					350		
His	Ala	Lys	Asp	Val	Lys	Arg	Ile	Glu	Ile	Thr	Val	Lys	Thr	Gly	Thr
		355					360					365			
Lys	Ala	Lys	Ala	Asp	Arg	Tyr	Val	Pro	Tyr	Thr	Ile	Ala	Val	Asn	Gly
		370				375					380				
Thr	Ser	Thr	Pro	Ile	Leu	Ser	Asp	Leu	Lys	Phe	Thr	Gly	Asp	Pro	Arg
385					390					395					400
Val	Gly	Tyr	Lys	Asp	Ile	Ser	Lys	Lys	Val	Lys	Ser	Val	Leu	Lys	His
				405					410					415	
Asp	Arg	Gly	Ile	Gly	Glu	Arg	Glu	Leu	Lys	Tyr	Ala	Lys	Lys	Ala	Thr
			420					425						430	
Tyr	Thr	Val	His	Phe	Lys	Asn	Gly	Thr	Lys	Lys	Val	Ile	Asn	Ile	Asn
		435					440					445			
Ser	Asn	Ile	Ser	Gln	Leu	Asn	Leu	Leu	Tyr	Val	Gln	Asp	Ile	Lys	Lys
		450				455					460				
Ile	Asp	Ile	Asp	Val	Lys	Thr	Gly	Thr	Lys	Ala	Lys	Ala	Asp	Ser	Tyr
465					470					475					480
Val	Pro	Tyr	Thr	Ile	Ala	Val	Asn	Gly	Thr	Ser	Thr	Pro	Ile	Leu	Ser
				485					490					495	
Lys	Leu	Lys	Ile	Ser	Asn	Lys	Gln	Leu	Ile	Ser	Tyr	Lys	Tyr	Leu	Asn
			500					505						510	
Asp	Lys	Val	Lys	Ser	Val	Leu	Lys	Ser	Glu	Arg	Gly	Ile	Ser	Asp	Leu
		515					520					525			
Asp	Leu	Lys	Phe	Ala	Lys	Gln	Ala	Lys	Tyr	Thr	Val	Tyr	Phe	Lys	Asn
		530				535						540			

-continued

---

Gly Lys Lys Gln Val Val Asn Leu Lys Ser Asp Ile Phe Thr Pro Asn  
545 550 555 560

Leu Phe Ser Ala Lys Asp Ile Lys Lys Ile Asp Ile Asp Val Lys Gln  
565 570 575

Tyr Thr Lys Ser Lys Lys Asn Lys  
580

<210> SEQ ID NO 32

<211> LENGTH: 508

<212> TYPE: PRT

<213> ORGANISM: Staphylococcus sp

<400> SEQUENCE: 32

Met Lys Asn Lys Leu Leu Val Leu Ser Leu Gly Ala Leu Cys Val Ser  
1 5 10 15

Gln Ile Trp Glu Ser Asn Arg Ala Ser Ala Val Val Ser Gly Glu Lys  
20 25 30

Asn Pro Tyr Val Ser Glu Ser Leu Lys Leu Thr Asn Asn Lys Asn Lys  
35 40 45

Ser Arg Thr Val Glu Glu Tyr Lys Lys Ser Leu Asp Asp Leu Ile Trp  
50 55 60

Ser Phe Pro Asn Leu Asp Asn Glu Arg Phe Asp Asn Pro Glu Tyr Lys  
65 70 75 80

Glu Ala Met Lys Lys Tyr Gln Gln Arg Phe Met Ala Glu Asp Glu Ala  
85 90 95

Leu Lys Lys Phe Phe Ser Glu Glu Lys Lys Ile Lys Asn Gly Asn Thr  
100 105 110

Asp Asn Leu Asp Tyr Leu Gly Leu Ser His Glu Arg Tyr Glu Ser Val  
115 120 125

Phe Asn Thr Leu Lys Lys Gln Ser Glu Glu Phe Leu Lys Glu Ile Glu  
130 135 140

Asp Ile Lys Lys Asp Asn Pro Glu Leu Lys Asp Phe Asn Glu Glu Glu  
145 150 155 160

Gln Leu Lys Cys Asp Leu Glu Leu Asn Lys Leu Glu Asn Gln Ile Leu  
165 170 175

Met Leu Gly Lys Thr Phe Tyr Gln Asn Tyr Arg Asp Asp Val Glu Ser  
180 185 190

Leu Tyr Ser Lys Leu Asp Leu Ile Met Gly Tyr Lys Asp Glu Glu Arg  
195 200 205

Ala Asn Lys Lys Ala Val Asn Lys Arg Met Leu Glu Asn Lys Lys Glu  
210 215 220

Asp Leu Glu Thr Ile Ile Asp Glu Phe Phe Ser Asp Ile Asp Lys Thr  
225 230 235 240

Arg Pro Asn Asn Ile Pro Val Leu Glu Asp Glu Lys Gln Glu Glu Lys  
245 250 255

Asn His Lys Asn Met Ala Gln Leu Lys Ser Asp Thr Glu Ala Ala Lys  
260 265 270

Ser Asp Glu Ser Lys Arg Ser Lys Arg Ser Lys Arg Ser Leu Asn Thr  
275 280 285

Gln Asn His Lys Pro Ala Ser Gln Glu Val Ser Glu Gln Gln Lys Ala  
290 295 300

Glu Tyr Asp Lys Arg Ala Glu Glu Arg Lys Ala Arg Phe Leu Asp Asn  
305 310 315 320

-continued

---

Gln Lys Ile Lys Lys Thr Pro Val Val Ser Leu Glu Tyr Asp Phe Glu  
 325 330 335

His Lys Gln Arg Ile Asp Asn Glu Asn Asp Lys Lys Leu Val Val Ser  
 340 345 350

Ala Pro Thr Lys Lys Pro Thr Ser Pro Thr Thr Tyr Thr Glu Thr Thr  
 355 360 365

Thr Gln Val Pro Met Pro Thr Val Glu Arg Gln Thr Gln Gln Gln Ile  
 370 375 380

Ile Tyr Asn Ala Pro Lys Gln Leu Ala Gly Leu Asn Gly Glu Ser His  
 385 390 395 400

Asp Phe Thr Thr Thr His Gln Ser Pro Thr Thr Ser Asn His Thr His  
 405 410 415

Asn Asn Val Val Glu Phe Glu Glu Thr Ser Ala Leu Pro Gly Arg Lys  
 420 425 430

Ser Gly Ser Leu Val Gly Ile Ser Gln Ile Asp Ser Ser His Leu Thr  
 435 440 445

Glu Arg Glu Lys Arg Val Ile Lys Arg Glu His Val Arg Glu Ala Gln  
 450 455 460

Lys Leu Val Asp Asn Tyr Lys Asp Thr His Ser Tyr Lys Asp Arg Ile  
 465 470 475 480

Asn Ala Gln Gln Lys Val Asn Thr Leu Ser Glu Gly His Gln Lys Arg  
 485 490 495

Phe Asn Lys Gln Ile Asn Lys Val Tyr Asn Gly Lys  
 500 505

&lt;210&gt; SEQ ID NO 33

&lt;211&gt; LENGTH: 520

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Staphylococcus sp

&lt;400&gt; SEQUENCE: 33

Met Leu Thr Leu Gln Ile His Thr Gly Gly Ile Asn Leu Lys Lys Lys  
 1 5 10 15

Asn Ile Tyr Ser Ile Arg Lys Leu Gly Val Gly Ile Ala Ser Val Thr  
 20 25 30

Leu Gly Thr Leu Leu Ile Ser Gly Gly Val Thr Pro Ala Ala Asn Ala  
 35 40 45

Ala Gln His Asp Glu Ala Gln Gln Asn Ala Phe Tyr Gln Val Leu Asn  
 50 55 60

Met Pro Asn Leu Asn Ala Asp Gln Arg Asn Gly Phe Ile Gln Ser Leu  
 65 70 75 80

Lys Asp Asp Pro Ser Gln Ser Ala Asn Val Leu Gly Glu Ala Gln Lys  
 85 90 95

Leu Asn Asp Ser Gln Ala Pro Lys Ala Asp Ala Gln Gln Asn Asn Phe  
 100 105 110

Asn Lys Asp Gln Gln Ser Ala Phe Tyr Glu Ile Leu Asn Met Pro Asn  
 115 120 125

Leu Asn Glu Ala Gln Arg Asn Gly Phe Ile Gln Ser Leu Lys Asp Asp  
 130 135 140

Pro Ser Gln Ser Thr Asn Val Leu Gly Glu Ala Lys Lys Leu Asn Glu  
 145 150 155 160

Ser Gln Ala Pro Lys Ala Asp Asn Asn Phe Asn Lys Glu Gln Gln Asn  
 165 170 175

-continued

---

Ala Phe Tyr Glu Ile Leu Asn Met Pro Asn Leu Asn Glu Glu Gln Arg  
180 185 190

Asn Gly Phe Ile Gln Ser Leu Lys Asp Asp Pro Ser Gln Ser Ala Asn  
195 200 205

Leu Leu Ser Glu Ala Lys Lys Leu Asn Glu Ser Gln Ala Pro Lys Ala  
210 215 220

Asp Asn Lys Phe Asn Lys Glu Gln Gln Asn Ala Phe Tyr Glu Ile Leu  
225 230 235 240

His Leu Pro Asn Leu Asn Glu Glu Gln Arg Asn Gly Phe Ile Gln Ser  
245 250 255

Leu Lys Asp Asp Pro Ser Gln Ser Ala Asn Leu Leu Ala Glu Ala Lys  
260 265 270

Lys Leu Asn Asp Ala Gln Ala Pro Lys Ala Asp Asn Lys Phe Asn Lys  
275 280 285

Glu Gln Gln Asn Ala Phe Tyr Glu Ile Leu His Leu Pro Asn Leu Thr  
290 295 300

Glu Glu Gln Arg Asn Gly Phe Ile Gln Ser Leu Lys Asp Asp Pro Ser  
305 310 315 320

Val Ser Lys Glu Ile Leu Ala Glu Ala Lys Lys Leu Asn Asp Ala Gln  
325 330 335

Ala Pro Lys Glu Glu Asp Asn Asn Lys Pro Gly Lys Glu Asp Gly Asn  
340 345 350

Lys Pro Gly Lys Glu Asp Asn Asn Lys Pro Gly Lys Glu Asp Asn Lys  
355 360 365

Lys Pro Gly Lys Glu Asp Asn Asn Lys Pro Gly Lys Glu Asp Asn Asn  
370 375 380

Lys Pro Gly Lys Glu Asp Gly Asn Lys Pro Gly Lys Glu Asp Asn Lys  
385 390 395 400

Lys Pro Gly Lys Glu Asp Asn Asn Lys Pro Gly Lys Glu Asp Gly Asn  
405 410 415

Lys Pro Gly Lys Glu Asp Gly Asn Gly Val His Val Val Lys Pro Gly  
420 425 430

Asp Thr Val Asn Asp Ile Ala Lys Ala Asn Gly Thr Thr Ala Asp Lys  
435 440 445

Ile Ala Ala Asp Asn Lys Leu Ala Asp Lys Asn Met Ile Lys Pro Gly  
450 455 460

Gln Glu Leu Val Val Asp Lys Lys Gln Pro Ala Asn His Ala Asp Ala  
465 470 475 480

Asn Lys Ala Gln Ala Leu Pro Glu Thr Gly Glu Glu Asn Pro Phe Ile  
485 490 495

Gly Thr Thr Val Phe Gly Gly Leu Ser Leu Ala Leu Gly Ala Ala Leu  
500 505 510

Leu Ala Gly Arg Arg Arg Glu Leu  
515 520

&lt;210&gt; SEQ ID NO 34

&lt;211&gt; LENGTH: 291

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Staphylococcus sp

&lt;400&gt; SEQUENCE: 34

Ala Gln His Asp Glu Ala Lys Lys Asn Ala Phe Tyr Gln Val Leu Asn  
1 5 10 15

-continued

---

Met Pro Asn Leu Asn Ala Asp Gln Arg Asn Gly Phe Ile Gln Ser Leu  
 20 25 30

Lys Ala Ala Pro Ser Gln Ser Ala Asn Val Leu Gly Glu Ala Gln Lys  
 35 40 45

Leu Asn Asp Ser Gln Ala Pro Lys Ala Asp Ala Gln Gln Asn Asn Phe  
 50 55 60

Asn Lys Asp Lys Lys Ser Ala Phe Tyr Glu Ile Leu Asn Met Pro Asn  
 65 70 75 80

Leu Asn Glu Ala Gln Arg Asn Gly Phe Ile Gln Ser Leu Lys Ala Ala  
 85 90 95

Pro Ser Gln Ser Thr Asn Val Leu Gly Glu Ala Lys Lys Leu Asn Glu  
 100 105 110

Ser Gln Ala Pro Lys Ala Asp Asn Asn Phe Asn Lys Glu Lys Lys Asn  
 115 120 125

Ala Phe Tyr Glu Ile Leu Asn Met Pro Asn Leu Asn Glu Glu Gln Arg  
 130 135 140

Asn Gly Phe Ile Gln Ser Leu Lys Ala Ala Pro Ser Gln Ser Ala Asn  
 145 150 155 160

Leu Leu Ser Glu Ala Lys Lys Leu Asn Glu Ser Gln Ala Pro Lys Ala  
 165 170 175

Asp Asn Lys Phe Asn Lys Glu Lys Lys Asn Ala Phe Tyr Glu Ile Leu  
 180 185 190

His Leu Pro Asn Leu Asn Glu Glu Gln Arg Asn Gly Phe Ile Gln Ser  
 195 200 205

Leu Lys Ala Ala Pro Ser Gln Ser Ala Asn Leu Leu Ala Glu Ala Lys  
 210 215 220

Lys Leu Asn Asp Ala Gln Ala Pro Lys Ala Asp Asn Lys Phe Asn Lys  
 225 230 235 240

Glu Lys Lys Asn Ala Phe Tyr Glu Ile Leu His Leu Pro Asn Leu Thr  
 245 250 255

Glu Glu Gln Arg Asn Gly Phe Ile Gln Ser Leu Lys Ala Ala Pro Ser  
 260 265 270

Val Ser Lys Glu Ile Leu Ala Glu Ala Lys Lys Leu Asn Asp Ala Gln  
 275 280 285

Ala Pro Lys  
 290

&lt;210&gt; SEQ ID NO 35

&lt;211&gt; LENGTH: 772

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Staphylococcus sp

&lt;400&gt; SEQUENCE: 35

Met Lys Ala Leu Leu Leu Lys Thr Ser Val Trp Leu Val Leu Leu Phe  
 1 5 10 15

Ser Val Met Gly Leu Trp Gln Val Ser Asn Ala Ala Glu Gln His Thr  
 20 25 30

Pro Met Lys Ala His Ala Val Thr Thr Ile Asp Lys Ala Thr Thr Asp  
 35 40 45

Lys Gln Gln Val Pro Pro Thr Lys Glu Ala Ala His His Ser Gly Lys  
 50 55 60

Glu Ala Ala Thr Asn Val Ser Ala Ser Ala Gln Gly Thr Ala Asp Asp  
 65 70 75 80

-continued

Thr	Asn	Ser	Lys	Val	Thr	Ser	Asn	Ala	Pro	Ser	Asn	Lys	Pro	Ser	Thr	85	90	95	
Val	Val	Ser	Thr	Lys	Val	Asn	Glu	Thr	Arg	Asp	Val	Asp	Thr	Gln	Gln	100	105	110	
Ala	Ser	Thr	Gln	Lys	Pro	Thr	His	Thr	Ala	Thr	Phe	Lys	Leu	Ser	Asn	115	120	125	
Ala	Lys	Thr	Ala	Ser	Leu	Ser	Pro	Arg	Met	Phe	Ala	Ala	Asn	Ala	Pro	130	135	140	
Gln	Thr	Thr	Thr	His	Lys	Ile	Leu	His	Thr	Asn	Asp	Ile	His	Gly	Arg	145	150	155	160
Leu	Ala	Glu	Glu	Lys	Gly	Arg	Val	Ile	Gly	Met	Ala	Lys	Leu	Lys	Thr	165	170	175	
Val	Lys	Glu	Gln	Glu	Lys	Pro	Asp	Leu	Met	Leu	Asp	Ala	Gly	Asp	Ala	180	185	190	
Phe	Gln	Gly	Leu	Pro	Leu	Ser	Asn	Gln	Ser	Lys	Gly	Glu	Glu	Met	Ala	195	200	205	
Lys	Ala	Met	Asn	Ala	Val	Gly	Tyr	Asp	Ala	Met	Ala	Val	Gly	Asn	His	210	215	220	
Glu	Phe	Asp	Phe	Gly	Tyr	Asp	Gln	Leu	Lys	Lys	Leu	Glu	Gly	Met	Leu	225	230	235	240
Asp	Phe	Pro	Met	Leu	Ser	Thr	Asn	Val	Tyr	Lys	Asp	Gly	Lys	Arg	Ala	245	250	255	
Phe	Lys	Pro	Ser	Thr	Ile	Val	Thr	Lys	Asn	Gly	Ile	Arg	Tyr	Gly	Ile	260	265	270	
Ile	Gly	Val	Thr	Thr	Pro	Glu	Thr	Lys	Thr	Lys	Thr	Arg	Pro	Glu	Gly	275	280	285	
Ile	Lys	Gly	Val	Glu	Phe	Arg	Asp	Pro	Leu	Gln	Ser	Val	Thr	Ala	Glu	290	295	300	
Met	Met	Arg	Ile	Tyr	Lys	Asp	Val	Asp	Thr	Phe	Val	Val	Ile	Ser	His	305	310	315	320
Leu	Gly	Ile	Asp	Pro	Ser	Thr	Gln	Glu	Thr	Trp	Arg	Gly	Asp	Tyr	Leu	325	330	335	
Val	Lys	Gln	Leu	Ser	Gln	Asn	Pro	Gln	Leu	Lys	Lys	Arg	Ile	Thr	Val	340	345	350	
Ile	Asp	Gly	His	Ser	His	Thr	Val	Leu	Gln	Asn	Gly	Gln	Ile	Tyr	Asn	355	360	365	
Asn	Asp	Ala	Leu	Ala	Gln	Thr	Gly	Thr	Ala	Leu	Ala	Asn	Ile	Gly	Lys	370	375	380	
Ile	Thr	Phe	Asn	Tyr	Arg	Asn	Gly	Glu	Val	Ser	Asn	Ile	Lys	Pro	Ser	385	390	395	400
Leu	Ile	Asn	Val	Lys	Asp	Val	Glu	Asn	Val	Thr	Pro	Asn	Lys	Ala	Leu	405	410	415	
Ala	Glu	Gln	Ile	Asn	Gln	Ala	Asp	Gln	Thr	Phe	Arg	Ala	Gln	Thr	Ala	420	425	430	
Glu	Val	Ile	Ile	Pro	Asn	Asn	Thr	Ile	Asp	Phe	Lys	Gly	Glu	Arg	Asp	435	440	445	
Asp	Val	Arg	Thr	Arg	Glu	Thr	Asn	Leu	Gly	Asn	Ala	Ile	Ala	Asp	Ala	450	455	460	
Met	Glu	Ala	Tyr	Gly	Val	Lys	Asn	Phe	Ser	Lys	Lys	Thr	Asp	Phe	Ala	465	470	475	480
Val	Thr	Asn	Gly	Gly	Gly	Leu	Arg	Ala	Ser	Ile	Ala	Lys	Gly	Lys	Val	485	490	495	

-continued

Thr Arg Tyr Asp Leu Ile Ser Val Leu Pro Phe Gly Asn Thr Ile Ala  
                   500                                  505                                  510  
 Gln Ile Asp Val Lys Gly Ser Asp Val Trp Thr Ala Phe Glu His Ser  
                   515                                  520                                  525  
 Leu Gly Ala Pro Thr Thr Gln Lys Asp Gly Lys Thr Val Leu Thr Ala  
                   530                                  535                                  540  
 Asn Gly Gly Leu Leu His Ile Ser Asp Ser Ile Arg Val Tyr Tyr Asp  
                   545                                  550                                  555                                  560  
 Ile Asn Lys Pro Ser Gly Lys Arg Ile Asn Ala Ile Gln Ile Leu Asn  
                   565                                  570                                  575  
 Lys Glu Thr Gly Lys Phe Glu Asn Ile Asp Leu Lys Arg Val Tyr His  
                   580                                  585                                  590  
 Val Thr Met Asn Asp Phe Thr Ala Ser Gly Gly Asp Gly Tyr Ser Met  
                   595                                  600                                  605  
 Phe Gly Gly Pro Arg Glu Glu Gly Ile Ser Leu Asp Gln Val Leu Ala  
                   610                                  615                                  620  
 Ser Tyr Leu Lys Thr Ala Asn Leu Ala Lys Tyr Asp Thr Thr Glu Pro  
                   625                                  630                                  635                                  640  
 Gln Arg Met Leu Leu Gly Lys Pro Ala Val Ser Glu Gln Pro Ala Lys  
                   645                                  650                                  655  
 Gly Gln Gln Gly Ser Lys Gly Ser Lys Ser Gly Lys Asp Thr Gln Pro  
                   660                                  665                                  670  
 Ile Gly Asp Asp Lys Val Met Asp Pro Ala Lys Lys Pro Ala Pro Gly  
                   675                                  680                                  685  
 Lys Val Val Leu Leu Leu Ala His Arg Gly Thr Val Ser Ser Gly Thr  
                   690                                  695                                  700  
 Glu Gly Ser Gly Arg Thr Ile Glu Gly Ala Thr Val Ser Ser Lys Ser  
                   705                                  710                                  715                                  720  
 Gly Lys Gln Leu Ala Arg Met Ser Val Pro Lys Gly Ser Ala His Glu  
                   725                                  730                                  735  
 Lys Gln Leu Pro Lys Thr Gly Thr Asn Gln Ser Ser Ser Pro Glu Ala  
                   740                                  745                                  750  
 Met Phe Val Leu Leu Ala Gly Ile Gly Leu Ile Ala Thr Val Arg Arg  
                   755                                  760                                  765  
 Arg Lys Ala Ser  
                   770

&lt;210&gt; SEQ ID NO 36

&lt;211&gt; LENGTH: 190

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Staphylococcus sp

&lt;400&gt; SEQUENCE: 36

Met Lys Leu Lys Ser Leu Ala Val Leu Ser Met Ser Ala Val Val Leu  
 1                  5                                  10                                  15  
 Thr Ala Cys Gly Asn Asp Thr Pro Lys Asp Glu Thr Lys Ser Thr Glu  
                   20                                  25                                  30  
 Ser Asn Thr Asn Gln Asp Thr Asn Thr Thr Lys Asp Val Ile Ala Leu  
                   35                                  40                                  45  
 Lys Asp Val Lys Thr Ser Pro Glu Asp Ala Val Lys Lys Ala Glu Glu  
                   50                                  55                                  60  
 Thr Tyr Lys Gly Gln Lys Leu Lys Gly Ile Ser Phe Glu Asn Ser Asn  
                   65                                  70                                  75                                  80

-continued

---

Gly Glu Trp Ala Tyr Lys Val Thr Gln Gln Lys Ser Gly Glu Glu Ser  
85 90 95

Glu Val Leu Val Ala Asp Lys Asn Lys Lys Val Ile Asn Lys Lys Thr  
100 105 110

Glu Lys Glu Asp Thr Met Asn Glu Asn Asp Asn Phe Lys Tyr Ser Asp  
115 120 125

Ala Ile Asp Tyr Lys Lys Ala Ile Lys Glu Gly Gln Lys Glu Phe Asp  
130 135 140

Gly Asp Ile Lys Glu Trp Ser Leu Glu Lys Asp Asp Gly Lys Leu Val  
145 150 155 160

Tyr Asn Ile Asp Leu Lys Lys Gly Asn Lys Lys Gln Glu Val Thr Val  
165 170 175

Asp Ala Lys Asn Gly Lys Val Leu Lys Ser Glu Gln Asp His  
180 185 190

&lt;210&gt; SEQ ID NO 37

&lt;211&gt; LENGTH: 502

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Staphylococcus sp

&lt;400&gt; SEQUENCE: 37

Met Arg Glu Asn Phe Lys Leu Arg Lys Met Lys Val Gly Leu Val Ser  
1 5 10 15

Val Ala Ile Thr Met Leu Tyr Ile Met Thr Asn Gly Gln Ala Glu Ala  
20 25 30

Ser Glu Asn Gln Asn Ala Leu Ile Ser Asn Ile Asn Val Asp Asn Gln  
35 40 45

Glu Lys Gln Asn Asn Val Asn Gln Ala Val Gln Pro Gln Asn Asn Thr  
50 55 60

Asn Glu Thr Ser Lys Val Pro Ala Asn Phe Val Lys Leu Asn Asp Ile  
65 70 75 80

Lys Pro Gly Asp Thr Ser Ile Gln Gly Thr Thr Leu Pro Asn Gln Phe  
85 90 95

Ile Leu Leu Thr Ile Asp Lys Lys Asp Val Ser Ser Val Glu Asp Ser  
100 105 110

Asp Ser Ser Phe Val Met Ser Asp Lys Asp Gly Asn Phe Lys Tyr Asp  
115 120 125

Leu Asn Gly Arg Lys Ile Val His Asn Gln Glu Ile Glu Val Ser Ser  
130 135 140

Ser Asp Pro Tyr Leu Gly Asp Asp Glu Glu Asp Glu Glu Val Glu Glu  
145 150 155 160

Thr Ser Thr Glu Glu Val Gly Ala Glu Glu Glu Ser Thr Glu Ala Lys  
165 170 175

Ala Thr Tyr Thr Thr Pro Arg Tyr Glu Lys Ala Tyr Glu Ile Pro Lys  
180 185 190

Glu Gln Leu Lys Glu Lys Asp Gly His His Gln Val Phe Ile Glu Pro  
195 200 205

Ile Thr Glu Gly Ser Gly Ile Ile Lys Gly His Thr Ser Val Lys Gly  
210 215 220

Lys Val Ala Leu Ser Ile Asn Asn Lys Phe Ile Asn Phe Glu Thr Asn  
225 230 235 240

Ala Asn Gly Gly Pro Asn Lys Glu Glu Ala Lys Ser Gly Ser Glu Gly  
245 250 255



-continued

---

Lys Asp Asp Lys Tyr Thr Asn Val Gly Asn Leu Lys Glu Val Asn Phe  
 115 120 125  
 Asp Lys Leu Ala Ala Thr Lys Pro Glu Val Ile Phe Ile Ser Gly Arg  
 130 135 140  
 Thr Ala Asn Gln Lys Asn Leu Asp Glu Phe Lys Lys Ala Ala Pro Lys  
 145 150 155 160  
 Ala Lys Ile Val Tyr Val Gly Ala Asp Glu Lys Asn Leu Ile Gly Ser  
 165 170 175  
 Met Lys Gln Asn Thr Glu Asn Ile Gly Lys Ile Tyr Asp Lys Glu Asp  
 180 185 190  
 Lys Ala Lys Glu Leu Asn Lys Asp Leu Asp Asn Lys Ile Ala Ser Met  
 195 200 205  
 Lys Asp Lys Thr Lys Asn Phe Asn Lys Thr Val Met Tyr Leu Leu Val  
 210 215 220  
 Asn Glu Gly Glu Leu Ser Thr Phe Gly Pro Lys Gly Arg Phe Gly Gly  
 225 230 235 240  
 Leu Val Tyr Asp Thr Leu Gly Phe Asn Ala Val Asp Lys Lys Val Ser  
 245 250 255  
 Asn Ser Asn His Gly Gln Asn Val Ser Asn Glu Tyr Val Asn Lys Glu  
 260 265 270  
 Asn Pro Asp Val Ile Leu Ala Met Asp Arg Gly Gln Ala Ile Ser Gly  
 275 280 285  
 Lys Ser Thr Ala Lys Gln Ala Leu Asn Asn Pro Val Leu Lys Asn Val  
 290 295 300  
 Lys Ala Ile Lys Glu Asp Lys Val Tyr Asn Leu Asp Pro Lys Leu Trp  
 305 310 315 320  
 Tyr Phe Ala Ala Gly Ser Thr Thr Thr Thr Ile Lys Gln Ile Glu Glu  
 325 330 335  
 Leu Asp Lys Val Val Lys  
 340

&lt;210&gt; SEQ ID NO 39

&lt;211&gt; LENGTH: 241

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Staphylococcus sp

&lt;400&gt; SEQUENCE: 39

Met Lys Lys Asn Ile Met Asn Lys Leu Val Leu Ser Thr Ala Leu Leu  
 1 5 10 15  
 Leu Leu Glu Thr Thr Ser Thr Gln Leu Pro Lys Thr Pro Ile Ser Phe  
 20 25 30  
 Ser Ser Glu Ala Lys Ala Tyr Asn Ile Ser Glu Asn Glu Thr Asn Ile  
 35 40 45  
 Asn Glu Leu Ile Lys Tyr Tyr Thr Gln Pro His Phe Ser Leu Ser Gly  
 50 55 60  
 Lys Trp Leu Trp Gln Lys Pro Asn Gly Ser Ile His Ala Thr Leu Gln  
 65 70 75 80  
 Thr Trp Val Trp Tyr Ser His Ile Gln Val Phe Gly Ser Glu Ser Trp  
 85 90 95  
 Gly Asn Ile Asn Gln Leu Arg Asn Lys Tyr Val Asp Ile Phe Gly Thr  
 100 105 110  
 Lys Asp Glu Asp Thr Val Glu Gly Tyr Trp Thr Tyr Asp Glu Thr Phe  
 115 120 125

-continued

---

Thr Gly Gly Val Thr Pro Ala Ala Thr Ser Ser Asp Lys Pro Tyr Arg  
 130 135 140  
 Leu Phe Leu Lys Tyr Ser Asp Lys Gln Gln Thr Ile Ile Gly Gly His  
 145 150 155 160  
 Glu Phe Tyr Lys Gly Asn Lys Pro Val Leu Thr Leu Lys Glu Leu Asp  
 165 170 175  
 Phe Arg Ile Arg Gln Thr Leu Ile Lys Asn Lys Lys Leu Tyr Asn Gly  
 180 185 190  
 Glu Phe Asn Lys Gly Gln Ile Lys Ile Thr Ala Asp Gly Asn Asn Tyr  
 195 200 205  
 Thr Ile Asp Leu Ser Lys Lys Leu Lys Leu Thr Asp Thr Asn Arg Tyr  
 210 215 220  
 Val Lys Asn Pro Arg Asn Ala Glu Ile Glu Val Ile Leu Glu Lys Ser  
 225 230 235 240

Asn

&lt;210&gt; SEQ ID NO 40

&lt;211&gt; LENGTH: 302

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Staphylococcus sp

&lt;400&gt; SEQUENCE: 40

Met Lys Lys Leu Leu Leu Pro Leu Ile Ile Met Leu Leu Val Leu Ala  
 1 5 10 15  
 Ala Cys Gly Asn Gln Gly Glu Lys Asn Asn Lys Ala Glu Thr Lys Ser  
 20 25 30  
 Tyr Lys Met Asp Asp Gly Lys Thr Val Asp Ile Pro Lys Asp Pro Lys  
 35 40 45  
 Arg Ile Ala Val Val Ala Pro Thr Tyr Ala Gly Gly Leu Lys Lys Leu  
 50 55 60  
 Gly Ala Asn Ile Val Ala Val Asn Gln Gln Val Asp Gln Ser Lys Val  
 65 70 75 80  
 Leu Lys Asp Lys Phe Lys Gly Val Thr Lys Ile Gly Asp Gly Asp Val  
 85 90 95  
 Glu Lys Val Ala Lys Glu Lys Pro Asp Leu Ile Ile Val Tyr Ser Thr  
 100 105 110  
 Asp Lys Asp Ile Lys Lys Tyr Gln Lys Val Ala Pro Thr Val Val Val  
 115 120 125  
 Asp Tyr Asn Lys His Lys Tyr Leu Glu Gln Gln Glu Met Leu Gly Lys  
 130 135 140  
 Ile Val Gly Lys Glu Asp Lys Val Lys Ala Trp Lys Lys Asp Trp Glu  
 145 150 155 160  
 Glu Thr Thr Ala Lys Asp Gly Lys Glu Ile Lys Lys Ala Ile Gly Gln  
 165 170 175  
 Asp Ala Thr Val Ser Leu Phe Asp Glu Phe Asp Lys Lys Leu Tyr Thr  
 180 185 190  
 Tyr Gly Asp Asn Trp Gly Arg Gly Gly Glu Val Leu Tyr Gln Ala Phe  
 195 200 205  
 Gly Leu Lys Met Gln Pro Glu Gln Gln Lys Leu Thr Ala Lys Ala Gly  
 210 215 220  
 Trp Ala Glu Val Lys Gln Glu Glu Ile Glu Lys Tyr Ala Gly Asp Tyr  
 225 230 235 240

-continued

---

```

Ile Val Ser Thr Ser Glu Gly Lys Pro Thr Pro Gly Tyr Glu Ser Thr
      245                               250                       255

Asn Met Trp Lys Asn Leu Lys Ala Thr Lys Glu Gly His Ile Val Lys
      260                               265                       270

Val Asp Ala Gly Thr Tyr Trp Tyr Asn Asp Pro Tyr Thr Leu Asp Phe
      275                               280                       285

Met Arg Lys Asp Leu Lys Glu Lys Leu Leu Lys Ala Ala Lys
      290                               295                       300

```

```

<210> SEQ ID NO 41
<211> LENGTH: 267
<212> TYPE: PRT
<213> ORGANISM: Staphylococcus sp

```

```

<400> SEQUENCE: 41

```

```

Met Lys Lys Ile Ala Thr Ala Thr Ile Ala Thr Ala Gly Phe Ala Thr
 1      5      10      15

Ile Ala Ile Ala Ser Gly Asn Gln Ala His Ala Ser Glu Gln Asp Asn
 20      25      30

Tyr Gly Tyr Asn Pro Asn Asp Pro Thr Ser Tyr Ser Tyr Thr Tyr Thr
 35      40      45

Ile Asp Ala Gln Gly Asn Tyr His Tyr Thr Trp Lys Gly Asn Trp His
 50      55      60

Pro Ser Gln Leu Asn Gln Asp Asn Gly Tyr Tyr Ser Tyr Tyr Tyr Tyr
 65      70      75      80

Asn Gly Tyr Asn Asn Tyr Asn Asn Tyr Asn Asn Gly Tyr Ser Tyr Asn
 85      90      95

Asn Tyr Ser Arg Tyr Asn Asn Tyr Ser Asn Asn Asn Gln Ser Tyr Asn
100     105     110

Tyr Asn Asn Tyr Asn Ser Tyr Asn Thr Asn Ser Tyr Arg Thr Gly Gly
115     120     125

Leu Gly Ala Ser Tyr Ser Thr Ser Ser Asn Asn Val Gln Val Thr Thr
130     135     140

Thr Met Ala Pro Ser Ser Asn Gly Arg Ser Ile Ser Ser Gly Tyr Thr
145     150     155     160

Ser Gly Arg Asn Leu Tyr Thr Ser Gly Gln Cys Thr Tyr Tyr Val Phe
165     170     175

Asp Arg Val Gly Gly Lys Ile Gly Ser Thr Trp Gly Asn Ala Ser Asn
180     185     190

Trp Ala Asn Ala Ala Ala Arg Ala Gly Tyr Thr Val Asn Asn Thr Pro
195     200     205

Lys Ala Gly Ala Ile Met Gln Thr Thr Gln Gly Ala Tyr Gly His Val
210     215     220

Ala Tyr Val Glu Ser Val Asn Ser Asn Gly Ser Val Arg Val Ser Glu
225     230     235     240

Met Asn Tyr Gly Tyr Gly Pro Gly Val Val Thr Ser Arg Thr Ile Ser
245     250     255

Ala Ser Gln Ala Ala Gly Tyr Asn Phe Ile His
260     265

```

```

<210> SEQ ID NO 42
<211> LENGTH: 209
<212> TYPE: PRT
<213> ORGANISM: Staphylococcus sp

```

-continued

&lt;400&gt; SEQUENCE: 42

Met Lys Arg Leu Val Thr Gly Leu Leu Ala Leu Ser Leu Phe Leu Ala  
 1 5 10 15  
 Ala Cys Gly Gln Asp Ser Asp Gln Gln Lys Asp Gly Asn Lys Glu Lys  
 20 25 30  
 Asp Asp Lys Ala Lys Thr Glu Gln Asp Lys Lys Thr Asn Asp Ser  
 35 40 45  
 Ser Lys Asp Lys Lys Asp Asn Lys Asp Asp Ser Lys Asp Val Asn Lys  
 50 55 60  
 Asp Asn Lys Asp Asn Ser Ala Asn Asp Asn Gln Gln Ser Asn Ser  
 65 70 75 80  
 Asn Ala Thr Asn Asn Asp Gln Asn Gln Thr Asn Asn Asn Gln Ser Ser  
 85 90 95  
 Asn Asn Gln Ala Asn Asn Asn Gln Lys Ser Ser Tyr Val Ala Pro Tyr  
 100 105 110  
 Tyr Gly Gln Asn Ala Ala Pro Val Ala Arg Gln Ile Tyr Pro Phe Asn  
 115 120 125  
 Gly Asn Lys Asn Gln Ala Leu Gln Gln Leu Pro Asn Phe Gln Thr Ala  
 130 135 140  
 Leu Asn Ala Ala Asn Asn Glu Ala Asn Lys Phe Gly Ser Asn Asn Lys  
 145 150 155 160  
 Val Tyr Asn Asp Tyr Ser Ile Glu Glu His Asn Gly Asn Tyr Lys Tyr  
 165 170 175  
 Val Phe Ser Phe Lys Asp Pro Asn Ala Asn Gly Lys Tyr Ser Ile Val  
 180 185 190  
 Thr Val Asp Tyr Thr Gly Gln Ala Met Val Thr Asp Pro Asn Tyr Gln  
 195 200 205

Gln

&lt;210&gt; SEQ ID NO 43

&lt;211&gt; LENGTH: 436

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Staphylococcus sp

&lt;400&gt; SEQUENCE: 43

Met Lys Asn Lys Tyr Ile Ser Lys Leu Leu Val Gly Ala Ala Thr Ile  
 1 5 10 15  
 Thr Leu Ala Thr Met Ile Ser Asn Gly Glu Ala Lys Ala Ser Glu Asn  
 20 25 30  
 Thr Gln Gln Thr Ser Thr Lys His Gln Thr Thr Gln Asn Asn Tyr Val  
 35 40 45  
 Thr Asp Gln Gln Lys Ala Phe Tyr Gln Val Leu His Leu Lys Gly Ile  
 50 55 60  
 Thr Glu Glu Gln Arg Asn Gln Tyr Ile Lys Thr Leu Arg Glu His Pro  
 65 70 75 80  
 Glu Arg Ala Gln Glu Val Phe Ser Glu Ser Leu Lys Asp Ser Lys Asn  
 85 90 95  
 Pro Asp Arg Arg Val Ala Gln Gln Asn Ala Phe Tyr Asn Val Leu Lys  
 100 105 110  
 Asn Asp Asn Leu Thr Glu Gln Glu Lys Asn Asn Tyr Ile Ala Gln Ile  
 115 120 125  
 Lys Glu Asn Pro Asp Arg Ser Gln Gln Val Trp Val Glu Ser Val Gln  
 130 135 140

-continued

---

Ser Ser Lys Ala Lys Glu Arg Gln Asn Ile Glu Asn Ala Asp Lys Ala  
 145 150 155 160  
 Ile Lys Asp Phe Gln Asp Asn Lys Ala Pro His Asp Lys Ser Ala Ala  
 165 170 175  
 Tyr Glu Ala Asn Ser Lys Leu Pro Lys Asp Leu Arg Asp Lys Asn Asn  
 180 185 190  
 Arg Phe Val Glu Lys Val Ser Ile Glu Lys Ala Ile Val Arg His Asp  
 195 200 205  
 Glu Arg Val Lys Ser Ala Asn Asp Ala Ile Ser Lys Leu Asn Glu Lys  
 210 215 220  
 Asp Ser Ile Glu Asn Arg Arg Leu Ala Gln Arg Glu Val Asn Lys Ala  
 225 230 235 240  
 Pro Met Asp Val Lys Glu His Leu Gln Lys Gln Leu Asp Ala Leu Val  
 245 250 255  
 Ala Gln Lys Asp Ala Glu Lys Lys Val Ala Pro Lys Val Glu Ala Pro  
 260 265 270  
 Gln Ile Gln Ser Pro Gln Ile Glu Lys Pro Lys Val Glu Ser Pro Lys  
 275 280 285  
 Val Glu Val Pro Gln Ile Gln Ser Pro Lys Val Glu Val Pro Gln Ser  
 290 295 300  
 Lys Leu Leu Gly Tyr Tyr Gln Ser Leu Lys Asp Ser Phe Asn Tyr Gly  
 305 310 315 320  
 Tyr Lys Tyr Leu Thr Asp Thr Tyr Lys Ser Tyr Lys Glu Lys Tyr Asp  
 325 330 335  
 Thr Ala Lys Tyr Tyr Tyr Asn Thr Tyr Tyr Lys Tyr Lys Gly Ala Ile  
 340 345 350  
 Asp Gln Thr Val Leu Thr Val Leu Gly Ser Gly Ser Lys Ser Tyr Ile  
 355 360 365  
 Gln Pro Leu Lys Val Asp Asp Lys Asn Gly Tyr Leu Ala Lys Ser Tyr  
 370 375 380  
 Ala Gln Val Arg Asn Tyr Val Thr Glu Ser Ile Asn Thr Gly Lys Val  
 385 390 395 400  
 Leu Tyr Thr Phe Tyr Gln Asn Pro Thr Leu Val Lys Thr Ala Leu Lys  
 405 410 415  
 Ala Gln Glu Thr Ala Ser Ser Ile Lys Asn Thr Leu Ser Asn Leu Leu  
 420 425 430  
 Ser Phe Trp Lys  
 435

&lt;210&gt; SEQ ID NO 44

&lt;211&gt; LENGTH: 233

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Staphylococcus sp

&lt;400&gt; SEQUENCE: 44

Met Lys Lys Thr Ile Met Ala Ser Ser Leu Ala Val Ala Leu Gly Val  
 1 5 10 15  
 Thr Gly Tyr Ala Ala Gly Thr Gly His Gln Ala His Ala Ala Glu Val  
 20 25 30  
 Asn Val Asp Gln Ala His Leu Val Asp Leu Ala His Asn His Gln Asp  
 35 40 45  
 Gln Leu Asn Ala Ala Pro Ile Lys Asp Gly Ala Tyr Asp Ile His Phe  
 50 55 60

-continued

---

Val Lys Asp Gly Phe Gln Tyr Asn Phe Thr Ser Asn Gly Thr Thr Trp  
 65 70 75 80  
 Ser Trp Ser Tyr Glu Ala Ala Asn Gly Gln Thr Ala Gly Phe Ser Asn  
 85 90 95  
 Val Ala Gly Ala Asp Tyr Thr Thr Ser Tyr Asn Gln Gly Ser Asn Val  
 100 105 110  
 Gln Ser Val Ser Tyr Asn Ala Gln Ser Ser Asn Ser Asn Val Glu Ala  
 115 120 125  
 Val Ser Ala Pro Thr Tyr His Asn Tyr Ser Thr Ser Thr Thr Ser Ser  
 130 135 140  
 Ser Val Arg Leu Ser Asn Gly Asn Thr Ala Gly Ala Thr Gly Ser Ser  
 145 150 155 160  
 Ala Ala Gln Leu Met Ala Gln Arg Thr Gly Val Ser Ala Ser Thr Trp  
 165 170 175  
 Ala Ala Ile Ile Ala Arg Glu Ser Asn Gly Gln Val Asn Ala Tyr Asn  
 180 185 190  
 Pro Ser Gly Ala Ser Gly Leu Phe Gln Thr Met Pro Gly Trp Gly Pro  
 195 200 205  
 Thr Asn Thr Val Asp Gln Gln Ile Asn Ala Ala Val Lys Ala Tyr Lys  
 210 215 220  
 Ala Gln Gly Leu Gly Ala Trp Gly Phe  
 225 230

&lt;210&gt; SEQ ID NO 45

&lt;211&gt; LENGTH: 256

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Staphylococcus sp

&lt;400&gt; SEQUENCE: 45

Met Met Lys Arg Leu Asn Lys Leu Val Leu Gly Ile Ile Phe Leu Phe  
 1 5 10 15  
 Leu Val Ile Ser Ile Thr Ala Gly Cys Gly Ile Gly Lys Glu Ala Glu  
 20 25 30  
 Val Lys Lys Ser Phe Glu Lys Thr Leu Ser Met Tyr Pro Ile Lys Asn  
 35 40 45  
 Leu Glu Asp Leu Tyr Asp Lys Glu Gly Tyr Arg Asp Asp Gln Phe Asp  
 50 55 60  
 Lys Asn Asp Lys Gly Thr Trp Ile Ile Asn Ser Glu Met Val Ile Gln  
 65 70 75 80  
 Pro Asn Asn Glu Asp Met Val Ala Lys Gly Met Val Leu Tyr Met Asn  
 85 90 95  
 Arg Asn Thr Lys Thr Thr Asn Gly Tyr Tyr Tyr Val Asp Val Thr Lys  
 100 105 110  
 Asp Glu Asp Glu Gly Lys Pro His Asp Asn Glu Lys Arg Tyr Pro Val  
 115 120 125  
 Lys Met Val Asp Asn Lys Ile Ile Pro Thr Lys Glu Ile Lys Asp Glu  
 130 135 140  
 Lys Ile Lys Lys Glu Ile Glu Asn Phe Lys Phe Phe Val Gln Tyr Gly  
 145 150 155 160  
 Asp Phe Lys Asn Leu Lys Asn Tyr Lys Asp Gly Asp Ile Ser Tyr Asn  
 165 170 175  
 Pro Glu Val Pro Ser Tyr Ser Ala Lys Tyr Gln Leu Thr Asn Asp Asp  
 180 185 190

-continued

---

```

Tyr Asn Val Lys Gln Leu Arg Lys Arg Tyr Asp Ile Pro Thr Ser Lys
    195                200                205

Ala Pro Lys Leu Leu Leu Lys Gly Ser Gly Asn Leu Lys Gly Ser Ser
    210                215                220

Val Gly Tyr Lys Asp Ile Glu Phe Thr Phe Val Glu Lys Lys Glu Glu
    225                230                235                240

Asn Ile Tyr Phe Ser Asp Ser Leu Asp Tyr Lys Lys Ser Gly Asp Val
    245                250                255

<210> SEQ ID NO 46
<211> LENGTH: 514
<212> TYPE: PRT
<213> ORGANISM: Staphylococcus sp

<400> SEQUENCE: 46

Met Lys Lys Ile Tyr Lys Ser Leu Thr Val Ser Ala Ile Val Ala Thr
 1                5                10                15

Val Ser Leu Ser Ala Leu Pro Gln Ser Leu Ala Ile Thr His Glu Ser
    20                25                30

Gln Pro Thr Lys Gln Gln Arg Thr Val Leu Phe Asp Arg Ser His Gly
    35                40                45

Gln Thr Ala Gly Ala Ala Asp Trp Val Ser Asp Gly Ala Phe Ser Asp
    50                55                60

Tyr Ala Asp Ser Ile Gln Lys Gln Gly Tyr Asp Val Lys Ala Ile Asp
    65                70                75                80

Gly His Ser Asn Ile Thr Glu Ala Ser Leu Lys Ser Ser Lys Ile Phe
    85                90                95

Val Ile Pro Glu Ala Asn Ile Pro Phe Lys Glu Ser Glu Gln Ala Ala
    100               105               110

Ile Val Lys Tyr Val Lys Gln Gly Gly Asn Val Val Phe Ile Ser Asp
    115               120               125

His Tyr Asn Ala Asp Arg Asn Leu Asn Arg Ile Asp Ser Ser Glu Ala
    130               135               140

Met Asn Gly Tyr Arg Arg Gly Ala Tyr Glu Asp Met Ser Lys Gly Met
    145               150               155               160

Asn Ala Glu Glu Lys Ser Ser Thr Ala Met Gln Gly Val Lys Ser Ser
    165               170               175

Asp Trp Leu Ser Thr Asn Phe Gly Val Arg Phe Arg Tyr Asn Ala Leu
    180               185               190

Gly Asp Leu Asn Thr Ser Asn Ile Val Ser Ser Lys Glu Ser Phe Gly
    195               200               205

Ile Thr Glu Gly Val Lys Ser Val Ser Met His Ala Gly Ser Thr Leu
    210               215               220

Ala Ile Thr Asn Pro Glu Lys Ala Lys Gly Ile Val Tyr Thr Pro Glu
    225               230               235               240

Gln Leu Pro Ala Lys Ser Lys Trp Ser His Ala Val Asp Gln Gly Ile
    245               250               255

Tyr Asn Gly Gly Gly Lys Ala Glu Gly Pro Tyr Val Ala Ile Ser Lys
    260               265               270

Val Gly Lys Gly Lys Ala Ala Phe Ile Gly Asp Ser Ser Leu Val Glu
    275               280               285

Asp Ser Ser Pro Lys Tyr Val Arg Glu Asp Asn Gly Glu Lys Lys Lys
    290               295               300

```

-continued

Thr Tyr Asp Gly Phe Lys Glu Gln Asp Asn Gly Lys Leu Leu Asn Asn  
 305 310 315 320  
 Ile Thr Ala Trp Met Ser Lys Asp Asn Asp Gly Lys Ser Leu Lys Ala  
 325 330 335  
 Ser Ser Leu Thr Leu Asp Thr Lys Thr Lys Leu Leu Asp Phe Glu Arg  
 340 345 350  
 Pro Glu Arg Ser Thr Glu Pro Glu Lys Glu Pro Trp Ser Gln Pro Pro  
 355 360 365  
 Ser Gly Tyr Lys Trp Tyr Asp Pro Thr Thr Phe Lys Ala Gly Ser Tyr  
 370 375 380  
 Gly Ser Glu Lys Gly Ala Asp Pro Gln Pro Asn Thr Pro Asp Asp His  
 385 390 395 400  
 Thr Pro Pro Asn Gln Asn Glu Lys Val Thr Phe Asp Ile Pro Gln Asn  
 405 410 415  
 Val Ser Val Asn Glu Pro Phe Glu Met Thr Ile His Leu Lys Gly Phe  
 420 425 430  
 Glu Ala Asn Gln Thr Leu Glu Asn Leu Arg Val Gly Ile Tyr Lys Glu  
 435 440 445  
 Gly Gly Arg Gln Ile Gly Gln Phe Ser Ser Lys Asp Asn Asp Tyr Asn  
 450 455 460  
 Pro Pro Gly Tyr Ser Thr Leu Pro Thr Val Lys Ala Asp Glu Asn Gly  
 465 470 475 480  
 Asn Val Thr Ile Lys Val Asn Ala Lys Val Leu Glu Ser Met Glu Gly  
 485 490 495  
 Ser Lys Ile Arg Leu Lys Leu Gly Asp Lys Thr Leu Ile Thr Thr Asp  
 500 505 510  
 Phe Lys

&lt;210&gt; SEQ ID NO 47

&lt;211&gt; LENGTH: 511

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Staphylococcus sp

&lt;400&gt; SEQUENCE: 47

Met Ser Asn Ile Ala Phe Tyr Val Val Ser Asp Val His Gly Tyr Ile  
 1 5 10 15  
 Phe Pro Thr Asp Phe Thr Ser Arg Asn Gln Tyr Gln Pro Met Gly Leu  
 20 25 30  
 Leu Leu Ala Asn His Val Ile Glu Gln Asp Arg Arg Gln Tyr Asp Gln  
 35 40 45  
 Ser Phe Lys Ile Asp Asn Gly Asp Phe Leu Gln Gly Ser Pro Phe Cys  
 50 55 60  
 Asn Tyr Leu Ile Ala His Ser Gly Ser Ser Gln Pro Leu Val Asp Phe  
 65 70 75 80  
 Tyr Asn Arg Met Ala Phe Asp Phe Gly Thr Leu Gly Asn His Glu Phe  
 85 90 95  
 Asn Tyr Gly Leu Pro Tyr Leu Lys Asp Thr Leu Arg Arg Leu Asn Tyr  
 100 105 110  
 Pro Val Leu Cys Ala Asn Ile Tyr Glu Asn Asp Ser Thr Leu Thr Asp  
 115 120 125  
 Asn Gly Val Lys Tyr Phe Gln Val Gly Asp Gln Thr Val Gly Val Ile  
 130 135 140

-continued

---

Gly Leu Thr Thr Gln Phe Ile Pro His Trp Glu Gln Pro Glu His Ile  
 145 150 155 160  
 Gln Ser Leu Thr Phe His Ser Ala Phe Glu Ile Leu Gln Gln Tyr Leu  
 165 170 175  
 Pro Glu Met Lys Arg His Ala Asp Ile Ile Val Val Cys Tyr His Gly  
 180 185 190  
 Gly Phe Glu Lys Asp Leu Glu Ser Gly Thr Pro Thr Glu Val Leu Thr  
 195 200 205  
 Gly Glu Asn Glu Gly Tyr Ala Met Leu Glu Ala Phe Ser Lys Asp Ile  
 210 215 220  
 Asp Ile Phe Ile Thr Gly His Gln His Arg Gln Ile Ala Glu Arg Phe  
 225 230 235 240  
 Lys Gln Thr Ala Val Ile Gln Pro Gly Thr Arg Gly Thr Thr Val Gly  
 245 250 255  
 Arg Val Val Leu Ser Thr Asp Glu Tyr Glu Asn Leu Ser Val Glu Ser  
 260 265 270  
 Cys Glu Leu Leu Pro Val Ile Asp Asp Ser Thr Phe Thr Ile Asp Glu  
 275 280 285  
 Asp Asp Gln His Leu Arg Lys Gln Leu Glu Asp Trp Leu Asp Tyr Glu  
 290 295 300  
 Ile Thr Thr Leu Pro Tyr Asp Met Thr Ile Asn His Ala Phe Glu Ala  
 305 310 315 320  
 Arg Val Ala Pro His Pro Phe Thr Asn Phe Met Asn Tyr Ala Leu Leu  
 325 330 335  
 Glu Lys Ser Asp Ala Asp Val Ala Cys Thr Ala Leu Phe Asp Ser Ala  
 340 345 350  
 Ser Gly Phe Lys Gln Val Val Thr Met Arg Asp Val Ile Asn Asn Tyr  
 355 360 365  
 Pro Phe Pro Asn Thr Phe Lys Val Leu Ala Val Ser Gly Ala Lys Leu  
 370 375 380  
 Lys Glu Ala Ile Glu Arg Ser Ala Glu Tyr Phe Asp Val Lys Asn Asp  
 385 390 395 400  
 Glu Val Ser Val Ser Ala Asp Phe Leu Glu Pro Lys Pro Gln His Phe  
 405 410 415  
 Asn Tyr Asp Ile Tyr Gly Gly Val Ser Tyr Thr Ile His Val Gly Arg  
 420 425 430  
 Pro Lys Gly Gln Arg Val Ser Asn Met Met Ile Gln Gly His Ala Val  
 435 440 445  
 Asp Leu Lys Gln Thr Tyr Thr Ile Cys Val Asn Asn Tyr Arg Ala Val  
 450 455 460  
 Gly Gly Gly Gln Tyr Asp Met Tyr Ile Asp Ala Pro Val Val Lys Asp  
 465 470 475 480  
 Ile Gln Val Glu Gly Ala Gln Leu Leu Ile Asp Phe Leu Ser Asn Asn  
 485 490 495  
 Asn Leu Met Arg Ile Pro Gln Val Val Asp Phe Lys Val Glu Lys  
 500 505 510

&lt;210&gt; SEQ ID NO 48

&lt;211&gt; LENGTH: 324

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Staphylococcus sp

&lt;400&gt; SEQUENCE: 48

-continued

---

Met Lys Arg Leu Ser Ile Ile Val Ile Ile Gly Ile Phe Ile Ile Thr  
1 5 10 15

Gly Cys Asp Trp Gln Arg Thr Ser Lys Glu Arg Ser Lys Asn Ala Gln  
20 25 30

Asn Gln Gln Val Ile Lys Ile Gly Tyr Leu Pro Ile Thr His Ser Ala  
35 40 45

Asn Leu Met Met Thr Lys Lys Leu Leu Ser Gln Tyr Asn His Pro Lys  
50 55 60

Tyr Lys Leu Glu Leu Val Lys Phe Asn Asn Trp Pro Asp Leu Met Asp  
65 70 75 80

Ala Leu Asn Ser Gly Arg Ile Asp Gly Ala Ser Thr Leu Ile Glu Leu  
85 90 95

Ala Met Lys Ser Lys Gln Lys Gly Ser Asn Leu Lys Ala Val Ala Leu  
100 105 110

Gly His His Glu Gly Asn Val Ile Met Gly Gln Lys Gly Met His Leu  
115 120 125

Asn Glu Phe Asn Asn Asn Gly Asp Asp Tyr His Phe Gly Ile Pro His  
130 135 140

Arg Tyr Ser Thr His Tyr Leu Leu Leu Glu Glu Leu Arg Lys Gln Leu  
145 150 155 160

Lys Ile Lys Pro Gly His Phe Ser Tyr His Glu Met Ser Pro Ala Glu  
165 170 175

Met Pro Ala Ala Leu Ser Glu His Arg Ile Thr Gly Tyr Ser Val Ala  
180 185 190

Glu Pro Phe Gly Ala Leu Gly Glu Lys Leu Gly Lys Gly Lys Thr Leu  
195 200 205

Lys His Gly Asp Asp Val Ile Pro Asp Ala Tyr Cys Cys Val Leu Val  
210 215 220

Leu Arg Gly Glu Leu Leu Asp Gln His Lys Asp Val Ala Gln Ala Phe  
225 230 235 240

Val Gln Asp Tyr Lys Lys Ser Gly Phe Lys Met Asn Asp Arg Lys Gln  
245 250 255

Ser Val Asp Ile Met Thr His His Phe Lys Gln Ser Arg Asp Val Leu  
260 265 270

Thr Gln Ser Ala Ala Trp Thr Ser Tyr Gly Asp Leu Thr Ile Lys Pro  
275 280 285

Ser Gly Tyr Gln Glu Ile Thr Thr Leu Val Lys Gln His His Leu Phe  
290 295 300

Asn Pro Pro Ala Tyr Asp Asp Phe Val Glu Pro Ser Leu Tyr Lys Glu  
305 310 315 320

Ala Ser Arg Ser

&lt;210&gt; SEQ ID NO 49

&lt;211&gt; LENGTH: 591

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Staphylococcus sp

&lt;400&gt; SEQUENCE: 49

Met Lys Lys Ile Ile Ser Ile Ala Ile Ile Val Leu Ala Leu Val Leu  
1 5 10 15

Ser Gly Cys Gly Val Pro Thr Lys Ser Glu Val Ala Gln Lys Ser Ser  
20 25 30

Lys Val Glu Val Lys Gly Glu Arg Pro Thr Ile His Phe Leu Gly Gln

-continued

35			40			45									
Ala	Ser	Tyr	Glu	Asn	Asp	Met	Asn	Ile	Val	Lys	Asp	Gln	Leu	Glu	Asn
	50					55					60				
Ala	Gly	Phe	Asn	Val	Lys	Met	Asn	Ile	Gln	Pro	Asp	Tyr	Gly	Ser	Tyr
65					70					75					80
Arg	Thr	Gln	Arg	Gln	Ala	Gly	Asn	Tyr	Asp	Ile	Gln	Ile	Asp	Asp	Trp
				85					90					95	
Met	Thr	Val	Phe	Gly	Asp	Pro	Asn	Tyr	Ala	Met	Thr	Ala	Leu	Phe	Ser
			100					105					110		
Ser	Thr	Gly	Ser	Asn	Ser	Leu	Leu	Lys	Asp	Lys	His	Val	Asp	Gln	Leu
		115					120				125				
Leu	Asn	Lys	Ala	Ser	Thr	Gln	Asn	Glu	Ala	Asp	Val	Lys	Gln	Thr	Tyr
	130					135					140				
Lys	Gln	Ile	Glu	Asp	Glu	Val	Val	Phe	Asp	Lys	Gly	Tyr	Met	Ala	Pro
145				150						155					160
Leu	Tyr	Gly	Ser	Lys	Lys	Asn	Leu	Val	Tyr	Asp	Asn	Lys	Val	Leu	Asp
				165					170					175	
Lys	Asn	Ser	Val	Gly	Leu	Pro	Asn	Ser	Arg	Ala	Leu	Ile	Trp	Gln	Gln
			180					185					190		
Phe	Asp	Tyr	Asn	Asn	Ser	Arg	Glu	Arg	Asp	Thr	Arg	Pro	Leu	Val	Met
		195					200					205			
Thr	Gln	Gln	Asp	Gly	Glu	Ile	Pro	Thr	Leu	Asp	Pro	Ile	Arg	Ser	Ile
	210						215				220				
Ala	Pro	Ser	Val	Tyr	Ser	Ile	Asn	Met	Asn	Met	Tyr	Thr	Arg	Leu	Leu
225					230					235					240
Leu	Leu	Asp	Glu	Asn	Asp	His	Leu	Thr	Thr	Lys	Gly	Ser	Leu	Ser	His
				245					250					255	
Asp	Tyr	Ala	Val	Asn	Lys	Asp	Asn	Lys	Ala	Phe	Tyr	Phe	Leu	Leu	Arg
			260					265					270		
Asp	Asp	Asp	Tyr	Phe	Ala	Lys	Val	Val	Asn	Gly	Gln	Ala	Arg	Asn	Thr
		275					280					285			
Gly	Glu	Arg	Val	Ser	Ala	Glu	Asp	Val	Lys	Phe	Ser	Leu	Asp	Arg	Ala
	290					295					300				
Arg	Asp	Lys	Lys	Ser	Val	Pro	Asn	Asn	Asn	Thr	Tyr	Asn	Met	His	Lys
305				310						315					320
His	Ile	Asn	Asp	Ile	Lys	Ile	Leu	Lys	Asp	Glu	Asp	Ile	Asp	Gln	Leu
				325					330					335	
Arg	Lys	Glu	Lys	Asp	Lys	Asp	Asp	Lys	Ser	Ile	Tyr	Asp	Lys	Leu	Leu
			340					345					350		
Lys	Ala	Tyr	Asn	Val	Lys	Ser	Leu	Thr	Thr	Asp	Gly	Gln	Lys	Val	Asn
		355					360					365			
Asn	Lys	Asp	Gly	Ile	Tyr	Gln	Ile	Val	Lys	Ile	Thr	Thr	Asp	Gln	Ser
	370					375					380				
Met	Pro	Arg	Glu	Val	Asn	Tyr	Leu	Thr	His	Ser	Ser	Ala	Gly	Ile	Leu
385					390					395					400
Ser	Lys	Lys	Phe	Val	Asn	Gln	Val	Asn	Gln	Glu	Tyr	Pro	Lys	Gly	Tyr
				405					410					415	
Gly	Asp	Ser	Ser	Thr	Ile	Pro	Ala	Asn	Ser	Asp	Gly	Lys	Asn	Ala	Leu
			420					425					430		
Tyr	Ala	Ser	Gly	Ala	Tyr	Ile	Met	Thr	Gln	Lys	Asn	Ala	Tyr	Gln	Ala
			435				440						445		

-continued

---

Thr Phe Gln Arg Asn Pro Gly Phe Asn Glu Thr Glu Lys Gly Ser Tyr  
 450 455 460  
 Gly Pro Ala Lys Ile Lys Asn Ile Thr Leu Lys Phe Asn Gly Asp Pro  
 465 470 475 480  
 Asn Asn Ala Leu Ser Glu Leu Arg Asn His Ser Ile Asp Met Leu Ala  
 485 490 495  
 Asp Val Asn Gln Lys His Phe Asp Leu Ile Lys Ser Asp Lys Asn Leu  
 500 505 510  
 Ser Ile Ile Arg Lys Asn Gly Arg Lys Ser Val Phe Leu Met Leu Asn  
 515 520 525  
 Ile Lys Lys Gly Ile Phe Lys Thr His Pro Asn Leu Arg Gln Ala Val  
 530 535 540  
 Val Asn Ala Ile Asp Gln Asp Gln Phe Ile Lys Phe Tyr Arg Gly Asp  
 545 550 555 560  
 Lys Phe Lys Ile Ala Ser Pro Ile Thr Pro Leu Val Asp Thr Gly Asn  
 565 570 575  
 Glu Gln Arg Gln Asp Leu Glu Lys Val Glu Lys Ala Ile Asn Gln  
 580 585 590

&lt;210&gt; SEQ ID NO 50

&lt;211&gt; LENGTH: 668

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Staphylococcus sp

&lt;400&gt; SEQUENCE: 50

Met Val Ile Asn Leu Asn Asp Lys Gln Thr Lys Thr Ser Lys Glu Gly  
 1 5 10 15  
 Leu Ile Ser Val Ser His Pro Leu Ala Ala Lys Ile Gly Lys Asp Val  
 20 25 30  
 Leu Asp Gln Gly Gly Asn Ala Met Asp Ala Val Ile Ala Ile Gln Leu  
 35 40 45  
 Ala Leu Asn Val Val Glu Pro Phe Ala Ser Gly Ile Gly Gly Gly Gly  
 50 55 60  
 Tyr Leu Leu Tyr Tyr Glu Gln Ser Thr Gly Ser Ile Thr Ala Phe Asp  
 65 70 75 80  
 Ala Arg Glu Thr Ala Pro Glu His Val Asp Lys Gln Phe Tyr Leu Asp  
 85 90 95  
 Asp Ser Gly Glu Tyr Lys Ser Phe Phe Asp Met Thr Thr His Gly Lys  
 100 105 110  
 Thr Val Ala Val Pro Ala Ile Pro Lys Leu Phe Asp Tyr Ile His Lys  
 115 120 125  
 Arg Tyr Ala Lys Leu Ser Leu Glu Asp Leu Ile Asn Pro Ala Ile Glu  
 130 135 140  
 Leu Ala Ile Glu Gly His Ala Ala Asn Trp Ala Thr Glu Lys Tyr Ser  
 145 150 155 160  
 Arg Gln Gln His Ala Arg Leu Thr Lys Tyr His Glu Thr Ala Gln Val  
 165 170 175  
 Phe Thr His Glu Asn Gln Tyr Trp Arg Glu Gly Asp Trp Ile Val Gln  
 180 185 190  
 Pro Glu Leu Gly Lys Thr Phe Gln Ile Leu Arg Glu Gln Gly Phe Asn  
 195 200 205  
 Ala Phe Tyr Lys Gly Asp Ile Ala Lys Gln Leu Val Asn Val Val Lys  
 210 215 220

-continued

---

Ala	Cys	Gly	Gly	Thr	Ile	Thr	Leu	Glu	Asp	Leu	Ala	Lys	Tyr	Asp	Ile
225					230					235					240
Gln	Leu	Lys	Ala	Pro	Ile	Ser	Ala	Thr	Phe	Lys	Asp	Tyr	Asp	Ile	Tyr
				245					250					255	
Ser	Met	Gly	Pro	Ser	Ser	Ser	Gly	Gly	Ile	Thr	Val	Ile	Gln	Ile	Leu
			260					265					270		
Lys	Leu	Leu	Glu	His	Val	Asp	Leu	Pro	Ser	Met	Gly	Pro	Arg	Ser	Val
		275					280					285			
Asp	Tyr	Leu	His	His	Leu	Ile	Gln	Ala	Met	His	Leu	Ala	Tyr	Ser	Asp
	290					295					300				
Arg	Ala	Gln	Tyr	Leu	Ala	Asp	Asp	Asn	Phe	His	Glu	Val	Pro	Val	Gln
305					310					315					320
Ser	Leu	Ile	Asp	Asp	Asp	Tyr	Leu	Lys	Ala	Arg	Ser	Thr	Leu	Ile	Asp
				325					330					335	
Ser	Asn	Lys	Ala	Asn	Ile	Asp	Ile	Glu	His	Gly	Val	Val	Ser	Asp	Cys
			340					345					350		
Ile	Ser	His	Thr	Asp	Val	Glu	Glu	Asn	His	Thr	Glu	Thr	Thr	His	Phe
		355					360					365			
Cys	Val	Ile	Asp	Lys	Glu	Gly	Asn	Ile	Ala	Ser	Phe	Thr	Thr	Ser	Ile
	370					375					380				
Gly	Met	Ile	Tyr	Gly	Ser	Gly	Ile	Thr	Ile	Pro	Gly	Tyr	Gly	Val	Leu
385					390					395					400
Leu	Asn	Thr	Thr	Met	Asp	Gly	Phe	Asp	Val	Val	Asp	Gly	Gly	Ile	Asn
				405					410					415	
Glu	Ile	Ala	Pro	Tyr	Lys	Arg	Pro	Leu	Ser	Asn	Met	Ala	Pro	Thr	Ile
			420					425					430		
Val	Met	Tyr	His	Gly	Lys	Pro	Ile	Leu	Thr	Val	Gly	Ala	Pro	Gly	Ala
		435					440					445			
Ile	Ser	Ile	Ile	Ala	Ser	Val	Ala	Gln	Thr	Leu	Ile	Asn	Val	Leu	Val
	450					455					460				
Phe	Gly	Met	Asp	Ile	Gln	Gln	Ala	Ile	Asp	Glu	Pro	Arg	Ile	Tyr	Ser
465					470					475					480
Ser	His	Pro	Asn	Arg	Ile	Glu	Trp	Glu	Pro	Gln	Phe	Ser	Gln	Ser	Thr
				485					490					495	
Ile	Leu	Ala	Leu	Ile	Ala	His	Gly	His	Ala	Met	Glu	His	Lys	Pro	Asp
			500					505					510		
Ala	Tyr	Ile	Gly	Asp	Val	His	Gly	Leu	Gln	Val	Asp	Pro	Thr	Thr	Tyr
		515					520					525			
Glu	Ala	Ser	Gly	Gly	Ser	Asp	Asp	Thr	Arg	Glu	Gly	Thr	Val	Met	Gly
	530					535					540				
Gly	Glu	Val	Leu	Val	Ile	Arg	Lys	Gln	Pro	Leu	Pro	Tyr	Arg	Gln	Met
545					550					555					560
Tyr	Asp	Ser	Asp	Gly	Phe	Arg	Leu	Tyr	Phe	Asn	Asp	Val	Gln	Leu	Pro
				565					570					575	
Leu	Leu	Ala	Asp	Gln	Val	Arg	Trp	Met	His	Asp	Lys	Tyr	Trp	Val	Asp
			580					585					590		
Glu	Ser	Val	Val	Arg	Ile	Ile	Phe	Pro	Glu	Val	Ser	Ala	His	Ile	Glu
		595					600					605			
Asp	Leu	Arg	Ser	Tyr	Glu	Asn	Ala	Gly	Glu	Asn	Tyr	Ile	Asp	Ile	Ala
	610					615					620				
Trp	Leu	Ala	Arg	Lys	Tyr	Ala	Tyr	Gln	Val	Thr	Leu	Lys	Asp	Asp	Gly
625					630					635					640

-continued

Leu Tyr Leu Thr Asp Asp Thr Tyr Thr Ser Val Lys Arg Asn Thr Asn  
 645 650 655

Ala Tyr Tyr Arg Tyr Asp Arg Asp Ser Ile Thr Arg  
 660 665

<210> SEQ ID NO 51  
 <211> LENGTH: 322  
 <212> TYPE: PRT  
 <213> ORGANISM: Staphylococcus sp

<400> SEQUENCE: 51

Met Lys Ser Lys Ile Tyr Ile Leu Leu Leu Phe Leu Ile Phe Leu Ser  
 1 5 10 15

Ala Cys Ala Asn Thr Arg His Ser Glu Ser Asp Lys Asn Val Leu Thr  
 20 25 30

Val Tyr Ser Pro Tyr Gln Ser Asn Leu Ile Arg Pro Ile Leu Asn Glu  
 35 40 45

Phe Glu Lys Gln Glu His Val Lys Ile Glu Ile Lys His Gly Ser Thr  
 50 55 60

Gln Val Leu Leu Ser Asn Leu His Asn Glu Asp Phe Ser Glu Arg Gly  
 65 70 75 80

Asp Val Phe Met Gly Gly Val Leu Ser Glu Thr Ile Asp His Pro Glu  
 85 90 95

Asp Phe Val Pro Tyr Gln Asp Thr Ser Val Thr Gln Gln Leu Glu Asp  
 100 105 110

Tyr Arg Ser Asn Asn Lys Tyr Val Thr Ser Phe Leu Leu Met Pro Thr  
 115 120 125

Val Ile Val Val Asn Ser Asp Leu Gln Gly Asp Ile Lys Ile Arg Gly  
 130 135 140

Tyr Gln Asp Leu Leu Gln Pro Ile Leu Lys Gly Lys Ile Ala Tyr Ser  
 145 150 155 160

Asn Pro Asn Thr Thr Thr Gly Tyr Gln His Met Arg Ala Ile Tyr  
 165 170 175

Ser Met His His Arg Val Ser Asp Val His Gln Phe Gln Asn His Ala  
 180 185 190

Met Gln Leu Ser Lys Thr Ser Lys Val Ile Glu Asp Val Ala Lys Gly  
 195 200 205

Lys Tyr Tyr Ala Gly Leu Ser Tyr Glu Gln Asp Ala Arg Thr Trp Lys  
 210 215 220

Asn Lys Gly Tyr Pro Val Ser Ile Val Tyr Pro Ile Glu Gly Thr Met  
 225 230 235 240

Leu Asn Val Asp Gly Ile Ala Leu Val Lys Asn Ala His Pro His Pro  
 245 250 255

Lys Arg Lys Lys Leu Val Gln Tyr Leu Thr Ser Arg Ser Val Gln Gln  
 260 265 270

Arg Leu Val Ala Glu Phe Asp Ala Lys Ser Ile Arg Lys Asp Val Ser  
 275 280 285

Glu Gln Ser Asp Gln Ser Ile Glu Asn Leu Lys Asn Ile Pro Leu Ile  
 290 295 300

Pro Lys Ser Lys Leu Pro Asp Ile Pro His His Lys Phe Leu Glu Met  
 305 310 315 320

Ile Gln

-continued

---

```

<210> SEQ ID NO 52
<211> LENGTH: 470
<212> TYPE: PRT
<213> ORGANISM: Staphylococcus sp

<400> SEQUENCE: 52

Met His Ser Ser Gly Lys Asp Leu Asn Ile Ser Leu Pro Leu Lys Thr
1          5          10          15
Lys Ser Ile Ala Pro Tyr Glu Thr Asp Val Pro Val Lys Ile Gly Ala
20          25          30
Ala Glu Ser Leu Phe Lys Thr Asn Asp Gln Gly Lys Ile Glu Lys Ala
35          40          45
Leu Val Lys Ser Tyr His Gln Pro Asn Asp Thr Thr Leu Asp Ile Glu
50          55          60
Leu Lys Asp Asn Ile Lys Phe Gln Asn Gly Gln Lys Leu Thr Ala Glu
65          70          75          80
Lys Val Lys Ser Ser Leu Glu Asn Ser Met Lys Lys Ser Asp Leu Val
85          90          95
Lys Tyr Ser Leu Pro Ile Ser Ser Ile Thr Ala Lys Gly Gln Lys Leu
100         105         110
Thr Ile Lys Thr Asn Ser Ala Tyr Pro Glu Leu Val Ser Glu Leu Ala
115         120         125
Asn Pro Phe Met Ala Ile Tyr Asp Thr Asp Ala Lys Ser Asp Val Asn
130         135         140
Gln Thr Pro Val Gly Thr Gly Pro Tyr Gln Ile Lys Asp Tyr Lys Gln
145         150         155         160
Ser Arg Lys Ile Ser Leu Ser Asn Phe Lys Asp Tyr Trp Gln Gly Lys
165         170         175
Pro Lys Leu Asp His Ile Thr Val Thr Tyr Gln Glu Asp Gly Asn Asn
180         185         190
Arg Val Arg Asn Leu Glu Ser Gln Lys Asp Asp Leu Ile Thr Asp Val
195         200         205
Pro Val Asn Lys Val Gln Asp Ile Glu Asn Asn Gln Asn Leu Lys Val
210         215         220
Ser Lys Glu Ser Gly Phe Arg Thr Ser Leu Leu Met Tyr Asn His Thr
225         230         235         240
Asn Lys Lys Met Thr Lys Ser Val Arg Glu Ala Leu Asp His Ile Ile
245         250         255
Asp Arg Gln Gly Ile Ala Asp His Ile Tyr Gln Gly Tyr Ala Lys Pro
260         265         270
Ala Thr Ser Pro Phe Asn Asp Lys Ile Pro Tyr Ile Lys Glu Pro Lys
275         280         285
Leu Thr Lys Gln Asn Ile Glu Gln Ala Lys Met Leu Leu Ala Lys Asp
290         295         300
Gly Tyr Thr Lys Glu His Pro Leu Lys Ile Lys Leu Ile Thr Tyr Asp
305         310         315         320
Gly Arg Pro Glu Leu Ser Lys Ile Ala Gln Val Leu Gln Ser Asp Ala
325         330         335
Lys Lys Ala Asn Ile Glu Ile Asp Ile Lys Ser Val Asp Asp Ile Glu
340         345         350
Gly Tyr Leu Lys Asp Arg Ser Ala Trp Asp Ala Thr Met Tyr Ser Phe
355         360         365

```

-continued

---

Gly Thr Ile Pro Arg Gly Asp Thr Gly Tyr Phe Phe Asn Gln Ala Tyr  
 370 375 380

Lys Lys Asp Gly Ala Ile Asn Lys Gly Asp Tyr Asn Asn Ser Asn Val  
 385 390 395 400

Asp Asp Leu Ile Asn Gln Leu Asn His Thr Val Asp Val Lys Glu Arg  
 405 410 415

His Asn Ile Ser Asn Asp Ile Ile Lys Leu Ser Ser Arg Asp Val Pro  
 420 425 430

Asn Ser Tyr Ile Ala Tyr Asn Asp Gln Ile Val Ala Ala Asn Ser Lys  
 435 440 445

Val Lys Asn Tyr Lys Val Thr Pro Glu Gly Ile Tyr Leu Ile Asp Tyr  
 450 455 460

Arg Thr Thr Ile Glu Arg  
 465 470

<210> SEQ ID NO 53  
 <211> LENGTH: 316  
 <212> TYPE: PRT  
 <213> ORGANISM: Staphylococcus sp  
 <400> SEQUENCE: 53

Met Lys Lys Leu Thr Ala Ala Ala Ile Ala Thr Met Gly Phe Ala Thr  
 1 5 10 15

Phe Thr Met Ala His Gln Ala Asp Ala Ala Glu Thr Thr Asn Thr Gln  
 20 25 30

Gln Ala His Thr Gln Met Ser Thr Gln Ser Gln Asp Val Ser Tyr Gly  
 35 40 45

Thr Tyr Tyr Thr Ile Asp Ser Asn Gly Asp Tyr His His Thr Pro Asp  
 50 55 60

Gly Asn Trp Asn Gln Ala Met Phe Asp Asn Lys Glu Tyr Ser Tyr Thr  
 65 70 75 80

Phe Val Asp Ala Gln Gly His Thr His Tyr Phe Tyr Asn Cys Tyr Pro  
 85 90 95

Lys Asn Ala Asn Ala Asn Gly Ser Gly Gln Thr Tyr Val Asn Pro Ala  
 100 105 110

Thr Ala Gly Asp Asn Asn Asp Tyr Thr Ala Ser Gln Ser Gln Gln His  
 115 120 125

Ile Asn Gln Tyr Gly Tyr Gln Ser Asn Val Gly Pro Asp Ala Ser Tyr  
 130 135 140

Tyr Ser His Ser Asn Asn Asn Gln Ala Tyr Asn Ser His Asp Gly Asn  
 145 150 155 160

Gly Lys Val Asn Tyr Pro Asn Gly Thr Ser Asn Gln Asn Gly Gly Ser  
 165 170 175

Ala Ser Lys Ala Thr Ala Ser Gly His Ala Lys Asp Ala Ser Trp Leu  
 180 185 190

Thr Ser Arg Lys Gln Leu Gln Pro Tyr Gly Gln Tyr His Gly Gly Gly  
 195 200 205

Ala His Tyr Gly Val Asp Tyr Ala Met Pro Glu Asn Ser Pro Val Tyr  
 210 215 220

Ser Leu Thr Asp Gly Thr Val Val Gln Ala Gly Trp Ser Asn Tyr Gly  
 225 230 235 240

Gly Gly Asn Gln Val Thr Ile Lys Glu Ala Asn Ser Asn Asn Tyr Gln  
 245 250 255

-continued

---

Trp Tyr Met His Asn Asn Arg Leu Thr Val Ser Ala Gly Asp Lys Val  
 260 265 270

Lys Ala Gly Asp Gln Ile Ala Tyr Ser Gly Ser Thr Gly Asn Ser Thr  
 275 280 285

Ala Pro His Val His Phe Gln Arg Met Ser Gly Gly Ile Gly Asn Gln  
 290 295 300

Tyr Ala Val Asp Pro Thr Ser Tyr Leu Gln Ser Arg  
 305 310 315

<210> SEQ ID NO 54  
 <211> LENGTH: 507  
 <212> TYPE: PRT  
 <213> ORGANISM: Staphylococcus sp

<400> SEQUENCE: 54

Met Ser Lys Lys Leu Lys Ile Ile Ile Pro Ile Ile Ile Val Leu Leu  
 1 5 10 15

Leu Ile Gly Gly Ile Ala Trp Gly Val Tyr Ala Phe Phe Ala Asn Thr  
 20 25 30

Pro Lys Asn Thr Tyr Leu Lys Ser Glu Gln Gln Thr Ala Lys Met Tyr  
 35 40 45

Lys Asp Tyr Phe Asn Asp Arg Phe Glu Asn Glu Val Lys Phe Gln Glu  
 50 55 60

Lys Met Lys Asp Asn Ser Phe Leu Ser Ser Leu Glu Leu Ser Ala Asp  
 65 70 75 80

Ala Ser Asp Glu Ile Val Lys Gly Leu Gly Ile Pro Lys Ser Val Val  
 85 90 95

Asn Ala Ser Lys Ile Lys Met Ser Tyr Gly His Asp Pro Lys Lys Glu  
 100 105 110

Lys Ser Met Ile Asn Leu Glu Pro Thr Ile Ala Asp Ser Ala Leu Gly  
 115 120 125

Lys Phe Gln Leu Ala Ala Asp Lys Asp Lys His Tyr Phe Glu Ser Pro  
 130 135 140

Leu Phe Lys Gly Lys Tyr Ser Val Asn Asn Ser Asp Leu Leu Ser Thr  
 145 150 155 160

Tyr Ser Lys Leu Thr Gly Glu Asp Glu Glu Thr Ala Lys Glu Asn Gly  
 165 170 175

Ile Thr Asn Gln Gln Leu Asn Leu Asn Thr Leu Phe Asn Asn Ala Gln  
 180 185 190

Ala Gln Gln Ser Asp Tyr Ser Lys Ile Ala Glu Lys Tyr Ser Glu Leu  
 195 200 205

Ile Val Asp Lys Leu Asp Asp Asp Asn Phe Asp Lys Gly Lys Lys Glu  
 210 215 220

Glu Ile Lys Val Asn Gly Glu Lys Tyr Lys Val Arg Pro Val Thr Leu  
 225 230 235 240

Thr Leu Ser Arg Ala Asp Thr Lys Lys Ile Thr Leu Ala Val Leu Glu  
 245 250 255

Glu Ala Lys Lys Asp Lys Asp Leu Lys Lys Leu Met Glu Glu Gln Gly  
 260 265 270

Ala Thr Lys Asp Phe Glu Lys Asp Ile Lys Lys Ala Ile Asp Asp Val  
 275 280 285

Lys Glu Thr Lys Lys Asp Glu Phe Ala Lys Ile Gln Ser Lys Ile Tyr  
 290 295 300

-continued

---

Thr Glu Lys His Thr Ile Val Lys Arg Glu Ile Thr Ile Thr Asp Lys  
 305 310 315 320  
 Glu Asn Asn Lys Thr Lys Ile Lys Gly Thr Asn Thr Leu Glu Asp Asp  
 325 330 335  
 Lys Leu Lys Leu Asp Tyr Ala Leu Asp Phe Asp Gln Asp Lys Tyr Thr  
 340 345 350  
 Tyr Ala Glu Ala Lys Tyr Thr Ile Lys Gly Val Ser Ser Lys Glu Lys  
 355 360 365  
 Asp Asn Lys Tyr Asn Asp Lys Tyr Glu Phe Gly Lys Lys Thr Glu Tyr  
 370 375 380  
 Asp Glu Ser Lys Ile Lys Leu Asp Asn Gln Glu Lys Val Asp Gly Thr  
 385 390 395 400  
 Lys Arg Gln Asp Lys Gly Lys Ile Thr Val Ala Leu Asp Lys Tyr Ser  
 405 410 415  
 Asp Glu Asn Glu Phe Thr Phe Glu Asn Asn Ile Asp Ser Asp Val Lys  
 420 425 430  
 Asn Asn Thr Gln Lys Ser Thr Leu Asn Ile Gly Ile Lys Tyr Ala Glu  
 435 440 445  
 Glu Pro Ile Asn Phe Ile Leu Lys Ser Ser Thr Lys Leu Lys Ala Asp  
 450 455 460  
 Ile Asp Phe Asp Asp Ser Gly Ala Lys Asp Phe Asn Ser Leu Ser Ser  
 465 470 475 480  
 Lys Asp Arg Glu Lys Leu Glu Lys Glu Ile Glu Lys Asn Gly Gly Lys  
 485 490 495  
 Met Phe Glu Ser Ile Leu Lys Lys Ala Ser Lys  
 500 505

&lt;210&gt; SEQ ID NO 55

&lt;211&gt; LENGTH: 297

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Staphylococcus sp

&lt;400&gt; SEQUENCE: 55

Met Lys Lys Thr Ile Leu Leu Thr Met Thr Thr Leu Thr Leu Phe Ser  
 1 5 10 15  
 Met Ser Pro Asn Ser Ala Gln Ala Tyr Thr Asn Asp Ser Lys Thr Leu  
 20 25 30  
 Glu Glu Ala Lys Lys Ala His Pro Asn Ala Gln Phe Lys Val Asn Lys  
 35 40 45  
 Asp Thr Gly Ala Tyr Thr Tyr Thr Tyr Asp Lys Asn Asn Thr Pro Asn  
 50 55 60  
 Asn Asn His Gln Asn Gln Ser Arg Thr Asn Asp Asn His Gln His Ala  
 65 70 75 80  
 Asn Gln Arg Asp Leu Asn Asn Asn Gln Tyr His Ser Ser Leu Ser Gly  
 85 90 95  
 Gln Tyr Thr His Ile Asn Asp Ala Ile Asp Ser His Thr Pro Pro Gln  
 100 105 110  
 Thr Ser Pro Ser Asn Pro Leu Thr Pro Ala Ile Pro Asn Val Glu Asp  
 115 120 125  
 Asn Asp Asp Glu Leu Asn Asn Ala Phe Ser Lys Asp Asn Lys Gly Leu  
 130 135 140  
 Ile Thr Gly Ile Asp Leu Asp Glu Leu Tyr Asp Glu Leu Gln Ile Ala  
 145 150 155 160

-continued

---

Glu Phe Asn Asp Lys Ala Lys Thr Ala Asp Gly Lys Pro Leu Ala Leu  
 165 170 175  
 Gly Asn Gly Lys Ile Ile Asp Gln Pro Leu Ile Thr Ser Lys Asn Asn  
 180 185 190  
 Leu Tyr Thr Ala Gly Gln Cys Thr Trp Tyr Val Phe Asp Lys Arg Ala  
 195 200 205  
 Lys Asp Gly His Thr Ile Ser Thr Phe Trp Gly Asp Ala Lys Asn Trp  
 210 215 220  
 Ala Gly Gln Ala Ser Ser Asn Gly Phe Lys Val Asp Arg His Pro Thr  
 225 230 235 240  
 Arg Gly Ser Ile Leu Gln Thr Val Asn Gly Pro Phe Gly His Val Ala  
 245 250 255  
 Tyr Val Glu Lys Val Asn Ile Asp Gly Ser Ile Leu Ile Ser Glu Met  
 260 265 270  
 Asn Trp Ile Gly Glu Tyr Ile Val Ser Ser Arg Thr Ile Ser Ala Ser  
 275 280 285  
 Glu Val Ser Ser Tyr Asn Tyr Ile His  
 290 295

<210> SEQ ID NO 56  
 <211> LENGTH: 124  
 <212> TYPE: PRT  
 <213> ORGANISM: Staphylococcus sp

<400> SEQUENCE: 56

Met Lys Arg Ile Leu Val Val Phe Leu Met Leu Ala Ile Ile Leu Ala  
 1 5 10 15  
 Gly Cys Ser Asn Lys Gly Glu Lys Tyr Gln Lys Asp Ile Asp Lys Val  
 20 25 30  
 Tyr Lys Glu Gln Asn Gln Met Asn Lys Ile Ala Ser Lys Val Gln Asn  
 35 40 45  
 Thr Ile Lys Thr Asp Ile Lys Gln Glu Asp Ser Asn Thr His Val Tyr  
 50 55 60  
 Lys Asp Gly Lys Val Ile Val Ile Gly Ile Gln Leu Tyr Lys Asp Arg  
 65 70 75 80  
 Glu Lys Met Tyr Tyr Phe Ala Tyr Glu Ile Lys Asp Gly Lys Ala Glu  
 85 90 95  
 Ile Asn Arg Glu Ile Asp Pro Ile Lys Tyr Met Lys Asp His Lys Ala  
 100 105 110  
 Asp Tyr Glu Asp Glu Asn Val Glu Val Glu Lys Asp  
 115 120

<210> SEQ ID NO 57  
 <211> LENGTH: 296  
 <212> TYPE: PRT  
 <213> ORGANISM: Staphylococcus sp

<400> SEQUENCE: 57

Met Asn Lys Ile Ser Lys Tyr Ile Ala Ile Ala Ser Leu Ser Val Ala  
 1 5 10 15  
 Val Thr Val Ser Ala Pro Gln Thr Thr Asn Ser Thr Ala Phe Ala Lys  
 20 25 30  
 Ser Ser Ala Glu Val Gln Gln Thr Gln Gln Ala Ser Ile Pro Ala Ser  
 35 40 45  
 Gln Lys Ala Asn Leu Gly Asn Gln Asn Leu Met Ala Val Ala Trp Tyr

-continued

50				55				60							
Gln	Asn	Ser	Ala	Glu	Ala	Lys	Ala	Leu	Tyr	Leu	Gln	Gly	Tyr	Asn	Ser
65				70						75					80
Ala	Lys	Thr	Gln	Leu	Asp	Lys	Glu	Ile	Lys	Lys	Asn	Lys	Gly	Lys	His
			85						90					95	
Lys	Leu	Ala	Ile	Ala	Leu	Asp	Leu	Asp	Glu	Thr	Val	Leu	Asp	Asn	Ser
			100						105					110	
Pro	Tyr	Gln	Gly	Tyr	Ala	Ser	Ile	His	Asn	Lys	Pro	Phe	Pro	Glu	Gly
			115				120							125	
Trp	His	Glu	Trp	Val	Gln	Ala	Ala	Lys	Ala	Lys	Pro	Val	Tyr	Gly	Ala
			130				135				140				
Lys	Glu	Phe	Leu	Lys	Tyr	Ala	Asp	Lys	Lys	Gly	Val	Asp	Ile	Tyr	Tyr
			145			150				155					160
Ile	Ser	Asp	Arg	Asp	Lys	Glu	Lys	Asp	Leu	Lys	Ala	Thr	Gln	Lys	Asn
			165						170					175	
Leu	Lys	Gln	Gln	Gly	Ile	Pro	Gln	Ala	Lys	Lys	Ser	His	Ile	Leu	Leu
			180						185					190	
Lys	Gly	Lys	Asp	Asp	Lys	Ser	Lys	Glu	Ser	Arg	Arg	Gln	Met	Val	Gln
			195				200							205	
Lys	Asp	His	Lys	Leu	Val	Met	Leu	Phe	Gly	Asp	Asn	Leu	Leu	Asp	Phe
			210				215				220				
Thr	Asp	Pro	Lys	Glu	Ala	Thr	Ala	Glu	Ser	Arg	Glu	Ala	Leu	Ile	Glu
			225			230				235					240
Lys	His	Lys	Asp	Asp	Phe	Gly	Lys	Lys	Tyr	Ile	Ile	Phe	Pro	Asn	Pro
			245						250					255	
Met	Tyr	Gly	Ser	Trp	Glu	Ala	Thr	Ile	Tyr	Asn	Asn	Asn	Tyr	Lys	Ala
			260						265					270	
Ser	Asp	Lys	Ala	Lys	Asp	Lys	Leu	Arg	Lys	Asn	Ala	Ile	Lys	Gln	Phe
			275				280							285	
Asp	Pro	Lys	Thr	Gly	Glu	Val	Lys								
			290			295									

&lt;210&gt; SEQ ID NO 58

&lt;211&gt; LENGTH: 690

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Staphylococcus sp

&lt;400&gt; SEQUENCE: 58

Met	Leu	Arg	Gly	Gln	Glu	Glu	Arg	Lys	Tyr	Ser	Ile	Arg	Lys	Tyr	Ser
1				5					10					15	
Ile	Gly	Val	Val	Ser	Val	Leu	Ala	Ala	Thr	Met	Phe	Val	Val	Ser	Ser
			20					25					30		
His	Glu	Ala	Gln	Ala	Ser	Glu	Lys	Thr	Ser	Thr	Asn	Ala	Ala	Ala	Gln
			35				40					45			
Lys	Glu	Thr	Leu	Asn	Gln	Pro	Gly	Glu	Gln	Gly	Asn	Ala	Ile	Thr	Ser
			50			55					60				
His	Gln	Met	Gln	Ser	Gly	Lys	Gln	Leu	Asp	Asp	Met	His	Lys	Glu	Asn
			65			70				75					80
Gly	Lys	Ser	Gly	Thr	Val	Thr	Glu	Gly	Lys	Asp	Thr	Leu	Gln	Ser	Ser
				85					90					95	
Lys	His	Gln	Ser	Thr	Gln	Asn	Ser	Lys	Thr	Ile	Arg	Thr	Gln	Asn	Asp
			100					105					110		
Asn	Gln	Val	Lys	Gln	Asp	Ser	Glu	Arg	Gln	Gly	Ser	Lys	Gln	Ser	His

-continued

115				120				125							
Gln	Asn	Asn	Ala	Thr	Asn	Asn	Thr	Glu	Arg	Gln	Asn	Asp	Gln	Val	Gln
130							135					140			
Asn	Thr	His	His	Ala	Glu	Arg	Asn	Gly	Ser	Gln	Ser	Thr	Thr	Ser	Gln
145					150					155					160
Ser	Asn	Asp	Val	Asp	Lys	Ser	Gln	Pro	Ser	Ile	Pro	Ala	Gln	Lys	Val
				165					170					175	
Ile	Pro	Asn	His	Asp	Lys	Ala	Ala	Pro	Thr	Ser	Thr	Thr	Pro	Pro	Ser
			180						185				190		
Asn	Asp	Lys	Thr	Ala	Pro	Lys	Ser	Thr	Lys	Ala	Gln	Asp	Ala	Thr	Thr
		195					200					205			
Asp	Lys	His	Pro	Asn	Gln	Gln	Asp	Thr	His	Gln	Pro	Ala	His	Gln	Ile
210						215					220				
Ile	Asp	Ala	Lys	Gln	Asp	Thr	Val	Arg	Gln	Ser	Glu	Gln	Lys	Pro	
225					230				235						240
Gln	Val	Gly	Asp	Leu	Ser	Lys	His	Ile	Asp	Gly	Gln	Asn	Ser	Pro	Glu
				245					250					255	
Lys	Pro	Thr	Asp	Lys	Asn	Thr	Asp	Asn	Lys	Gln	Leu	Ile	Lys	Asp	Ala
			260						265				270		
Leu	Gln	Ala	Pro	Lys	Thr	Arg	Ser	Thr	Thr	Asn	Ala	Ala	Ala	Asp	Ala
		275					280					285			
Lys	Lys	Val	Arg	Pro	Leu	Lys	Ala	Asn	Gln	Val	Gln	Pro	Leu	Asn	Lys
290						295					300				
Tyr	Pro	Val	Val	Phe	Val	His	Gly	Phe	Leu	Gly	Leu	Val	Gly	Asp	Asn
305					310					315					320
Ala	Pro	Ala	Leu	Tyr	Pro	Asn	Tyr	Trp	Gly	Gly	Asn	Lys	Phe	Lys	Val
				325					330					335	
Ile	Glu	Glu	Leu	Arg	Lys	Gln	Gly	Tyr	Asn	Val	His	Gln	Ala	Ser	Val
			340						345				350		
Ser	Ala	Phe	Gly	Ser	Asn	Tyr	Asp	Arg	Ala	Val	Glu	Leu	Tyr	Tyr	Tyr
		355					360					365			
Ile	Lys	Gly	Gly	Arg	Val	Asp	Tyr	Gly	Ala	Ala	His	Ala	Ala	Lys	Tyr
		370				375					380				
Gly	His	Glu	Arg	Tyr	Gly	Lys	Thr	Tyr	Lys	Gly	Ile	Met	Pro	Asn	Trp
385					390					395					400
Glu	Pro	Gly	Lys	Lys	Val	His	Leu	Val	Gly	His	Ser	Met	Gly	Gly	Gln
				405					410					415	
Thr	Ile	Arg	Leu	Met	Glu	Glu	Phe	Leu	Arg	Asn	Gly	Asn	Lys	Glu	Glu
			420						425				430		
Ile	Ala	Tyr	His	Lys	Ala	His	Gly	Gly	Glu	Ile	Ser	Pro	Leu	Phe	Thr
		435					440					445			
Gly	Gly	His	Asn	Asn	Met	Val	Ala	Ser	Ile	Thr	Thr	Leu	Ala	Thr	Pro
		450				455						460			
His	Asn	Gly	Ser	Gln	Ala	Ala	Asp	Lys	Phe	Gly	Asn	Thr	Glu	Ala	Val
465					470					475					480
Arg	Lys	Ile	Met	Phe	Ala	Leu	Asn	Arg	Phe	Met	Gly	Asn	Lys	Tyr	Ser
				485					490					495	
Asn	Ile	Asp	Leu	Gly	Leu	Thr	Gln	Trp	Gly	Phe	Lys	Gln	Leu	Pro	Asn
			500						505				510		
Glu	Ser	Tyr	Ile	Asp	Tyr	Ile	Lys	Arg	Val	Ser	Lys	Ser	Lys	Ile	Trp
			515				520							525	

-continued

---

Thr Ser Asp Asp Asn Ala Ala Tyr Asp Leu Thr Leu Asp Gly Ser Ala  
 530 535 540  
 Lys Leu Asn Asn Met Thr Ser Met Asn Pro Asn Ile Thr Tyr Thr Thr  
 545 550 555 560  
 Tyr Thr Gly Val Ser Ser His Thr Gly Pro Leu Gly Tyr Glu Asn Pro  
 565 570 575  
 Asp Leu Gly Thr Phe Phe Leu Met Ala Thr Thr Ser Arg Ile Ile Gly  
 580 585 590  
 His Asp Ala Arg Glu Glu Trp Arg Lys Asn Asp Gly Val Val Pro Val  
 595 600 605  
 Ile Ser Ser Leu His Pro Ser Asn Gln Pro Phe Val Asn Val Thr Asn  
 610 615 620  
 Asp Glu Pro Ala Thr Arg Arg Gly Ile Trp Gln Val Lys Pro Ile Ile  
 625 630 635 640  
 Gln Gly Trp Asp His Val Asp Phe Ile Gly Val Asp Phe Leu Asp Phe  
 645 650 655  
 Lys Arg Lys Gly Ala Glu Leu Ala Asn Phe Tyr Thr Gly Ile Ile Asn  
 660 665 670  
 Asp Leu Leu Arg Val Glu Ala Thr Glu Ser Lys Gly Thr Gln Leu Lys  
 675 680 685  
 Ala Ser  
 690

&lt;210&gt; SEQ ID NO 59

&lt;211&gt; LENGTH: 208

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Staphylococcus sp

&lt;400&gt; SEQUENCE: 59

Met Lys Lys Arg Leu Leu Leu Ser Thr Phe Leu Ala Ser Thr Leu Ile  
 1 5 10 15  
 Leu Thr Gly Cys Ala Ser Asp Gln Ser Asp Asn Glu Asp His His Thr  
 20 25 30  
 Ser Thr Gly Ile His Ala Pro Lys Ser Ala Lys Lys Leu Glu Thr Lys  
 35 40 45  
 Asp Ile Phe Asn Ser Asp Lys Lys Asn Ser Asp Ile Ser Asp Ala Glu  
 50 55 60  
 Met Lys Gln Ala Ile Glu Lys Tyr Leu Ser Val Asn Ser Asp Ile Leu  
 65 70 75 80  
 Asp Asn Lys Tyr Ile Met Gln His Lys Leu Asp Lys Gln Ile Asp Ser  
 85 90 95  
 Gln Thr Lys Val Thr Glu Lys Gln Ala Glu Thr Leu Ser His Leu Ser  
 100 105 110  
 Asn Leu Ala Val Lys Asn Asp Leu His Phe Lys Lys Phe Val Thr Glu  
 115 120 125  
 Asn Asn Ile Pro Lys Glu Tyr Lys Lys Pro Val Glu Leu Met Met Asn  
 130 135 140  
 Tyr Phe Lys Ala Leu Asn Ser Thr Ile Ala Asn Val Asp Glu Asp Ile  
 145 150 155 160  
 Glu Lys Leu Ser Tyr Gln Pro Gln Asn Lys Ile Asn Val Val Asp Val  
 165 170 175  
 Pro Thr Lys Tyr Ala Gly Asp Val Asn Lys Lys Gln Gln Asp Lys Ile  
 180 185 190

-continued

---

Lys Asp Phe Leu Lys Ser Lys Gly Ile Lys Ser Asp Val Ile Asp Lys  
 195 200 205

<210> SEQ ID NO 60  
 <211> LENGTH: 261  
 <212> TYPE: PRT  
 <213> ORGANISM: Staphylococcus sp

<400> SEQUENCE: 60

Met Lys Ser Ile Lys Arg Ile Gly Leu Cys Ile Ser Leu Leu Ile Leu  
 1 5 10 15  
 Ile Ile Phe Val Thr Ser Cys Asp Gly Asp Asn Lys Ile Ile Gly Asp  
 20 25 30  
 Ser Lys Glu Glu Gln Ile Lys Lys Ser Phe Ala Lys Thr Leu Asp Ile  
 35 40 45  
 Tyr Pro Ile Lys Asn Leu Glu Asp Leu Tyr Asp Lys Glu Gly Tyr Arg  
 50 55 60  
 Asp Gly Glu Phe Lys Lys Asp Asp Lys Gly Thr Trp Leu Ile Arg Ser  
 65 70 75 80  
 Glu Met Lys Ile Gln Leu Lys Gly Glu Asn Leu Glu Ser Arg Gly Ala  
 85 90 95  
 Val Leu Glu Ile Asn Arg Asn Thr Arg Thr Ala Lys Gly His Tyr Ile  
 100 105 110  
 Val Arg Glu Val Val Glu Asp Ser Asp Gly Met Thr His Asn His Thr  
 115 120 125  
 Lys Arg Tyr Pro Val Lys Met Glu Asn Asn Lys Met Ile Pro Leu Lys  
 130 135 140  
 Pro Ile Asp Asp Glu Lys Val Lys Lys Glu Ile Glu Glu Phe Asn Phe  
 145 150 155 160  
 Phe Val Gln Tyr Gly Asn Phe Lys Glu Leu Glu Asn Tyr Lys Glu Asp  
 165 170 175  
 Glu Val Ser Tyr Asn Pro Glu Val Pro Ile Tyr Ser Ala Lys Tyr Gln  
 180 185 190  
 Leu Lys Asn Ser Asp Tyr Asn Val Glu Gln Leu Arg Lys Arg Tyr Asn  
 195 200 205  
 Ile Pro Thr Gln Lys Ala Pro Lys Leu Leu Leu Lys Gly Ser Gly Asn  
 210 215 220  
 Leu Lys Gly Ser Ser Val Gly Tyr Lys Asn Ile Glu Phe Thr Phe Ile  
 225 230 235 240  
 Glu Asn Lys Glu Glu Asn Ile Tyr Phe Thr Asp Ser Ile Tyr Phe Asn  
 245 250 255  
 Pro Ser Glu Asp Lys  
 260

<210> SEQ ID NO 61  
 <211> LENGTH: 347  
 <212> TYPE: PRT  
 <213> ORGANISM: Staphylococcus sp

<400> SEQUENCE: 61

Met Asn Lys Asp Asn Lys Trp Thr Met Ile Thr Ala Leu Phe Ile Thr  
 1 5 10 15  
 Val Ile Ser Val Leu Leu Ala Phe His Leu Lys Gln His Tyr Asp Gln  
 20 25 30  
 Ile Thr Asn Glu Asn His Ala Asn Lys Asp Lys Ile Asn Ile Lys Asn

-continued

---

	35					40						45			
Lys	Asn	Val	Arg	Ile	Tyr	Gln	Asn	Leu	Thr	Tyr	Asn	Arg	Val	Phe	Pro
	50					55					60				
Asn	Ser	Lys	Leu	Asp	Ile	Ile	Thr	Pro	Val	Asp	Met	Ser	Ser	Asn	Ala
65				70						75				80	
Lys	Leu	Pro	Val	Ile	Phe	Trp	Met	His	Gly	Gly	Gly	Tyr	Ile	Ala	Gly
				85					90					95	
Asp	Lys	Gln	Tyr	Lys	Asn	Pro	Leu	Leu	Ala	Lys	Ile	Ala	Glu	Gln	Gly
			100					105					110		
Tyr	Ile	Val	Val	Asn	Val	Asn	Tyr	Ala	Leu	Ala	Pro	Gln	Tyr	Lys	Tyr
		115					120					125			
Pro	Thr	Pro	Leu	Ile	Gln	Met	Asn	Gln	Ala	Thr	Gln	Phe	Ile	Lys	Glu
	130					135					140				
Asn	Lys	Met	Asn	Leu	Pro	Ile	Asp	Phe	Asn	Gln	Val	Ile	Ile	Gly	Gly
145				150						155				160	
Asp	Ser	Ala	Gly	Ala	Gln	Leu	Ala	Ser	Gln	Phe	Thr	Ala	Ile	Gln	Thr
				165					170					175	
Asn	Asp	Arg	Leu	Arg	Glu	Ala	Met	Lys	Phe	Asp	Gln	Ser	Phe	Lys	Pro
			180					185					190		
Ser	Gln	Ile	Lys	Gly	Ala	Ile	Leu	Phe	Gly	Gly	Phe	Tyr	Asn	Met	Gln
	195						200					205			
Thr	Val	Arg	Glu	Thr	Glu	Phe	Pro	Arg	Ile	Gln	Leu	Phe	Met	Lys	Ser
	210					215					220				
Tyr	Thr	Gly	Glu	Glu	Asp	Trp	Glu	Lys	Ser	Phe	Lys	Asn	Ile	Ser	Gln
225					230					235					240
Met	Ser	Thr	Val	Lys	Gln	Ser	Thr	Lys	Asn	Tyr	Pro	Pro	Thr	Phe	Leu
				245					250					255	
Ser	Val	Gly	Asp	Ser	Asp	Pro	Phe	Glu	Ser	Gln	Asn	Ile	Glu	Phe	Ser
		260						265					270		
Lys	Lys	Leu	Gln	Glu	Leu	Asn	Val	Pro	Val	Asp	Thr	Leu	Phe	Tyr	Asp
		275					280					285			
Gly	Thr	His	His	Leu	His	His	Gln	Tyr	Gln	Phe	His	Leu	Asn	Lys	Pro
	290					295					300				
Glu	Ser	Ile	Asp	Asn	Ile	Lys	Lys	Val	Leu	Leu	Phe	Leu	Ser	Arg	Asn
305				310						315					320
Thr	Ser	Ser	Ser	Gly	Ile	Gln	Thr	Glu	Glu	Lys	Pro	Gln	Ile	Glu	Asn
				325					330					335	
Pro	Ser	Asn	Glu	Leu	Pro	Leu	Asn	Pro	Leu	Asn					
			340				345								

&lt;210&gt; SEQ ID NO 62

&lt;211&gt; LENGTH: 265

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Staphylococcus sp

&lt;400&gt; SEQUENCE: 62

Met	Lys	Lys	Leu	Ala	Phe	Ala	Ile	Thr	Ala	Thr	Ser	Gly	Ala	Ala	Ala
1			5						10				15		
Phe	Leu	Thr	His	His	Asp	Ala	Gln	Ala	Ser	Thr	Gln	His	Thr	Val	Gln
			20					25					30		
Ser	Gly	Glu	Ser	Leu	Trp	Ser	Ile	Ala	Gln	Lys	Tyr	Asn	Thr	Ser	Val
		35					40					45			
Glu	Ser	Ile	Lys	Gln	Asn	Asn	Gln	Leu	Asp	Asn	Asn	Leu	Val	Phe	Pro

-continued

50					55					60					
Gly	Gln	Val	Ile	Ser	Val	Gly	Gly	Ser	Asp	Ala	Gln	Asn	Thr	Ser	Asn
65					70					75					80
Thr	Ser	Pro	Gln	Ala	Gly	Ser	Ala	Ser	Ser	His	Thr	Val	Gln	Ala	Gly
				85					90					95	
Glu	Ser	Leu	Asn	Ile	Ile	Ala	Ser	Arg	Tyr	Gly	Val	Ser	Val	Asp	Gln
			100					105					110		
Leu	Met	Ala	Ala	Asn	Asn	Leu	Arg	Gly	Tyr	Leu	Ile	Met	Pro	Asn	Gln
		115				120						125			
Thr	Leu	Gln	Ile	Pro	Asn	Gly	Gly	Ser	Gly	Gly	Thr	Thr	Pro	Thr	Ala
	130					135					140				
Thr	Thr	Gly	Ser	Asn	Gly	Asn	Ala	Ser	Ser	Phe	Asn	His	Gln	Asn	Leu
	145					150					155				160
Tyr	Thr	Ala	Gly	Gln	Cys	Thr	Trp	Tyr	Val	Phe	Asp	Arg	Arg	Ala	Gln
				165					170					175	
Ala	Gly	Ser	Pro	Ile	Ser	Thr	Tyr	Trp	Ser	Asp	Ala	Lys	Tyr	Trp	Ala
			180					185					190		
Gly	Asn	Ala	Ala	Asn	Asp	Gly	Tyr	Gln	Val	Asn	Asn	Thr	Pro	Ser	Val
	195					200						205			
Gly	Ser	Ile	Met	Gln	Ser	Thr	Pro	Gly	Pro	Tyr	Gly	His	Val	Ala	Tyr
	210					215					220				
Val	Glu	Arg	Val	Asn	Gly	Asp	Gly	Ser	Ile	Leu	Ile	Ser	Glu	Met	Asn
	225					230					235				240
Tyr	Thr	Tyr	Gly	Pro	Tyr	Asn	Met	Asn	Tyr	Arg	Thr	Ile	Pro	Ala	Ser
				245					250					255	
Glu	Val	Ser	Ser	Tyr	Ala	Phe	Ile	His							
			260					265							

&lt;210&gt; SEQ ID NO 63

&lt;211&gt; LENGTH: 292

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Staphylococcus sp

&lt;400&gt; SEQUENCE: 63

Met	Lys	Lys	Ile	Val	Ile	Ile	Ala	Val	Leu	Ala	Ile	Leu	Phe	Val	Val
1				5					10					15	
Ile	Ser	Ala	Cys	Gly	Asn	Lys	Glu	Lys	Glu	Ala	Gln	His	Gln	Phe	Thr
			20					25					30		
Lys	Gln	Phe	Lys	Asp	Val	Glu	Gln	Lys	Gln	Lys	Glu	Leu	Gln	His	Val
		35					40					45			
Met	Asp	Asn	Ile	His	Leu	Lys	Glu	Ile	Asp	His	Leu	Ser	Lys	Thr	Asp
	50					55					60				
Thr	Thr	Asp	Lys	Asn	Ser	Lys	Glu	Phe	Lys	Ala	Leu	Gln	Glu	Asp	Val
	65					70					75				80
Lys	Asn	His	Leu	Ile	Pro	Lys	Phe	Glu	Ala	Tyr	Tyr	Lys	Ser	Ala	Lys
			85						90					95	
Asn	Leu	Pro	Asp	Asp	Thr	Met	Lys	Val	Lys	Lys	Leu	Lys	Lys	Glu	Tyr
		100						105					110		
Met	Thr	Leu	Ala	Asn	Glu	Lys	Lys	Asp	Ala	Ile	Tyr	Gln	Leu	Lys	Lys
		115					120					125			
Phe	Ile	Gly	Leu	Cys	Asn	Gln	Ser	Ile	Lys	Tyr	Asn	Glu	Asp	Ile	Leu
	130					135						140			
Asp	Tyr	Thr	Lys	Gln	Phe	Glu	Lys	Asn	Arg	Tyr	Lys	Val	Glu	Ser	Glu

-continued

---

```

145             150             155             160
Ile Lys Leu Ala Asp Asn Lys Ser Glu Ala Thr Asn Leu Thr Thr Lys
      165             170             175
Leu Glu His Asn Asn Lys Ala Leu Arg Asp Thr Ala Lys Lys Asn Leu
      180             185             190
Asp Asp Ser Lys Glu Asn Glu Val Lys Gly Ala Ile Lys Asn His Ile
      195             200             205
Met Pro Met Ile Glu Lys Gln Ile Thr Asp Ile Asn Gln Thr Asn Ile
      210             215             220
Ser Asp Lys His Val Asn Asn Ala Arg Lys Asn Ala Ile Glu Met Tyr
      225             230             235
Tyr Ser Leu Gln Asn Tyr Tyr Asn Thr Arg Ile Glu Thr Ile Lys Val
      245             250             255
Ser Glu Lys Leu Ser Lys Val Asp Val Asp Lys Leu Pro Lys Lys Gly
      260             265             270
Ile Asp Ile Thr His Gly Asp Lys Ala Phe Glu Lys Lys Leu Glu Lys
      275             280             285
Leu Glu Glu Lys
      290

<210> SEQ ID NO 64
<211> LENGTH: 242
<212> TYPE: PRT
<213> ORGANISM: Staphylococcus sp

<400> SEQUENCE: 64
Met Lys Lys Val Met Gly Ile Leu Leu Ala Ser Thr Leu Ile Leu Gly
 1             5             10             15
Ala Cys Gly His His Gln Asp Ser Ala Lys Lys Glu Ser Thr Ser His
      20             25             30
Lys Lys Lys Glu Asn Asp Asn Glu Glu Leu Asn Glu Glu Leu Lys Glu
      35             40             45
Phe Lys Ser Lys Lys Asn Met Asp Ile Lys Ile Lys Gly Asp Thr Ile
      50             55             60
Val Ser Asp Lys Phe Glu Ala Lys Ile Lys Glu Pro Phe Ile Ile Asn
      65             70             75             80
Glu Lys Asp Glu Lys Lys Lys Tyr Ile Ala Phe Lys Met Glu Ile Thr
      85             90             95
Ala Lys Lys Asp Asp Lys Asp Leu Asn Pro Ser Ser Ile Ser His Asp
      100            105            110
Tyr Ile Asn Ile Thr Gln Asp Asp Lys Asn Thr Val Asn Lys Leu Arg
      115            120            125
Asp Gly Tyr Leu Leu Ser Asp Lys Lys Tyr Lys Asp Trp Thr Glu His
      130            135            140
Asn Gln Asp Gln Ile Lys Lys Gly Lys Thr Ala Gln Ala Met Phe Ile
      145            150            155            160
Tyr Glu Leu Arg Gly Asp Gly Asn Ile Asn Leu Asn Val His Lys Tyr
      165            170            175
Ser Glu Asp Lys Thr Val Asp Ser Lys Ser Phe Lys Phe Ser Lys Leu
      180            185            190
Lys Thr Glu Asp Phe Ser His Arg Ala Glu Thr Arg Glu Glu Val Glu
      195            200            205
Lys Lys Glu Lys Glu Phe Glu Glu Glu Tyr Lys Lys Glu Gln Glu Arg

```



-continued

---

Phe Gly Val Lys Leu Lys Glu Ile Ile Ala Lys Ser Asn Lys Gln Glu  
                   340                                  345                                  350  
 Tyr Met Tyr Glu His Ala Gln Gly Leu Gly Phe Arg Gly Asn Ile Phe  
                   355                                  360                                  365  
 Gly Gly Tyr Ile Leu Tyr Asn Leu Gly Tyr Ile His Ser Thr Gly Arg  
                   370                                  375                                  380  
 Tyr Tyr Leu Asn Gly Glu Glu Ile Glu Asp Asp Lys Glu Tyr Val Leu  
                   385                                  390                                  395                                  400  
 Gly Thr Ile Asp Met Tyr Thr Phe Gly Arg Tyr Phe Pro Thr Leu Lys  
                   405                                  410                                  415  
 Glu Leu Pro Lys Glu Tyr Leu Met Pro Glu Phe Leu Arg Asp Ile Phe  
                   420                                  425                                  430  
 Lys Glu Lys Leu Leu Glu Tyr  
                   435

&lt;210&gt; SEQ ID NO 66

&lt;211&gt; LENGTH: 774

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Staphylococcus sp

&lt;400&gt; SEQUENCE: 66

Met Glu Trp Thr Leu Val Asp Ile Gly Lys Lys His Val Ile Pro Lys  
 1                  5                                  10                                  15  
 Ser Gln Tyr Arg Arg Lys Arg Arg Glu Phe Phe His Asn Glu Asp Arg  
                   20                                  25                                  30  
 Glu Glu Asn Leu Asn Gln His Gln Asp Lys Gln Asn Ile Asp Asn Thr  
                   35                                  40                                  45  
 Thr Ser Lys Lys Ala Asp Lys Gln Ile His Lys Asp Ser Ile Asp Lys  
                   50                                  55                                  60  
 His Glu Arg Phe Lys Asn Ser Leu Ser Ser His Leu Glu Gln Arg Asn  
                   65                                  70                                  75                                  80  
 Arg Asp Val Asn Glu Asn Lys Ala Glu Glu Ser Lys Ser Asn Gln Asp  
                   85                                  90                                  95  
 Ser Lys Ser Ala Tyr Asn Arg Asp His Tyr Leu Thr Asp Asp Val Ser  
                   100                                  105                                  110  
 Lys Lys Gln Asn Ser Leu Asp Ser Val Asp Gln Asp Thr Glu Lys Ser  
                   115                                  120                                  125  
 Lys Tyr Tyr Glu Gln Asn Ser Glu Ala Thr Leu Ser Thr Lys Ser Thr  
                   130                                  135                                  140  
 Asp Lys Val Glu Ser Thr Glu Met Arg Lys Leu Ser Ser Asp Lys Asn  
                   145                                  150                                  155                                  160  
 Lys Val Gly His Glu Glu Gln His Val Leu Ser Lys Pro Ser Glu His  
                   165                                  170                                  175  
 Asp Lys Glu Thr Arg Ile Asp Ser Glu Ser Ser Arg Thr Asp Ser Asp  
                   180                                  185                                  190  
 Ser Ser Met Gln Thr Glu Lys Ile Lys Lys Asp Ser Ser Asp Gly Asn  
                   195                                  200                                  205  
 Lys Ser Ser Asn Leu Lys Ser Glu Val Ile Ser Asp Lys Ser Asn Thr  
                   210                                  215                                  220  
 Val Pro Lys Leu Ser Glu Ser Asp Asp Glu Val Asn Asn Gln Lys Pro  
                   225                                  230                                  235                                  240  
 Leu Thr Leu Pro Glu Glu Gln Lys Leu Lys Arg Gln Gln Ser Gln Asn  
                   245                                  250                                  255



-continued

---

660				665				670							
Ile	Asp	Tyr	Pro	Asp	Val	Gly	Val	Lys	Met	Lys	Asn	Ile	Val	Ser	Leu
	675						680					685			
Asn	Ser	Phe	Glu	Arg	Gln	Ala	Val	Lys	Leu	Pro	Gly	Lys	Val	Lys	Asn
	690						695				700				
Gly	Val	Val	Val	Asp	Gln	Val	Asp	Asn	Asn	Gly	Leu	Ala	Asp	Gln	Ser
705					710					715					720
Gly	Leu	Lys	Lys	Gly	Asp	Val	Ile	Thr	Glu	Leu	Asp	Gly	Lys	Leu	Leu
				725					730						735
Glu	Asp	Asp	Leu	Arg	Phe	Arg	Gln	Ile	Ile	Phe	Ser	His	Lys	Asp	Asp
			740					745						750	
Leu	Lys	Ser	Ile	Thr	Ala	Lys	Ile	Tyr	Arg	Asp	Gly	Lys	Glu	Lys	Glu
		755					760						765		
Ile	Asn	Ile	Lys	Leu	Lys										
	770														
<210> SEQ ID NO 67															
<211> LENGTH: 393															
<212> TYPE: PRT															
<213> ORGANISM: Staphylococcus sp															
<400> SEQUENCE: 67															
Met	Asn	Ser	Ser	Cys	Lys	Ser	Arg	Val	Phe	Asn	Ile	Ile	Ser	Ile	Ile
1				5					10					15	
Met	Val	Ser	Met	Leu	Ile	Leu	Ser	Leu	Gly	Ala	Phe	Ala	Asn	Asn	Asn
			20					25						30	
Lys	Ala	Lys	Ala	Asp	Ser	His	Ser	Lys	Gln	Leu	Glu	Ile	Asn	Val	Lys
		35					40					45			
Ser	Asp	Lys	Val	Pro	Gln	Lys	Val	Lys	Asp	Leu	Ala	Gln	Gln	Gln	Phe
	50					55					60				
Ala	Gly	Tyr	Ala	Lys	Ala	Leu	Asp	Lys	Gln	Ser	Asn	Ala	Lys	Thr	Gly
65					70					75					80
Lys	Tyr	Glu	Leu	Gly	Glu	Ala	Phe	Lys	Ile	Tyr	Lys	Phe	Asn	Gly	Glu
				85					90						95
Glu	Asp	Asn	Ser	Tyr	Tyr	Tyr	Pro	Val	Ile	Lys	Asp	Gly	Lys	Ile	Val
			100					105						110	
Tyr	Thr	Leu	Thr	Leu	Ser	Pro	Lys	Asn	Lys	Asp	Asp	Leu	Asn	Lys	Ser
		115					120					125			
Lys	Glu	Asp	Met	Asn	Tyr	Ser	Val	Lys	Ile	Ser	Asn	Phe	Ile	Ala	Lys
	130					135						140			
Asp	Leu	Asp	Gln	Ile	Lys	Asp	Lys	Asn	Ser	Asn	Ile	Thr	Val	Leu	Thr
145					150					155					160
Asp	Glu	Lys	Gly	Phe	Tyr	Phe	Glu	Glu	Asp	Gly	Lys	Val	Arg	Leu	Val
				165					170						175
Lys	Ala	Thr	Pro	Leu	Pro	Gly	Asn	Val	Lys	Glu	Lys	Glu	Ser	Ala	Lys
			180					185						190	
Thr	Val	Ser	Ala	Lys	Leu	Lys	Gln	Glu	Leu	Lys	Asn	Thr	Val	Thr	Pro
		195					200						205		
Thr	Lys	Val	Glu	Glu	Asn	Glu	Ala	Ile	Gln	Glu	Asp	Gln	Val	Gln	Tyr
	210					215						220			
Glu	Asn	Thr	Leu	Lys	Asn	Phe	Lys	Ile	Arg	Glu	Gln	Gln	Phe	Asp	Asn
225					230					235					240
Ser	Trp	Cys	Ala	Gly	Phe	Ser	Met	Ala	Ala	Leu	Leu	Asn	Ala	Thr	Lys



-continued

210				215				220							
Ala	Met	Gln	Tyr	Asp	Leu	Ser	Thr	Thr	Gly	Gly	Asn	Ser	Gly	Ser	Pro
225					230					235					240
Val	Phe	Asn	Glu	Lys	Asn	Glu	Val	Ile	Gly	Ile	His	Trp	Gly	Gly	Val
			245						250					255	
Pro	Asn	Glu	Phe	Asn	Gly	Ala	Val	Phe	Ile	Asn	Glu	Asn	Val	Arg	Asn
			260					265					270		
Phe	Leu	Lys	Gln	Asn	Ile	Glu	Asp	Ile	His	Phe	Ala	Asn	Asp	Asp	Gln
		275					280					285			
Pro	Asn	Asn	Pro	Asp	Asn	Pro	Asp	Asn	Pro	Asn	Asn	Pro	Asp	Asn	Pro
	290				295						300				
Asn	Asn	Pro	Asp	Glu	Pro	Asn	Asn	Pro	Asp	Asn	Pro	Asn	Asn	Pro	Asp
305					310					315					320
Asn	Pro	Asp	Asn	Gly	Asp	Asn	Asn	Asn	Ser	Asp	Asn	Pro	Asp	Ala	Ala
				325					330					335	

&lt;210&gt; SEQ ID NO 69

&lt;211&gt; LENGTH: 397

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Staphylococcus sp

&lt;400&gt; SEQUENCE: 69

Met	Lys	Phe	Asn	Lys	Val	Lys	Leu	Val	Ile	His	Ala	Cys	Val	Leu	Leu
1			5						10					15	
Phe	Ile	Ile	Ile	Ser	Ile	Ala	Leu	Ile	Phe	His	Arg	Leu	Gln	Thr	Lys
			20					25					30		
Thr	His	Ser	Ile	Asp	Pro	Ile	His	Lys	Glu	Thr	Lys	Leu	Ser	Asp	Asn
		35				40						45			
Glu	Lys	Tyr	Leu	Val	Asp	Arg	Asn	Lys	Glu	Lys	Val	Ala	Pro	Ser	Lys
		50				55					60				
Leu	Lys	Glu	Val	Tyr	Asn	Ser	Lys	Asp	Pro	Lys	Tyr	Lys	Lys	Ile	Asp
65					70					75					80
Lys	Tyr	Leu	Gln	Ser	Ser	Leu	Phe	Asn	Gly	Ser	Val	Ala	Ile	Tyr	Glu
				85					90					95	
Asn	Gly	Lys	Leu	Lys	Met	Ser	Lys	Gly	Tyr	Gly	Tyr	Gln	Asp	Phe	Glu
			100					105					110		
Lys	Gly	Ile	Lys	Asn	Thr	Pro	Asn	Thr	Met	Phe	Leu	Ile	Gly	Ser	Ala
		115					120					125			
Gln	Lys	Phe	Ser	Thr	Gly	Leu	Leu	Leu	Lys	Gln	Leu	Glu	Glu	Glu	His
		130				135					140				
Lys	Ile	Asn	Ile	Asn	Asp	Pro	Val	Ser	Lys	Tyr	Leu	Pro	Trp	Phe	Lys
145					150					155					160
Thr	Ser	Lys	Pro	Ile	Pro	Leu	Lys	Asp	Leu	Met	Leu	His	Gln	Ser	Gly
				165					170					175	
Leu	Tyr	Lys	Tyr	Lys	Ser	Ser	Lys	Asp	Tyr	Lys	Asn	Leu	Asp	Gln	Ala
			180					185					190		
Val	Lys	Ala	Ile	Gln	Lys	Arg	Gly	Ile	Asp	Pro	Lys	Lys	Tyr	Lys	Lys
		195					200					205			
His	Met	Tyr	Asn	Asp	Gly	Asn	Tyr	Leu	Val	Leu	Ala	Lys	Val	Ile	Glu
	210					215					220				
Glu	Val	Thr	Gly	Lys	Ser	Tyr	Ala	Glu	Asn	Tyr	Tyr	Thr	Lys	Ile	Gly
225					230					235					240
Asp	Pro	Leu	Lys	Leu	Gln	His	Thr	Ala	Phe	Tyr	Asp	Glu	Gln	Pro	Phe

-continued

---

```

          245              250              255
Lys Lys Tyr Leu Ala Lys Gly Tyr Ala Tyr Asn Ser Thr Gly Leu Ser
          260              265              270
Phe Leu Arg Pro Asn Ile Leu Asp Gln Tyr Tyr Gly Ala Gly Asn Leu
          275              280              285
Tyr Met Thr Pro Thr Asp Met Gly Lys Leu Ile Thr Gln Ile Gln Gln
          290              295              300
Tyr Lys Leu Phe Ser Pro Lys Ile Thr Asn Pro Leu Leu His Glu Phe
          305              310              315
Gly Thr Lys Lys Tyr Pro Asp Glu Tyr Arg Tyr Gly Phe Tyr Ala Lys
          325              330              335
Pro Thr Leu Asn Arg Leu Asn Gly Gly Phe Phe Gly Gln Val Phe Thr
          340              345              350
Val Tyr Tyr Asn Asp Lys Tyr Val Val Val Leu Ala Leu Asn Val Lys
          355              360              365
Gly Asn Asn Glu Val Arg Ile Lys His Ile Tyr Asn Asp Ile Leu Lys
          370              375              380
Gln Asn Lys Pro Tyr Asn Thr Lys Gly Val Ile Val Gln
          385              390              395

<210> SEQ ID NO 70
<211> LENGTH: 358
<212> TYPE: PRT
<213> ORGANISM: Staphylococcus sp

<400> SEQUENCE: 70
Met Arg Asn Val Lys Gln Ile Ala Thr Lys Ser Ile Ile Ala Ile Ile
 1          5          10          15
Ser Leu Gly Ile Leu Thr Tyr Thr Thr Met Ile Gly Ser Val Leu Ala
 20          25          30
Asp Glu Ile Lys Tyr Pro Ser Ala Lys Phe Asn Gln Pro Glu Ala Lys
 35          40          45
Asp Lys Thr Glu Leu Thr Thr Ser Ile Phe Asp Glu Lys Ile Lys Glu
 50          55          60
Asn Lys Ala Leu Glu Leu Leu Ile Phe Asn Gln Glu Asn Lys Asn Val
 65          70          75          80
Thr Glu Glu Gln Gln Leu Val Asp Glu Lys Ala Gln Leu Ile Ser Asp
 85          90          95
Met Thr Gly Lys Ile Tyr Leu Gln Val Lys Leu Lys Gly Gln Ile Asp
100         105         110
Lys Glu Gln Leu Val Phe Gln Asn Asp Lys Asn Glu Glu Phe Pro Phe
115         120         125
Val Ile Lys Asp Glu Lys Asp Asp Thr Ile Val Arg Ile Leu Ile Glu
130         135         140
Gln His Met Asp Lys Ile Asn Met His Val Lys Thr Leu Ala Glu Lys
145         150         155         160
Lys Asn Leu Asp Asn Lys Glu Met Val Tyr Ser Ile His Phe Lys Glu
165         170         175
Lys Lys Val Gln His Asp Asp Ala Lys Glu Val Pro Ser Lys His Gln
180         185         190
Asn Gln Glu Asn Asn Gln Asp Gln Leu Lys Lys Asp Ile Asp Asp Lys
195         200         205
Lys Asp Ser Gln Lys Ser Asp Thr Lys Glu Arg Arg Thr Ser Leu Phe

```



-continued

---

210	215	220
Val Lys Lys Met Phe Gln Lys Glu Phe Lys Gln Asn Asp Ile Trp Lys 225	230	235
His Phe Lys Ala Val Lys Asn Asn His Val Tyr Asp Leu Glu Glu Val 245	250	255
Pro Phe Gly Ile Thr Ala Asn Val Asp Ala Asp Lys Ala Met Thr Gln 260	265	270
Leu Tyr Asp Leu Phe Tyr Lys Asp Lys Lys 275	280	

&lt;210&gt; SEQ ID NO 72

&lt;211&gt; LENGTH: 244

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Staphylococcus sp

&lt;400&gt; SEQUENCE: 72

Met Arg Met Lys Arg Phe Leu Thr Ile Val Gln Ile Leu Leu Val Val 1	5	10	15
Ile Ile Ile Ile Phe Gly Tyr Lys Ile Val Gln Thr Tyr Ile Glu Asp 20	25	30	
Lys Gln Glu Arg Ala Asn Tyr Glu Lys Leu Gln Gln Lys Phe Gln Met 35	40	45	
Leu Met Ser Lys His Gln Glu His Val Arg Pro Gln Phe Glu Ser Leu 50	55	60	
Glu Lys Ile Asn Lys Asp Ile Val Gly Trp Ile Lys Leu Ser Gly Thr 65	70	75	80
Ser Leu Asn Tyr Pro Val Leu Gln Gly Lys Thr Asn His Asp Tyr Leu 85	90	95	
Asn Leu Asp Phe Glu Arg Glu His Arg Arg Lys Gly Ser Ile Phe Met 100	105	110	
Asp Phe Arg Asn Glu Leu Lys Asn Leu Asn His Asn Thr Ile Leu Tyr 115	120	125	
Gly His His Val Gly Asp Asn Thr Met Phe Asp Val Leu Glu Asp Tyr 130	135	140	
Leu Lys Gln Ser Phe Tyr Glu Lys His Lys Ile Ile Glu Phe Asp Asn 145	150	155	160
Lys Tyr Gly Lys Tyr Gln Leu Gln Val Phe Ser Ala Tyr Lys Thr Thr 165	170	175	
Thr Lys Asp Asn Tyr Ile Arg Thr Asp Phe Glu Asn Asp Gln Asp Tyr 180	185	190	
Gln Gln Phe Leu Asp Glu Thr Lys Arg Lys Ser Val Ile Asn Ser Asp 195	200	205	
Val Asn Val Thr Val Lys Asp Arg Ile Met Thr Leu Ser Thr Cys Glu 210	215	220	
Asp Ala Tyr Ser Glu Thr Thr Lys Arg Ile Val Val Val Ala Lys Ile 225	230	235	240
Ile Lys Val Ser			

&lt;210&gt; SEQ ID NO 73

&lt;211&gt; LENGTH: 238

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Staphylococcus sp

&lt;400&gt; SEQUENCE: 73

-continued

---

```

Met Ser Lys Asn Ile Thr Lys Asn Ile Ile Leu Thr Thr Thr Leu Leu
1      5      10      15

Leu Leu Gly Thr Val Leu Pro Gln Asn Gln Lys Pro Val Phe Ser Phe
      20      25      30

Tyr Ser Glu Ala Lys Ala Tyr Ser Ile Gly Gln Asp Glu Thr Asn Ile
      35      40      45

Asn Glu Leu Ile Lys Tyr Tyr Thr Gln Pro His Phe Ser Phe Ser Asn
      50      55      60

Lys Trp Leu Tyr Gln Tyr Asp Asn Gly Asn Ile Tyr Val Glu Leu Lys
65      70      75      80

Arg Tyr Ser Trp Ser Ala His Ile Ser Leu Trp Gly Ala Glu Ser Trp
      85      90      95

Gly Asn Ile Asn Gln Leu Lys Asp Arg Tyr Val Asp Val Phe Gly Leu
      100      105      110

Lys Asp Lys Asp Thr Asp Gln Leu Trp Trp Ser Tyr Arg Glu Thr Phe
      115      120      125

Thr Gly Gly Val Thr Pro Ala Ala Lys Pro Ser Asp Lys Thr Tyr Asn
      130      135      140

Leu Phe Val Gln Tyr Lys Asp Lys Leu Gln Thr Ile Ile Gly Ala His
145      150      155      160

Lys Ile Tyr Gln Gly Asn Lys Pro Val Leu Thr Leu Lys Glu Ile Asp
      165      170      175

Phe Arg Ala Arg Glu Ala Leu Ile Lys Asn Lys Ile Leu Tyr Asn Glu
      180      185      190

Asn Arg Asn Lys Gly Lys Leu Lys Ile Thr Gly Gly Gly Asn Asn Tyr
      195      200      205

Thr Ile Asp Leu Ser Lys Arg Leu His Ser Asp Leu Ala Asn Val Tyr
      210      215      220

Val Lys Asn Pro Asn Lys Ile Thr Val Asp Val Leu Phe Asp
225      230      235

```

&lt;210&gt; SEQ ID NO 74

&lt;211&gt; LENGTH: 241

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Staphylococcus sp

&lt;400&gt; SEQUENCE: 74

```

Met Asn Asn Asn Ile Thr Lys Lys Ile Ile Leu Ser Thr Thr Leu Leu
1      5      10      15

Leu Leu Gly Thr Ala Ser Thr Gln Phe Pro Asn Thr Pro Ile Asn Ser
      20      25      30

Ser Ser Glu Ala Lys Ala Tyr Tyr Ile Asn Gln Asn Glu Thr Asn Val
      35      40      45

Asn Glu Leu Thr Lys Tyr Tyr Ser Gln Lys Tyr Leu Thr Phe Ser Asn
      50      55      60

Ser Thr Leu Trp Gln Lys Asp Asn Gly Thr Ile His Ala Thr Leu Leu
65      70      75      80

Gln Phe Ser Trp Tyr Ser His Ile Gln Val Tyr Gly Pro Glu Ser Trp
      85      90      95

Gly Asn Ile Asn Gln Leu Arg Asn Lys Ser Val Asp Ile Phe Gly Ile
      100      105      110

Lys Asp Gln Glu Thr Ile Asp Ser Phe Ala Leu Ser Gln Glu Thr Phe
      115      120      125

```

-continued

---

```

Thr Gly Gly Val Thr Pro Ala Ala Thr Ser Asn Asp Lys His Tyr Lys
  130                               135                140

Leu Asn Val Thr Tyr Lys Asp Lys Ala Glu Thr Phe Thr Gly Gly Phe
  145                               150                155                160

Pro Val Tyr Glu Gly Asn Lys Pro Val Leu Thr Leu Lys Glu Leu Asp
  165                               170                175

Phe Arg Ile Arg Gln Thr Leu Ile Lys Ser Lys Lys Leu Tyr Asn Asn
  180                               185                190

Ser Tyr Asn Lys Gly Gln Ile Lys Ile Thr Gly Ala Asp Asn Asn Tyr
  195                               200                205

Thr Ile Asp Leu Ser Lys Arg Leu Pro Ser Thr Asp Ala Asn Arg Tyr
  210                               215                220

Val Lys Lys Pro Gln Asn Ala Lys Ile Glu Val Ile Leu Glu Lys Ser
  225                               230                235                240

```

Asn

&lt;210&gt; SEQ ID NO 75

&lt;211&gt; LENGTH: 565

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Staphylococcus sp

&lt;400&gt; SEQUENCE: 75

```

Met Ala Tyr Asp Gly Leu Phe Thr Lys Lys Met Val Glu Ser Leu Gln
  1      5      10      15

Phe Leu Thr Thr Gly Arg Val His Lys Ile Asn Gln Pro Asp Asn Asp
  20      25      30

Thr Ile Leu Met Val Val Arg Gln Asn Arg Gln Asn His Gln Leu Leu
  35      40      45

Leu Ser Ile His Pro Asn Phe Ser Arg Leu Gln Leu Thr Thr Lys Lys
  50      55      60

Tyr Asp Asn Pro Phe Asn Pro Pro Met Phe Ala Arg Val Phe Arg Lys
  65      70      75      80

His Leu Glu Gly Gly Ile Ile Glu Ser Ile Lys Gln Ile Gly Asn Asp
  85      90      95

Arg Arg Ile Glu Ile Asp Ile Lys Ser Lys Asp Glu Ile Gly Asp Thr
  100     105     110

Ile Tyr Arg Thr Val Ile Leu Glu Ile Met Gly Lys His Ser Asn Leu
  115     120     125

Ile Leu Val Asp Glu Asn Arg Lys Ile Ile Glu Gly Phe Lys His Leu
  130     135     140

Thr Pro Asn Thr Asn His Tyr Arg Thr Val Met Pro Gly Phe Asn Tyr
  145     150     155     160

Glu Ala Pro Pro Thr Gln His Lys Ile Asn Pro Tyr Asp Ile Thr Gly
  165     170     175

Ala Glu Val Leu Lys Tyr Ile Asp Phe Asn Ala Gly Asn Ile Ala Lys
  180     185     190

Gln Leu Leu Asn Gln Phe Glu Gly Phe Ser Pro Leu Ile Thr Asn Glu
  195     200     205

Ile Val Ser Arg Arg Gln Phe Met Thr Ser Ser Thr Leu Pro Glu Ala
  210     215     220

Phe Asp Glu Val Met Ala Glu Thr Lys Leu Pro Pro Thr Pro Ile Phe
  225     230     235     240

His Lys Asn His Glu Thr Gly Lys Glu Asp Phe Tyr Phe Ile Lys Leu

```



-continued

---

```

      35          40          45
Asp Pro Asp Leu Glu Lys Tyr Glu Glu Ile Glu Lys Lys Met Lys Gly
 50          55          60
Ile Lys Asp Ala Pro Ser Leu Asp Lys Leu Asp Pro Leu Met Thr Glu
 65          70          75
Lys Ser Phe Thr Asn Ser Lys Gly Ile Gln Gly Trp Lys Asp Tyr Lys
      85          90          95
Glu Leu Met Gly Lys Val Glu Leu Ala Asp Tyr Arg Phe Thr Lys Asp
      100          105          110
Ser Lys Gly Ser Ser Ile Lys Asp Val Asp Ala Phe Phe Lys Gly Lys
      115          120          125
Lys Gly Ile Lys Arg Lys Val Ile Glu Thr His Asp Asp Val Lys Gln
      130          135          140
Val Asp Tyr Trp Tyr Val Asp Pro Asp Gly Lys Lys Ile Gly Asn Ser
      145          150          155
Asn Thr Pro Val Phe Tyr Ala Glu Ile Met Thr Lys Tyr Lys Asp Gly
      165          170          175
Lys Leu Val Tyr Ala Ser Val Glu Pro Gly Ser Tyr Val Ile His Lys
      180          185          190
Asp Asp Ala Ile Lys Tyr Asp Asp Tyr Ser Lys Leu Lys Lys Leu Ser
      195          200          205
Gln Leu Thr Lys Leu Asp His Pro Lys Pro Val Pro Tyr Ser Val Ala
      210          215          220
Gln Ile Lys Ser Phe Gly Val Pro Leu Thr Ser Val Ser Phe Met Thr
      225          230          235
His Gly Ser Lys Asp Thr Lys Asp Glu Val Leu Pro Ala Leu Ala Tyr
      245          250          255
Phe Thr Phe Ser Pro Lys Asn Tyr Glu Asp Lys Ser Asn Pro Asp Pro
      260          265          270
Lys Val Leu Asn Leu Val His Met Asp Phe Leu Asn Ala Ser Ser Asp
      275          280          285
Phe Gly Asn Ala His Phe Val Val Leu Ser Lys Tyr Ile Lys Glu Tyr
      290          295          300
Glu Ser Asn Tyr Glu Thr Ala Ser Asp Asp Ser Leu Lys
      305          310          315

```

&lt;210&gt; SEQ ID NO 77

&lt;211&gt; LENGTH: 372

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Staphylococcus sp

&lt;400&gt; SEQUENCE: 77

```

Met Asn Lys Gln Gln Ser Lys Val Arg Tyr Ser Ile Arg Lys Val Ser
 1          5          10          15
Ile Gly Ile Leu Ser Ile Ser Ile Gly Met Phe Leu Ala Leu Gly Met
      20          25          30
Ser Asn Lys Ala Tyr Ala Asp Glu Ile Asp Lys Ser Lys Asp Phe Thr
      35          40          45
Arg Gly Tyr Glu Gln Asn Val Phe Ala Lys Ser Glu Leu Asn Ala Asn
      50          55          60
Lys Asn Thr Thr Lys Asp Lys Ile Lys Asn Glu Gly Ala Val Lys Thr
      65          70          75          80
Ser Asp Thr Ser Leu Lys Leu Asp Asn Lys Ser Ala Ile Ser Asn Gly

```

-continued

---

	85		90		95										
Asn	Glu	Ile	Asn	Gln	Asp	Ile	Lys	Ile	Ser	Asn	Thr	Pro	Lys	Asn	Ser
			100					105					110		
Ser	Gln	Gly	Asn	Asn	Leu	Val	Ile	Asn	Asn	Asn	Glu	Leu	Thr	Lys	Glu
		115					120					125			
Ile	Lys	Ile	Ala	Asn	Leu	Glu	Ala	Gln	Asn	Ser	Asn	Gln	Lys	Lys	Thr
	130					135					140				
Asn	Lys	Val	Thr	Asn	Asn	Tyr	Phe	Gly	Tyr	Tyr	Ser	Phe	Arg	Glu	Ala
145					150					155					160
Pro	Lys	Thr	Gln	Ile	Tyr	Thr	Val	Lys	Lys	Gly	Asp	Thr	Leu	Ser	Ala
				165					170					175	
Ile	Ala	Leu	Lys	Tyr	Lys	Thr	Thr	Val	Ser	Asn	Ile	Gln	Asn	Thr	Asn
		180						185					190		
Asn	Ile	Ala	Asn	Pro	Asn	Leu	Ile	Phe	Ile	Gly	Gln	Lys	Leu	Lys	Val
		195				200						205			
Pro	Met	Thr	Pro	Leu	Val	Glu	Pro	Lys	Pro	Lys	Thr	Val	Ser	Ser	Asn
	210					215					220				
Asn	Lys	Ser	Asn	Ser	Asn	Ser	Ser	Thr	Leu	Asn	Tyr	Leu	Lys	Thr	Leu
225					230					235					240
Glu	Asn	Arg	Gly	Trp	Asp	Phe	Asp	Gly	Ser	Tyr	Gly	Trp	Gln	Cys	Phe
			245					250						255	
Asp	Leu	Val	Asn	Val	Tyr	Trp	Asn	His	Leu	Tyr	Gly	His	Gly	Leu	Lys
		260						265					270		
Gly	Tyr	Gly	Ala	Lys	Asp	Ile	Pro	Tyr	Ala	Asn	Asn	Phe	Asn	Ser	Glu
		275				280						285			
Ala	Lys	Ile	Tyr	His	Asn	Thr	Pro	Thr	Phe	Lys	Ala	Glu	Pro	Gly	Asp
	290					295					300				
Leu	Val	Val	Phe	Ser	Gly	Arg	Phe	Gly	Gly	Gly	Tyr	Gly	His	Thr	Ala
305					310					315					320
Ile	Val	Leu	Asn	Gly	Asp	Tyr	Asp	Gly	Lys	Leu	Met	Lys	Phe	Gln	Ser
			325					330						335	
Leu	Asp	Gln	Asn	Trp	Asn	Asn	Gly	Gly	Trp	Arg	Lys	Ala	Glu	Val	Ala
		340					345						350		
His	Lys	Val	Val	His	Asn	Tyr	Glu	Asn	Asp	Met	Ile	Phe	Ile	Arg	Pro
		355				360						365			
Phe	Lys	Lys	Ala												
		370													

<210> SEQ ID NO 78  
 <211> LENGTH: 304  
 <212> TYPE: PRT  
 <213> ORGANISM: Staphylococcus sp

<400> SEQUENCE: 78

Met	Leu	Lys	Lys	Ala	Lys	Phe	Ile	Leu	Met	Ala	Thr	Ile	Leu	Leu	Ser
1				5					10					15	
Gly	Cys	Ser	Thr	Thr	Asn	Asn	Glu	Ser	Asn	Lys	Glu	Thr	Lys	Ser	Val
			20				25						30		
Pro	Glu	Glu	Met	Asp	Ala	Ser	Lys	Tyr	Val	Gly	Gln	Gly	Phe	Gln	Pro
		35					40					45			
Pro	Ala	Glu	Lys	Asp	Ala	Ile	Glu	Phe	Ala	Lys	Lys	His	Lys	Asp	Lys
	50					55					60				
Ile	Ala	Lys	Arg	Gly	Glu	Gln	Phe	Phe	Met	Asp	Asn	Phe	Gly	Leu	Lys

-continued

---

65	70	75	80
Val Lys Ala Thr Asn Val Ile Gly Ser Gly Asp Gly Val Glu Val Phe	85	90	95
Val His Cys Asp Asp His Asp Ile Val Phe Asn Ala Ser Ile Pro Phe	100	105	110
Asp Lys Ser Ile Ile Asp Ser Asp Ser Ser Leu Arg Ser Lys Asp Lys	115	120	125
Gly Asp Asp Met Ser Thr Leu Val Gly Ala Val Leu Ser Gly Phe Glu	130	135	140
Tyr Arg Ala Gln Lys Glu Lys Tyr Asp Lys Leu Tyr Lys Phe Phe Lys	145	150	155
Asp Asn Glu Glu Lys Tyr Gln Tyr Thr Gly Phe Thr Lys Glu Ala Ile	165	170	175
Asn Lys Thr Gln Asn Ser Gly Tyr Glu Asn Glu Tyr Phe Tyr Ile Ser	180	185	190
Ala Ile Pro Tyr Asn Leu Ala Glu Tyr Arg Asp Tyr Phe Glu Pro Leu	195	200	205
Leu Asn Lys Ser Asp Ser Glu Phe Ser Lys Glu Leu Ser Asn Val Lys	210	215	220
Lys Gln Leu Lys Asp Lys Ser Lys Val Ser Val Thr Thr Thr Leu Phe	225	230	235
Ser Lys Lys Lys Asn Tyr Thr Lys Lys Ser Asn Ser Glu Asn Val Ile	245	250	255
Lys Met Ala Glu Glu Ile Lys Lys Asp Lys Glu Ile Pro Asn Gly Ile	260	265	270
Glu Leu Ser Ile Lys Phe Ser Asp Asn Lys Ile Asn Thr Val Lys Pro	275	280	285
Asn Phe Asn Gly Glu Ser Thr Ser Glu Tyr Gly Val Phe Asp Gln Glu	290	295	300
<210> SEQ ID NO 79			
<211> LENGTH: 193			
<212> TYPE: PRT			
<213> ORGANISM: Staphylococcus sp			
<400> SEQUENCE: 79			
Met Lys Lys Leu Val Ser Ile Val Gly Ala Thr Leu Leu Leu Ala Gly	5	10	15
Cys Gly Ser Gln Asn Leu Ala Pro Leu Glu Glu Lys Thr Thr Asp Leu	20	25	30
Arg Glu Asp Asn His Gln Leu Lys Leu Asp Ile Gln Glu Leu Asn Gln	35	40	45
Gln Ile Ser Asp Ser Lys Ser Lys Ile Lys Gly Leu Glu Lys Asp Lys	50	55	60
Glu Asn Ser Lys Lys Thr Ala Ser Asn Asn Thr Lys Ile Lys Leu Met	65	70	80
Asn Val Thr Ser Thr Tyr Tyr Asp Lys Val Ala Lys Ala Leu Lys Ser	85	90	95
Tyr Asn Asp Ile Glu Lys Asp Val Ser Lys Asn Lys Gly Asp Lys Asn	100	105	110
Val Gln Ser Lys Leu Asn Gln Ile Ser Asn Asp Ile Gln Ser Ala His	115	120	125
Thr Ser Tyr Lys Asp Ala Ile Asp Gly Leu Ser Leu Ser Asp Asp Asp			

-continued

---

130	135	140																	
Lys	Lys	Thr	Ser	Lys	Asn	Ile	Asp	Lys	Leu	Asn	Ser	Asp	Leu	Asn	His				
145				150					155						160				
Ala	Phe	Asp	Asp	Ile	Lys	Asn	Gly	Tyr	Gln	Asn	Lys	Asp	Lys	Lys	Gln				
				165					170						175				
Leu	Thr	Lys	Gly	Gln	Gln	Ala	Leu	Ser	Lys	Leu	Asn	Leu	Asn	Ala	Lys				
			180					185						190					

Ser

<210> SEQ ID NO 80  
 <211> LENGTH: 216  
 <212> TYPE: PRT  
 <213> ORGANISM: Staphylococcus sp

&lt;400&gt; SEQUENCE: 80

Met	Lys	Ile	Thr	Tyr	Lys	Tyr	Arg	Gly	Asp	Leu	Pro	Leu	Asn	Thr	Glu				
1				5					10					15					
Asn	Asn	Lys	Asn	Gln	Asn	Gln	Ser	Val	Lys	Asn	Ser	Glu	Arg	Arg	Gly				
			20					25						30					
Met	Leu	Lys	Gly	Cys	Gly	Gly	Cys	Leu	Ile	Ser	Phe	Ile	Leu	Leu	Ile				
		35					40					45							
Ile	Leu	Leu	Ser	Ala	Cys	Ser	Met	Met	Phe	Ser	Asn	Asn	Asp	Asn	Ser				
	50					55					60								
Thr	Asn	Asn	Gln	Ser	Ser	Lys	Thr	Gln	Leu	Thr	Gln	Lys	Asp	Glu	Asn				
65					70					75					80				
Lys	Asn	Glu	Asp	Lys	Pro	Glu	Glu	Lys	Ser	Glu	Thr	Ala	Thr	Asp	Glu				
				85					90						95				
Asp	Leu	Gln	Ser	Thr	Glu	Glu	Val	Pro	Ala	Asn	Glu	Asn	Thr	Glu	Asn				
			100					105						110					
Asn	Gln	His	Glu	Ile	Asp	Glu	Ile	Thr	Thr	Lys	Asp	Gln	Ser	Asp	Asp				
		115						120						125					
Asp	Ile	Asn	Thr	Pro	Asn	Val	Ala	Glu	Asp	Lys	Ser	Gln	Asp	Asp	Leu				
	130					135							140						
Lys	Asp	Asp	Leu	Lys	Glu	Lys	Gln	Gln	Ser	Ser	Asn	His	His	Gln	Ser				
145					150					155					160				
Thr	Gln	Pro	Lys	Thr	Ser	Pro	Ser	Thr	Glu	Thr	Asn	Thr	Gln	Gln	Ser				
			165						170					175					
Phe	Ala	Asn	Cys	Lys	Gln	Leu	Arg	Gln	Val	Tyr	Pro	Asn	Gly	Val	Thr				
			180					185						190					
Ala	Asp	His	Pro	Ala	Tyr	Arg	Pro	His	Leu	Asp	Arg	Asp	Lys	Asp	Lys				
		195					200						205						
Arg	Ala	Cys	Glu	Pro	Asp	Lys	Tyr												
	210					215													

<210> SEQ ID NO 81  
 <211> LENGTH: 208  
 <212> TYPE: PRT  
 <213> ORGANISM: Staphylococcus sp

&lt;400&gt; SEQUENCE: 81

Met	Lys	Phe	Lys	Ala	Ile	Val	Ala	Ile	Thr	Leu	Ser	Leu	Ser	Leu	Leu				
1				5					10					15					
Thr	Ala	Cys	Gly	Ala	Asn	Gln	His	Lys	Glu	Asn	Ser	Ser	Lys	Ser	Asn				
			20					25						30					



-continued

---

Gly Gln Thr Ser Ala Asn Gly Lys Leu Ile Gly Val Ala Pro Asn Asn  
 195 200 205

Lys Phe Thr Met Tyr Arg Val Phe Gly Ser Lys Lys Thr Glu Leu Leu  
 210 215 220

Trp Val Ser Lys Ala Ile Val Gln Ala Ala Asn Asp Gly Asn Gln Val  
 225 230 235 240

Ile Asn Ile Ser Val Gly Ser Tyr Ile Ile Leu Asp Lys Asn Asp His  
 245 250 255

Gln Thr Phe Arg Lys Asp Glu Lys Val Glu Tyr Asp Ala Leu Gln Lys  
 260 265 270

Ala Ile Asn Tyr Ala Lys Lys Lys Lys Ser Ile Val Val Ala Ala Ala  
 275 280 285

Gly Asn Asp Gly Ile Asp Val Asn Asp Lys Gln Lys Leu Lys Leu Gln  
 290 295 300

Arg Glu Tyr Gln Gly Asn Gly Glu Val Lys Asp Val Pro Ala Ser Met  
 305 310 315 320

Asp Asn Val Val Thr Val Gly Ser Thr Asp Gln Lys Ser Asn Leu Ser  
 325 330 335

Glu Phe Ser Asn Phe Gly Met Asn Tyr Thr Asp Leu Ala Ala Pro Gly  
 340 345 350

Gly Ser Phe Ala Tyr Leu Asn Gln Phe Gly Val Asp Lys Trp Met Asn  
 355 360 365

Glu Gly Tyr Met His Lys Glu Asn Ile Leu Thr Thr Ala Asn Asn Gly  
 370 375 380

Arg Tyr Ile Tyr Gln Ala Gly Thr Ser Leu Ala Thr Pro Lys Val Ser  
 385 390 395 400

Gly Ala Leu Ala Leu Ile Ile Asp Lys Tyr His Leu Glu Lys His Pro  
 405 410 415

Asp Lys Ala Ile Glu Leu Leu Tyr Gln His Gly Thr Ser Lys Asn Asn  
 420 425 430

Lys Pro Phe Ser Arg Tyr Gly His Gly Glu Leu Asp Val Tyr Lys Ala  
 435 440 445

Leu Asn Val Ala Asn Gln Lys Ala Ser  
 450 455

&lt;210&gt; SEQ ID NO 83

&lt;211&gt; LENGTH: 320

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Staphylococcus sp

&lt;400&gt; SEQUENCE: 83

Met Lys Met Ile Asn Lys Leu Ile Val Pro Val Thr Ala Ser Ala Leu  
 1 5 10 15

Leu Leu Gly Ala Cys Gly Ala Ser Ala Thr Asp Ser Lys Glu Asn Thr  
 20 25 30

Leu Ile Ser Ser Lys Ala Gly Asp Val Thr Val Ala Asp Thr Met Lys  
 35 40 45

Lys Ile Gly Lys Asp Gln Ile Ala Asn Ala Ser Phe Thr Glu Met Leu  
 50 55 60

Asn Lys Ile Leu Ala Asp Lys Tyr Lys Asn Lys Val Asn Asp Lys Lys  
 65 70 75 80

Ile Asp Glu Gln Ile Glu Lys Met Gln Lys Gln Tyr Gly Gly Lys Asp  
 85 90 95

-continued

---

Lys Phe Glu Lys Ala Leu Gln Gln Gln Gly Leu Thr Ala Asp Lys Tyr  
                   100  105  110  
 Lys Glu Asn Leu Arg Thr Ala Ala Tyr His Lys Glu Leu Leu Ser Asp  
                   115  120  125  
 Lys Ile Lys Ile Ser Asp Ser Glu Ile Lys Glu Asp Ser Lys Lys Ala  
                   130  135  140  
 Ser His Ile Leu Ile Lys Val Lys Ser Lys Lys Ser Asp Lys Glu Gly  
                   145  150  155  160  
 Leu Asp Asp Lys Glu Ala Lys Gln Lys Ala Glu Glu Ile Gln Lys Glu  
                                   165  170  175  
 Val Ser Lys Asp Pro Ser Lys Phe Gly Glu Ile Ala Lys Lys Glu Ser  
                   180  185  190  
 Met Asp Thr Gly Ser Ala Lys Lys Asp Gly Glu Leu Gly Tyr Val Leu  
                   195  200  205  
 Lys Gly Gln Thr Asp Lys Asp Phe Glu Lys Ala Leu Phe Lys Leu Lys  
                   210  215  220  
 Asp Gly Glu Val Ser Glu Val Val Lys Ser Ser Phe Gly Tyr His Leu  
                   225  230  235  240  
 Leu Lys Ala Asp Lys Pro Thr Asp Phe Asn Ser Glu Lys Gln Ser Leu  
                                   245  250  255  
 Lys Glu Lys Leu Val Asp Gln Lys Val Gln Lys Asn Pro Lys Leu Leu  
                                   260  265  270  
 Thr Asp Ala Tyr Lys Asp Leu Leu Lys Glu Tyr Asp Val Asp Phe Lys  
                   275  280  285  
 Asp Arg Asp Ile Lys Ser Val Val Glu Asp Lys Ile Leu Asn Pro Glu  
                   290  295  300  
 Lys Leu Lys Gln Gly Gly Ala Gln Gly Gly Gln Ser Gly Met Ser Gln  
                   305  310  315  320

&lt;210&gt; SEQ ID NO 84

&lt;211&gt; LENGTH: 388

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Staphylococcus sp

&lt;400&gt; SEQUENCE: 84

Met Lys Arg Asn Phe Pro Lys Leu Ile Ala Leu Ser Leu Ile Phe Ser  
 1                  5  10  15  
 Leu Ser Val Thr Pro Ile Ala Asn Ala Glu Ser Asn Ser Asn Leu Lys  
                   20  25  30  
 Ala Lys Asp Lys Lys His Val Gln Val Asn Val Glu Asp Lys Ser Val  
                   35  40  45  
 Pro Thr Asp Val Arg Asn Leu Ala Gln Lys Asp Tyr Leu Ser Tyr Val  
                   50  55  60  
 Thr Ser Leu Asp Lys Ile Tyr Asn Lys Glu Lys Ala Ser Tyr Thr Leu  
                   65  70  75  80  
 Gly Glu Pro Phe Lys Ile Tyr Lys Phe Asn Lys Lys Ser Asp Gly Asn  
                                   85  90  95  
 Tyr Tyr Phe Pro Val Leu Asn Thr Glu Gly Asn Ile Asp Tyr Ile Val  
                   100  105  110  
 Thr Ile Ser Pro Lys Ile Thr Lys Tyr Ser Ser Ser Ser Ser Lys Tyr  
                   115  120  125  
 Thr Ile Asn Val Ser Pro Phe Leu Ser Lys Val Leu Asn Gln Tyr Lys  
                   130  135  140

-continued

---

```

Asp Gln Gln Ile Thr Ile Leu Thr Asn Ser Lys Gly Tyr Tyr Val Val
145                      150                      155                      160

Thr Gln Asn His Lys Ala Lys Leu Val Leu Lys Thr Pro Arg Leu Glu
165                      170                      175

Asp Lys Lys Leu Lys Lys Thr Glu Ser Ile Pro Thr Gly Asn Asn Val
180                      185                      190

Thr Gln Leu Lys Gln Lys Ala Ser Val Thr Met Pro Thr Ser Gln Phe
195                      200                      205

Lys Ser Asn Asn Tyr Thr Tyr Asn Glu Gln Tyr Ile Asn Lys Leu Glu
210                      215                      220

Asn Phe Lys Ile Arg Glu Thr Gln Gly Asn Asn Gly Trp Cys Ala Gly
225                      230                      235                      240

Tyr Thr Met Ser Glu Leu Leu Asn Ala Thr Tyr Asn Thr Asn Lys Tyr
245                      250                      255

His Ala Glu Ala Val Met Arg Phe Leu His Pro Asn Leu Gln Gly Gln
260                      265                      270

Arg Phe Gln Phe Thr Gly Leu Thr Pro Arg Glu Met Ile Tyr Phe Gly
275                      280                      285

Gln Thr Gln Gly Arg Ser Pro Gln Leu Leu Asn Arg Met Thr Thr Tyr
290                      295                      300

Asn Glu Val Asp Asn Leu Thr Lys Asn Asn Lys Gly Ile Ala Val Leu
305                      310                      315                      320

Gly Ser Arg Val Glu Ser Arg Asn Gly Met His Ala Gly His Ala Met
325                      330                      335

Ala Val Val Gly Asn Ala Lys Leu Asp Asn Gly Gln Glu Val Ile Ile
340                      345                      350

Ile Trp Asn Pro Trp Asp Asn Gly Phe Met Thr Gln Asp Ala Lys Asn
355                      360                      365

Asn Val Ile Pro Val Ser Asn Gly Asp His Tyr Arg Trp Tyr Ser Ser
370                      375                      380

Ile Tyr Gly Tyr
385

<210> SEQ ID NO 85
<211> LENGTH: 280
<212> TYPE: PRT
<213> ORGANISM: Staphylococcus sp

<400> SEQUENCE: 85

Met Lys Lys Phe Phe Phe Ile Gly Leu Leu Val Phe Val Val Phe Phe
1 5 10 15

Thr Ala Ala Thr Ile Ile Trp Phe Ser Tyr Asp Lys Asn Lys Tyr Gly
20 25 30

Thr Lys Gln Tyr Asp Lys Thr Phe Lys Asp Asp Ala Phe Asp Asn Val
35 40 45

Ser Ile Asn Leu Asp Ser Thr Glu Leu Arg Ile Lys Arg Gly Asn Gln
50 55 60

Phe Arg Val Lys Tyr Asp Gly Asp Asn Asp Ile Leu Ile Asn Ile Val
65 70 75 80

Asp Lys Thr Leu Lys Ile Ser Asp Lys Arg Ser Lys Thr Arg Gly Tyr
85 90 95

Ala Ile Asp Met Asn Pro Phe His Glu Asn Lys Lys Thr Leu Thr Ile
100 105 110

```

-continued

---

Glu Met Pro Asp Lys Met Ile Lys Arg Leu Asn Leu Ser Ser Gly Ala  
 115 120 125  
 Gly Ser Val Arg Ile Ser Asp Val Asp Leu Glu Asn Thr Ser Ile Gln  
 130 135 140  
 Ser Ile Asn Gly Glu Val Val Ile Lys Asn Ser Asn Leu Asp Ala Leu  
 145 150 155 160  
 Asp Ser Lys Thr Asn Asn Ser Ser Thr Tyr Ile Ser Lys Ser Asn Ile  
 165 170 175  
 Lys Asn Ser Asn Ile Lys Val Val Ile Gly Thr Leu Gln Ile Asp Lys  
 180 185 190  
 Ser Gln Ile Lys Gln Ser Ile Phe Leu Asn Asp His Gly Asp Ile Glu  
 195 200 205  
 Phe Lys Asn Met Pro Ser Lys Val Asp Ala Lys Ala Ser Thr Lys Gln  
 210 215 220  
 Gly Asp Ile Arg Phe Lys Tyr Asp Ser Lys Pro Glu Asp Thr Ile Leu  
 225 230 235 240  
 Lys Leu Asn Pro Gly Thr Gly Asp Ser Val Val Lys Asn Lys Thr Phe  
 245 250 255  
 Thr Asn Gly Lys Val Gly Lys Ser Asp Asn Val Leu Glu Phe Tyr Thr  
 260 265 270  
 Ile Asp Gly Asn Ile Lys Val Glu  
 275 280

&lt;210&gt; SEQ ID NO 86

&lt;211&gt; LENGTH: 303

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Staphylococcus sp

&lt;400&gt; SEQUENCE: 86

Met Lys Arg Leu Ile Gly Ile Leu Leu Cys Asn Leu Phe Ile Leu Thr  
 1 5 10 15  
 Ala Cys Ser Ala Ser Val Asp Lys Thr Ser Asn Ser Thr Lys Thr Thr  
 20 25 30  
 Asp Tyr Lys Ile Glu Asn Gly Glu Thr Leu Lys Val Pro Glu Lys Pro  
 35 40 45  
 Lys Arg Val Ala Val Leu Thr Gly Phe Tyr Val Gly Asp Phe Ile Lys  
 50 55 60  
 Leu Gly Ile Lys Pro Ile Ala Val Ser Asp Ile Thr Lys Asp Ser Ser  
 65 70 75 80  
 Ile Leu Lys Pro Tyr Leu Lys Gly Val Asp Tyr Ile Gly Glu Asn Asp  
 85 90 95  
 Val Glu Arg Val Ala Lys Ala Lys Pro Asp Leu Ile Val Val Asp Ala  
 100 105 110  
 Met Asp Lys Asn Ile Lys Lys Tyr Gln Lys Ile Ala Pro Thr Ile Pro  
 115 120 125  
 Tyr Thr Tyr Asn Lys Tyr Asn His Lys Glu Ile Leu Lys Glu Ile Gly  
 130 135 140  
 Lys Leu Thr Asn Asn Glu Asp Lys Ala Lys Lys Trp Ile Glu Glu Trp  
 145 150 155 160  
 Asp Asp Lys Thr Arg Lys Asp Lys Lys Glu Ile Gln Ser Lys Ile Gly  
 165 170 175  
 Gln Ala Thr Ala Ser Val Phe Glu Pro Asp Glu Lys Gln Ile Tyr Ile  
 180 185 190



-continued

---

Ala Tyr Lys Tyr Asn Pro Tyr Ile Leu Asn Gln Ile Asn Lys Leu Gly  
 260 265 270

Lys Asp Tyr Gly Glu Val Thr Asp Glu Asp Ile Tyr Asn Ile Ile Arg  
 275 280 285

Lys Gln Asn Phe Ser Gly Asn Ala Tyr Leu Asn Gly Leu Gln Gln Gln  
 290 295 300

Ser Asn Tyr Phe Arg Phe Gln Tyr Phe Asn Pro Leu Lys Ser Glu Arg  
 305 310 315 320

Tyr Tyr Arg Asn Leu Asp Glu Gln Val Leu Ala Leu Ile Thr Gly Glu  
 325 330 335

Ile Gly Ser Met Pro Asp Leu Lys Lys Pro Glu Asp Lys Pro Asp Ser  
 340 345 350

Lys Gln Arg Ser Phe Glu Pro His Glu Lys Asp Asp Phe Thr Val Val  
 355 360 365

Lys Lys Gln Glu Asp Asn Lys Lys Ser Ala Ser Thr Ala Tyr Ser Lys  
 370 375 380

Ser Trp Leu Ala Ile Val Cys Ser Met Met Val Val Phe Ser Ile Met  
 385 390 395 400

Leu Phe Leu Phe Val Lys Arg Asn Lys Lys Lys Asn Lys Asn Glu Ser  
 405 410 415

Gln Arg Arg

&lt;210&gt; SEQ ID NO 88

&lt;211&gt; LENGTH: 231

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Staphylococcus sp

&lt;400&gt; SEQUENCE: 88

Met Lys Lys Thr Leu Leu Ala Ser Ser Leu Ala Val Gly Leu Gly Ile  
 1 5 10 15

Val Ala Gly Asn Ala Gly His Glu Ala His Ala Ser Glu Ala Asp Leu  
 20 25 30

Asn Lys Ala Ser Leu Ala Gln Met Ala Gln Ser Asn Asp Gln Thr Leu  
 35 40 45

Asn Gln Lys Pro Ile Glu Ala Gly Ala Tyr Asn Tyr Thr Phe Asp Tyr  
 50 55 60

Glu Gly Phe Thr Tyr His Phe Glu Ser Asp Gly Thr His Phe Ala Trp  
 65 70 75 80

Asn Tyr His Ala Thr Gly Thr Asn Gly Ala Asp Met Ser Ala Gln Ala  
 85 90 95

Pro Ala Thr Asn Asn Val Ala Pro Ser Ala Val Gln Ala Asn Gln Val  
 100 105 110

Gln Ser Gln Glu Val Glu Ala Pro Gln Asn Ala Gln Thr Gln Gln Pro  
 115 120 125

Gln Ala Ser Thr Ser Asn Asn Ser Gln Val Thr Ala Thr Pro Thr Glu  
 130 135 140

Ser Lys Ser Ser Glu Gly Ser Ser Val Asn Val Asn Ala His Leu Lys  
 145 150 155 160

Gln Ile Ala Gln Arg Glu Ser Gly Gly Asn Ile His Ala Val Asn Pro  
 165 170 175

Thr Ser Gly Ala Ala Gly Lys Tyr Gln Phe Leu Gln Ser Thr Trp Asp  
 180 185 190

Ser Val Ala Pro Ala Lys Tyr Lys Gly Val Ser Pro Ala Asn Ala Pro

-continued

---

195	200	205
Glu Ser Val Gln Asp Ala Ala Ala Val Lys Leu Tyr Asn Thr Gly Gly		
210	215	220
Ala Gly His Trp Val Thr Ala		
225	230	
<210> SEQ ID NO 89		
<211> LENGTH: 294		
<212> TYPE: PRT		
<213> ORGANISM: Staphylococcus sp		
<400> SEQUENCE: 89		
Met Gly Val Lys Ser Val Lys Lys Ile Phe Val Ile Ile Thr Thr Leu		
1	5	10 15
Leu Ala Val Ala Ile Ile Ile Gly Ser Ile Ile Met Val Val Phe Ser		
	20	25 30
Gln Arg Gln Ala Gln Thr Phe Lys Ile Gln Gln Gln Gln Phe Val Lys		
	35	40 45
Lys Pro Ile Pro Thr Leu Phe Leu His Gly Phe Gly Gly Ser Ala Asn		
	50	55 60
Ser Glu Lys Phe Met Val Lys Gln Ala Glu Lys Arg Gly Val Thr Lys		
65	70	75 80
Asp Ile Ile Thr Ala Tyr Val Ser Lys Asp Gly Ala Val Thr Phe Lys		
	85	90 95
Gly Lys Leu Arg Lys Asp Ala Val Asn Pro Ile Val Lys Ile Glu Leu		
	100	105 110
Glu Asn Asn Arg Gln Gly Tyr Leu Asp Lys Asn Ala Ala Trp Phe Lys		
	115	120 125
Asn Val Leu Thr Lys Leu Gln Ser Glu Tyr Asn Phe Asp Lys Phe Asn		
	130	135 140
Phe Val Gly His Ser Met Gly Asn Leu Thr Phe Ala Gln Tyr Met Met		
145	150	155 160
Thr Tyr Gly Asn Asp Lys Ser Leu Pro Gln Leu Asn Lys Gln Val Asn		
	165	170 175
Ile Ala Gly Thr Phe Asn Gly Val Leu Asn Met Asn Glu Asp Val Asn		
	180	185 190
Glu Ile Thr Val Asp Lys Asp Gly Lys Pro Ser Arg Met Asn Gln Pro		
	195	200 205
Tyr Gln Gln Leu Arg Val Leu Lys Asp Ile Tyr Lys Gly Lys Gly Ile		
	210	215 220
Glu Val Leu Asn Ile Tyr Gly Asp Leu Lys Asp Gly Thr His Ser Asp		
225	230	235 240
Gly Arg Val Ser Asn Ser Ser Ser Lys Ser Leu Lys Tyr Leu Leu Gly		
	245	250 255
Asn Ser Pro Lys Ser Tyr Arg Glu Ser Lys Tyr Glu Gly Glu Pro Ala		
	260	265 270
Gln His Ser Gln Leu His Glu Asn Glu Asn Val Ala Asn Glu Leu Ile		
	275	280 285
Asp Phe Leu Trp Lys Lys		
290		

&lt;210&gt; SEQ ID NO 90

&lt;211&gt; LENGTH: 807

&lt;212&gt; TYPE: PRT

-continued

&lt;213&gt; ORGANISM: Staphylococcus sp

&lt;400&gt; SEQUENCE: 90

Met Thr Tyr Arg Ile Lys Lys Trp Gln Lys Leu Ser Thr Ile Thr Leu  
 1 5 10 15  
 Leu Met Ala Gly Val Ile Thr Leu Asn Gly Gly Glu Phe Arg Ser Val  
 20 25 30  
 Asp Lys His Gln Ile Ala Val Ala Asp Thr Asn Val Gln Thr Pro Asp  
 35 40 45  
 Tyr Glu Lys Leu Arg Asn Thr Trp Leu Asp Val Asn Tyr Gly Tyr Asp  
 50 55 60  
 Lys Tyr Asp Glu Asn Asn Pro Asp Met Lys Lys Lys Phe Asp Ala Thr  
 65 70 75 80  
 Glu Lys Glu Ala Thr Asn Leu Leu Lys Glu Met Lys Thr Glu Ser Gly  
 85 90 95  
 Arg Lys Tyr Leu Trp Ser Gly Ala Glu Thr Leu Glu Thr Asn Ser Ser  
 100 105 110  
 His Met Thr Arg Thr Tyr Arg Asn Ile Glu Lys Ile Ala Glu Ala Met  
 115 120 125  
 Arg Asn Pro Lys Thr Thr Leu Asn Thr Asp Glu Asn Lys Lys Lys Val  
 130 135 140  
 Lys Asp Ala Leu Glu Trp Leu His Lys Asn Ala Tyr Gly Lys Glu Pro  
 145 150 155 160  
 Asp Lys Lys Val Lys Glu Leu Ser Glu Asn Phe Thr Lys Thr Thr Gly  
 165 170 175  
 Lys Asn Thr Asn Leu Asn Trp Trp Asp Tyr Glu Ile Gly Thr Pro Lys  
 180 185 190  
 Ser Leu Thr Asn Thr Leu Ile Leu Leu Asn Asp Gln Phe Ser Asn Glu  
 195 200 205  
 Glu Lys Lys Lys Phe Thr Ala Pro Ile Lys Thr Phe Ala Pro Asp Ser  
 210 215 220  
 Asp Lys Ile Leu Ser Ser Val Gly Lys Ala Glu Leu Ala Lys Gly Gly  
 225 230 235 240  
 Asn Leu Val Asp Ile Ser Lys Val Lys Leu Leu Glu Cys Ile Ile Glu  
 245 250 255  
 Glu Asp Lys Asp Met Met Lys Lys Ser Ile Asp Ser Phe Asn Lys Val  
 260 265 270  
 Phe Thr Tyr Val Gln Asp Ser Ala Thr Gly Lys Glu Arg Asn Gly Phe  
 275 280 285  
 Tyr Lys Asp Gly Ser Tyr Ile Asp His Gln Asp Val Pro Tyr Thr Gly  
 290 295 300  
 Ala Tyr Gly Val Val Leu Leu Glu Gly Ile Ser Gln Met Met Pro Met  
 305 310 315 320  
 Ile Lys Glu Thr Pro Phe Asn Asp Lys Thr Gln Asn Asp Thr Thr Leu  
 325 330 335  
 Lys Ser Trp Ile Asp Asp Gly Phe Met Pro Leu Ile Tyr Lys Gly Glu  
 340 345 350  
 Met Met Asp Leu Ser Arg Gly Arg Ala Ile Ser Arg Glu Asn Glu Thr  
 355 360 365  
 Ser His Ser Ala Ser Ala Thr Val Met Lys Ser Leu Leu Arg Leu Ser  
 370 375 380  
 Asp Ala Met Asp Asp Ser Thr Lys Ala Lys Tyr Lys Lys Ile Val Lys

-continued

385				390						395				400	
Ser	Ser	Val	Glu	Ser	Asp	Ser	Ser	Tyr	Lys	Gln	Asn	Asp	Tyr	Leu	Asn
				405					410					415	
Ser	Tyr	Ser	Asp	Ile	Asp	Lys	Met	Lys	Ser	Leu	Met	Thr	Asp	Asn	Ser
			420					425					430		
Ile	Ser	Lys	Asn	Gly	Leu	Thr	Gln	Gln	Leu	Lys	Ile	Tyr	Asn	Asp	Met
			435				440					445			
Asp	Arg	Val	Thr	Tyr	His	Asn	Lys	Asp	Leu	Asp	Phe	Ala	Phe	Gly	Leu
	450					455					460				
Ser	Met	Thr	Ser	Lys	Asn	Val	Ala	Arg	Tyr	Glu	Ser	Ile	Asn	Gly	Glu
465					470					475					480
Asn	Leu	Lys	Gly	Trp	His	Thr	Gly	Ala	Gly	Met	Ser	Tyr	Leu	Tyr	Asn
				485					490					495	
Ser	Asp	Val	Lys	His	Tyr	His	Asp	Asn	Phe	Trp	Val	Thr	Ala	Asp	Met
			500					505					510		
Lys	Arg	Leu	Ser	Gly	Thr	Thr	Thr	Leu	Asp	Asn	Glu	Ile	Leu	Lys	Asp
		515					520					525			
Thr	Asp	Asp	Lys	Lys	Ser	Ser	Lys	Thr	Phe	Val	Gly	Gly	Thr	Lys	Val
	530					535					540				
Asp	Asp	Gln	His	Ala	Ser	Ile	Gly	Met	Asp	Phe	Glu	Asn	Gln	Asp	Lys
545					550					555					560
Thr	Leu	Thr	Ala	Lys	Lys	Ser	Tyr	Phe	Ile	Leu	Asn	Asp	Lys	Ile	Val
				565					570					575	
Phe	Leu	Gly	Thr	Gly	Ile	Lys	Ser	Thr	Asp	Ser	Ser	Lys	Asn	Pro	Val
			580					585					590		
Thr	Thr	Ile	Glu	Asn	Arg	Lys	Ala	Asn	Gly	Tyr	Thr	Leu	Tyr	Thr	Asp
		595					600					605			
Asp	Lys	Gln	Thr	Thr	Asn	Ser	Asp	Asn	Gln	Glu	Asn	Asn	Ser	Val	Phe
	610					615					620				
Leu	Glu	Ser	Thr	Asp	Thr	Lys	Lys	Asn	Ile	Gly	Tyr	His	Phe	Leu	Asn
625					630					635					640
Lys	Pro	Lys	Ile	Thr	Val	Lys	Lys	Glu	Ser	His	Thr	Gly	Lys	Trp	Lys
				645					650					655	
Glu	Ile	Asn	Lys	Ser	Gln	Lys	Asp	Thr	Gln	Lys	Thr	Asp	Glu	Tyr	Tyr
			660					665					670		
Glu	Val	Thr	Gln	Lys	His	Ser	Asn	Ser	Asp	Asn	Lys	Tyr	Gly	Tyr	Val
		675					680					685			
Leu	Tyr	Pro	Gly	Leu	Ser	Lys	Asp	Val	Phe	Lys	Thr	Lys	Lys	Asp	Glu
	690					695					700				
Val	Thr	Val	Val	Lys	Gln	Glu	Asp	Asp	Phe	His	Val	Val	Lys	Asp	Asn
705					710					715					720
Glu	Ser	Val	Trp	Ala	Gly	Val	Asn	Tyr	Ser	Asn	Ser	Thr	Gln	Thr	Phe
				725					730					735	
Asp	Ile	Asn	Asn	Thr	Lys	Val	Glu	Val	Lys	Ala	Lys	Gly	Met	Phe	Ile
			740					745					750		
Leu	Lys	Lys	Lys	Asp	Asp	Asn	Thr	Tyr	Glu	Cys	Ser	Phe	Tyr	Asn	Pro
	755						760					765			
Glu	Ser	Thr	Asn	Ser	Ala	Ser	Asp	Ile	Glu	Ser	Lys	Ile	Ser	Met	Thr
	770					775					780				
Gly	Tyr	Ser	Ile	Thr	Asn	Lys	Asn	Thr	Ser	Thr	Ser	Asn	Glu	Ser	Gly
785					790					795					800

-continued

---

Val His Phe Glu Leu Thr Lys  
805

<210> SEQ ID NO 91  
<211> LENGTH: 166  
<212> TYPE: PRT  
<213> ORGANISM: Staphylococcus sp

<400> SEQUENCE: 91

Met Lys Lys Leu Val Thr Ala Thr Thr Leu Thr Ala Gly Ile Gly Thr  
1 5 10 15  
Ala Leu Val Gly Gln Ala His His Ala Asp Ala Ala Glu Asn Tyr Thr  
20 25 30  
Asn Tyr Asn Asn Tyr Asn Tyr Asn Thr Thr Gln Thr Thr Thr Thr  
35 40 45  
Thr Thr Thr Thr Thr Ser Ser Ile Ser His Ser Gly Asn Leu Tyr  
50 55 60  
Thr Ala Gly Gln Cys Thr Trp Tyr Val Tyr Asp Lys Val Gly Gly Glu  
65 70 75 80  
Ile Gly Ser Thr Trp Gly Asn Ala Asn Asn Trp Ala Ala Ala Ala Gln  
85 90 95  
Gly Ala Gly Phe Thr Val Asn His Thr Pro Ser Lys Gly Ala Ile Leu  
100 105 110  
Gln Ser Ser Glu Gly Pro Phe Gly His Val Ala Tyr Val Glu Ser Val  
115 120 125  
Asn Ser Asp Gly Ser Val Thr Ile Ser Glu Met Asn Tyr Ser Gly Gly  
130 135 140  
Pro Phe Ser Val Ser Ser Arg Thr Ile Ser Ala Ser Glu Ala Gly Asn  
145 150 155 160  
Tyr Asn Tyr Ile His Ile  
165

<210> SEQ ID NO 92  
<211> LENGTH: 516  
<212> TYPE: PRT  
<213> ORGANISM: Staphylococcus sp

<400> SEQUENCE: 92

Met Lys Lys Lys Leu Gly Met Leu Leu Leu Val Pro Ala Val Thr Leu  
1 5 10 15  
Ser Leu Ala Ala Cys Gly Asn Asp Asp Gly Lys Asp Lys Asp Gly Lys  
20 25 30  
Val Thr Ile Lys Thr Thr Val Tyr Pro Leu Gln Ser Phe Ala Glu Gln  
35 40 45  
Ile Gly Gly Lys His Val Lys Val Ser Ser Ile Tyr Pro Ala Gly Thr  
50 55 60  
Asp Leu His Ser Tyr Glu Pro Thr Gln Lys Asp Ile Leu Ser Ala Ser  
65 70 75 80  
Lys Ser Asp Leu Phe Met Tyr Thr Gly Asp Asn Leu Asp Pro Val Ala  
85 90 95  
Lys Lys Val Ala Ser Thr Ile Lys Asp Lys Asp Lys Lys Leu Ser Leu  
100 105 110  
Glu Asp Lys Leu Asp Lys Ala Lys Leu Leu Thr Asp Gln His Glu His  
115 120 125  
Gly Glu Glu His Glu His Glu Gly His Asp His Glu Lys Glu Glu His

-continued

130				135				140							
His	His	His	His	Gly	Gly	Tyr	Asp	Pro	His	Val	Trp	Leu	Asp	Pro	Lys
145				150						155					160
Ile	Asn	Gln	Thr	Phe	Ala	Lys	Glu	Ile	Lys	Asp	Glu	Leu	Val	Lys	Lys
				165				170						175	
Asp	Pro	Lys	His	Lys	Asp	Asp	Tyr	Glu	Lys	Asn	Tyr	Lys	Lys	Leu	Asn
			180					185						190	
Asp	Asp	Leu	Lys	Lys	Ile	Asp	Asn	Asp	Met	Lys	Gln	Val	Thr	Lys	Asp
		195					200					205			
Lys	Gln	Gly	Asn	Ala	Val	Phe	Ile	Ser	His	Glu	Ser	Ile	Gly	Tyr	Leu
	210					215					220				
Ala	Asp	Cys	Tyr	Gly	Phe	Val	Gln	Lys	Gly	Ile	Gln	Asn	Met	Asn	Ala
225				230						235					240
Glu	Asp	Pro	Ser	Gln	Lys	Glu	Leu	Thr	Lys	Ile	Val	Lys	Glu	Ile	Arg
				245					250					255	
Asp	Ser	Asn	Ala	Lys	Tyr	Ile	Leu	Tyr	Glu	Asp	Asn	Val	Ala	Asn	Lys
			260					265						270	
Val	Thr	Glu	Thr	Ile	Arg	Lys	Glu	Thr	Asp	Ala	Lys	Pro	Leu	Lys	Phe
		275					280					285			
Tyr	Asn	Met	Glu	Ser	Leu	Asn	Lys	Glu	Gln	Gln	Lys	Lys	Asp	Asn	Ile
	290					295					300				
Thr	Tyr	Gln	Ser	Leu	Met	Lys	Ser	Asn	Ile	Glu	Asn	Ile	Gly	Lys	Ala
305				310						315					320
Leu	Asp	Ser	Gly	Val	Lys	Val	Lys	Asp	Asp	Lys	Ala	Glu	Ser	Lys	His
				325				330						335	
Asp	Lys	Ala	Ile	Ser	Asp	Gly	Tyr	Phe	Lys	Asp	Glu	Gln	Val	Lys	Asp
			340					345						350	
Arg	Glu	Leu	Ser	Asp	Tyr	Ala	Gly	Glu	Trp	Gln	Ser	Val	Tyr	Pro	Tyr
		355					360					365			
Leu	Lys	Asp	Gly	Thr	Leu	Asp	Glu	Val	Met	Glu	His	Lys	Ala	Glu	Asn
		370				375					380				
Asp	Pro	Lys	Lys	Ser	Ala	Lys	Asp	Leu	Lys	Ala	Tyr	Tyr	Asp	Lys	Gly
385				390						395					400
Tyr	Lys	Thr	Asp	Ile	Thr	Asn	Ile	Asp	Ile	Lys	Gly	Asn	Glu	Ile	Thr
				405				410						415	
Phe	Thr	Lys	Asp	Gly	Lys	Lys	His	Thr	Gly	Lys	Tyr	Glu	Tyr	Asn	Gly
			420					425						430	
Lys	Lys	Thr	Leu	Lys	Tyr	Pro	Lys	Gly	Asn	Arg	Gly	Val	Arg	Phe	Met
		435					440					445			
Phe	Lys	Leu	Val	Asp	Gly	Asn	Asp	Lys	Asp	Leu	Pro	Lys	Phe	Ile	Gln
		450				455					460				
Phe	Ser	Asp	His	Asn	Ile	Ala	Pro	Lys	Lys	Ala	Glu	His	Phe	His	Ile
465				470						475					480
Phe	Met	Gly	Asn	Asp	Asn	Asp	Ala	Leu	Leu	Lys	Glu	Met	Asp	Asn	Trp
				485				490						495	
Pro	Thr	Tyr	Tyr	Pro	Ser	Lys	Leu	Asn	Lys	Asp	Gln	Ile	Lys	Glu	Glu
			500					505						510	
Met	Leu	Ala	His												
			515												

&lt;210&gt; SEQ ID NO 93

&lt;211&gt; LENGTH: 309

-continued

---

```

<212> TYPE: PRT
<213> ORGANISM: Staphylococcus sp

<400> SEQUENCE: 93

Met Ile Lys Asn Lys Ile Leu Thr Ala Thr Leu Ala Val Gly Leu Ile
1           5           10           15
Ala Pro Leu Ala Asn Pro Phe Ile Glu Ile Ser Lys Ala Glu Asn Lys
20           25           30
Ile Glu Asp Ile Gly Gln Gly Ala Glu Ile Ile Lys Arg Thr Gln Asp
35           40           45
Ile Thr Ser Lys Arg Leu Ala Ile Thr Gln Asn Ile Gln Phe Asp Phe
50           55           60
Val Lys Asp Lys Lys Tyr Asn Lys Asp Ala Leu Val Val Lys Met Gln
65           70           75
Gly Phe Ile Ser Ser Arg Thr Thr Tyr Ser Asp Leu Lys Lys Tyr Pro
85           90           95
Tyr Ile Lys Arg Met Ile Trp Pro Phe Gln Tyr Asn Ile Ser Leu Lys
100          105          110
Thr Lys Asp Ser Asn Val Asp Leu Ile Asn Tyr Leu Pro Lys Asn Lys
115          120          125
Ile Asp Ser Ala Asp Val Ser Gln Lys Leu Gly Tyr Asn Ile Gly Gly
130          135          140
Asn Phe Gln Ser Ala Pro Ser Ile Gly Gly Ser Gly Ser Phe Asn Tyr
145          150          155          160
Ser Lys Thr Ile Ser Tyr Asn Gln Lys Asn Tyr Val Thr Glu Val Glu
165          170          175
Ser Gln Asn Ser Lys Gly Val Lys Trp Gly Val Lys Ala Asn Ser Phe
180          185          190
Val Thr Pro Asn Gly Gln Val Ser Ala Tyr Asp Gln Tyr Leu Phe Ala
195          200          205
Gln Asp Pro Thr Gly Pro Ala Ala Arg Asp Tyr Phe Val Pro Asp Asn
210          215          220
Gln Leu Pro Pro Leu Ile Gln Ser Gly Phe Asn Pro Ser Phe Ile Thr
225          230          235          240
Thr Leu Ser His Glu Arg Gly Lys Gly Asp Lys Ser Glu Phe Glu Ile
245          250          255
Thr Tyr Gly Arg Asn Met Asp Ala Thr Tyr Ala Tyr Val Thr Arg His
260          265          270
Arg Leu Ala Val Asp Arg Lys His Asp Ala Phe Lys Asn Arg Asn Val
275          280          285
Thr Val Lys Tyr Glu Val Asn Trp Lys Thr His Glu Val Lys Ile Lys
290          295          300

Ser Ile Thr Pro Lys
305

```

```

<210> SEQ ID NO 94
<211> LENGTH: 532
<212> TYPE: PRT
<213> ORGANISM: Staphylococcus sp

<400> SEQUENCE: 94

```

```

Met Arg Lys Leu Thr Lys Met Ser Ala Met Leu Leu Ala Ser Gly Leu
1           5           10           15
Ile Leu Thr Gly Cys Gly Gly Asn Lys Gly Leu Glu Glu Lys Lys Glu

```

-continued

20					25					30					
Asn	Lys	Gln	Leu	Thr	Tyr	Thr	Thr	Val	Lys	Asp	Ile	Gly	Asp	Met	Asn
	35						40					45			
Pro	His	Val	Tyr	Gly	Gly	Ser	Met	Ser	Ala	Glu	Ser	Met	Ile	Tyr	Glu
	50					55					60				
Pro	Leu	Val	Arg	Asn	Thr	Lys	Asp	Gly	Ile	Lys	Pro	Leu	Leu	Ala	Lys
	65					70					75				80
Lys	Trp	Asp	Val	Ser	Glu	Asp	Gly	Lys	Thr	Tyr	Thr	Phe	His	Leu	Arg
				85					90					95	
Asp	Asp	Val	Lys	Phe	His	Asp	Gly	Thr	Pro	Phe	Asp	Ala	Asp	Ala	Val
			100					105					110		
Lys	Lys	Asn	Ile	Asp	Ala	Val	Gln	Glu	Asn	Lys	Lys	Leu	His	Ser	Trp
		115					120					125			
Leu	Lys	Ile	Ser	Thr	Leu	Ile	Asp	Asn	Val	Lys	Val	Lys	Asp	Lys	Tyr
	130					135					140				
Thr	Val	Glu	Leu	Asn	Leu	Lys	Glu	Ala	Tyr	Gln	Pro	Ala	Leu	Ala	Glu
	145					150					155				160
Leu	Ala	Met	Pro	Arg	Pro	Tyr	Val	Phe	Val	Ser	Pro	Lys	Asp	Phe	Lys
				165					170					175	
Asn	Gly	Thr	Thr	Lys	Asp	Gly	Val	Lys	Lys	Phe	Asp	Gly	Thr	Gly	Pro
			180					185					190		
Phe	Lys	Leu	Gly	Glu	His	Lys	Lys	Asp	Glu	Ser	Ala	Asp	Phe	Asn	Lys
		195					200					205			
Asn	Asp	Gln	Tyr	Trp	Gly	Glu	Lys	Ser	Lys	Leu	Asn	Lys	Val	Gln	Ala
		210					215					220			
Lys	Val	Met	Pro	Ala	Gly	Glu	Thr	Ala	Phe	Leu	Ser	Met	Lys	Lys	Gly
	225					230					235				240
Glu	Thr	Asn	Phe	Ala	Phe	Thr	Asp	Asp	Arg	Gly	Thr	Asp	Ser	Leu	Asp
			245						250					255	
Lys	Asp	Ser	Leu	Lys	Gln	Leu	Lys	Asp	Thr	Gly	Asp	Tyr	Gln	Val	Lys
			260					265					270		
Arg	Ser	Gln	Pro	Met	Asn	Thr	Lys	Met	Leu	Val	Val	Asn	Ser	Gly	Lys
		275					280					285			
Lys	Asp	Asn	Ala	Val	Ser	Asp	Lys	Thr	Val	Arg	Gln	Ala	Ile	Gly	His
		290					295					300			
Met	Val	Asn	Arg	Asp	Lys	Ile	Ala	Lys	Glu	Ile	Leu	Asp	Gly	Gln	Glu
	305					310					315				320
Lys	Pro	Ala	Thr	Gln	Leu	Phe	Ala	Lys	Asn	Val	Thr	Asp	Ile	Asn	Phe
				325					330					335	
Asp	Met	Pro	Thr	Arg	Lys	Tyr	Asp	Leu	Lys	Lys	Ala	Glu	Ser	Leu	Leu
			340					345					350		
Asp	Glu	Ala	Gly	Trp	Lys	Lys	Gly	Lys	Asp	Ser	Asp	Val	Arg	Gln	Lys
		355					360					365			
Asp	Gly	Lys	Asn	Leu	Glu	Met	Ala	Met	Tyr	Tyr	Asp	Lys	Gly	Ser	Ser
		370					375					380			
Ser	Gln	Lys	Glu	Gln	Ala	Glu	Tyr	Leu	Gln	Ala	Glu	Phe	Lys	Lys	Met
				385			390				395				400
Gly	Ile	Lys	Leu	Asn	Ile	Asn	Gly	Glu	Thr	Ser	Asp	Lys	Ile	Ala	Glu
				405					410					415	
Arg	Arg	Thr	Ser	Gly	Asp	Tyr	Asp	Leu	Met	Phe	Asn	Gln	Thr	Trp	Gly
			420					425						430	

-continued

---

Leu Leu Tyr Asp Pro Gln Ser Thr Leu Ala Ala Phe Lys Glu Lys Asn  
 435 440 445

Gly Tyr Glu Ser Ala Thr Ser Gly Ile Glu Asn Lys Asp Lys Ile Tyr  
 450 455 460

Asn Ser Ile Asp Asp Ala Phe Lys Ile Gln Asn Gly Lys Glu Arg Ser  
 465 470 475 480

Asp Ala Tyr Lys Asn Ile Leu Lys Gln Ile Asp Asp Glu Gly Ile Phe  
 485 490 495

Ile Pro Ile Ser His Gly Ser Met Thr Val Val Ala Pro Lys Asp Leu  
 500 505 510

Glu Lys Val Ser Phe Thr Gln Ser Gln Tyr Glu Leu Pro Phe Asn Glu  
 515 520 525

Met Gln Tyr Lys  
 530

<210> SEQ ID NO 95  
 <211> LENGTH: 264  
 <212> TYPE: PRT  
 <213> ORGANISM: Staphylococcus sp  
 <400> SEQUENCE: 95

Met Ile His Ser Lys Lys Leu Thr Leu Gly Ile Cys Leu Val Leu Leu  
 1 5 10 15

Ile Ile Leu Ile Val Gly Tyr Val Ile Met Thr Lys Thr Asn Gly Arg  
 20 25 30

Asn Ala Gln Ile Lys Asp Thr Phe Asn Gln Thr Leu Lys Leu Tyr Pro  
 35 40 45

Thr Lys Asn Leu Asp Asp Phe Tyr Asp Lys Glu Gly Phe Arg Asp Gln  
 50 55 60

Glu Phe Lys Lys Gly Asp Lys Gly Thr Trp Ile Val Asn Ser Glu Met  
 65 70 75 80

Val Ile Glu Pro Lys Gly Lys Asp Met Glu Thr Arg Gly Met Val Leu  
 85 90 95

Tyr Ile Asn Arg Asn Thr Arg Thr Thr Lys Gly Tyr Tyr Phe Ile Ser  
 100 105 110

Glu Met Thr Asp Asp Ser Asn Gly Arg Pro Lys Asp Asp Glu Lys Arg  
 115 120 125

Tyr Pro Val Lys Met Glu His Asn Lys Ile Ile Pro Thr Lys Pro Leu  
 130 135 140

Pro Asn Asp Lys Leu Lys Lys Glu Ile Glu Asn Phe Lys Phe Phe Val  
 145 150 155 160

Gln Tyr Gly Asn Phe Lys Asp Ile Asn Asp Tyr Lys Asp Gly Asp Ile  
 165 170 175

Ser Tyr Asn Pro Asn Val Pro Ser Tyr Ser Ala Lys Tyr Gln Leu Asn  
 180 185 190

Asn Asp Asp Tyr Asn Val Gln Gln Leu Arg Lys Arg Tyr Asp Ile Pro  
 195 200 205

Thr Lys Gln Ala Pro Lys Leu Leu Leu Lys Gly Asp Gly Asp Leu Lys  
 210 215 220

Gly Ser Ser Val Gly Ser Arg Ser Leu Glu Phe Thr Phe Val Glu Asn  
 225 230 235 240

Lys Glu Glu Asn Ile Tyr Phe Thr Asp Ser Val Gln Tyr Thr Pro Ser  
 245 250 255

-continued

---

Glu Asp Thr Arg Tyr Glu Ser Asn  
260

<210> SEQ ID NO 96  
<211> LENGTH: 261  
<212> TYPE: PRT  
<213> ORGANISM: Staphylococcus sp

<400> SEQUENCE: 96

Met Ile His Ser Lys Lys Leu Thr Leu Gly Ile Cys Leu Val Leu Leu  
1 5 10 15  
Ile Ile Leu Ile Gly Gly Cys Val Ile Met Thr Lys Thr Asn Gly Arg  
20 25 30  
Asn Ala Gln Ile Lys Glu Asn Phe Asn Lys Thr Leu Ser Val Tyr Leu  
35 40 45  
Thr Lys Asn Leu Asp Asp Phe Tyr Asp Lys Glu Gly Phe Arg Asp Gln  
50 55 60  
Glu Phe Asp Lys Arg Asp Lys Gly Thr Trp Ile Ile Tyr Ser Glu Met  
65 70 75 80  
Val Ile Glu Pro Lys Gly Lys Asn Met Glu Ser Arg Gly Met Val Leu  
85 90 95  
Tyr Ile Asn Arg Asn Thr Arg Thr Thr Lys Gly Asn Phe Ile Val Thr  
100 105 110  
Glu Ile Thr Glu Asp Ser Lys Gly Tyr Ser Arg Ser Lys Glu Lys Lys  
115 120 125  
Tyr Pro Val Lys Met Glu Asn Asn Arg Ile Ile Pro Thr Lys Pro Ile  
130 135 140  
Pro Asp Asp Lys Leu Lys Lys Glu Ile Glu Asn Phe Lys Phe Phe Val  
145 150 155 160  
Gln Tyr Gly Asn Phe Lys Asp Phe Lys Asp Tyr Lys Asn Gly Asp Ile  
165 170 175  
Ser Tyr Asn Pro Asn Val Pro Ser Tyr Ser Ala Lys Tyr Gln Leu Asn  
180 185 190  
Asn Asp Asp Tyr Asn Val Gln Gln Leu Arg Lys Arg Tyr His Ile Pro  
195 200 205  
Thr Lys Gln Ala Pro Glu Leu Lys Leu Lys Gly Ser Gly Asn Leu Lys  
210 215 220  
Gly Ser Ser Val Gly Ser Lys Asp Leu Glu Phe Thr Phe Val Glu Asn  
225 230 235 240  
Gln Glu Glu Asn Ile Tyr Phe Ser Asp Ser Val Glu Phe Thr Pro Ser  
245 250 255  
Glu Asp Asp Lys Ser  
260

<210> SEQ ID NO 97  
<211> LENGTH: 498  
<212> TYPE: PRT  
<213> ORGANISM: Staphylococcus sp

<400> SEQUENCE: 97

Met Ala Ala Leu Thr Leu Leu Ser Thr Leu Ser Pro Ala Ala Leu Ala  
1 5 10 15  
Ile Asp Ser Lys Asn Lys Pro Ala Asn Ser Asp Ile Lys Phe Glu Val  
20 25 30  
Thr Gln Lys Ser Asp Ala Val Lys Ala Leu Lys Glu Leu Pro Lys Ser

-continued

35				40				45							
Glu	Asn	Val	Lys	Asn	Ile	Tyr	Gln	Asp	Tyr	Ala	Val	Thr	Asp	Val	Lys
50					55						60				
Thr	Asp	Lys	Lys	Gly	Phe	Thr	His	Tyr	Thr	Leu	Gln	Pro	Ser	Val	Asp
65				70						75					80
Gly	Val	His	Ala	Pro	Asp	Lys	Glu	Val	Lys	Val	His	Ala	Asp	Lys	Ser
				85						90				95	
Gly	Lys	Val	Val	Leu	Ile	Asn	Gly	Asp	Thr	Asp	Ala	Lys	Lys	Val	Lys
			100						105					110	
Pro	Thr	Asn	Lys	Val	Thr	Leu	Ser	Lys	Asp	Asp	Ala	Ala	Asp	Lys	Ala
			115						120					125	
Phe	Lys	Ala	Val	Lys	Ile	Asp	Lys	Asn	Lys	Ala	Lys	Asn	Leu	Lys	Asp
130					135						140				
Lys	Val	Ile	Lys	Glu	Asn	Lys	Val	Glu	Ile	Asp	Gly	Asp	Ser	Asn	Lys
145					150					155					160
Tyr	Val	Tyr	Asn	Val	Glu	Leu	Ile	Thr	Val	Thr	Pro	Glu	Ile	Ser	His
				165					170					175	
Trp	Lys	Val	Lys	Ile	Asp	Ala	Gln	Thr	Gly	Glu	Ile	Leu	Glu	Lys	Met
			180						185					190	
Asn	Leu	Val	Lys	Glu	Ala	Ala	Glu	Thr	Gly	Lys	Gly	Lys	Gly	Val	Leu
			195				200						205		
Gly	Asp	Thr	Lys	Asp	Ile	Asn	Ile	Asn	Ser	Ile	Asp	Gly	Gly	Phe	Ser
210					215						220				
Leu	Glu	Asp	Leu	Thr	His	Gln	Gly	Lys	Leu	Ser	Ala	Phe	Ser	Phe	Asn
225					230					235					240
Asp	Gln	Thr	Gly	Gln	Ala	Thr	Leu	Ile	Thr	Asn	Glu	Asp	Glu	Asn	Phe
				245					250					255	
Val	Lys	Asp	Glu	Gln	Arg	Ala	Gly	Val	Asp	Ala	Asn	Tyr	Tyr	Ala	Lys
			260						265					270	
Gln	Thr	Tyr	Asp	Tyr	Tyr	Lys	Asp	Thr	Phe	Gly	Arg	Glu	Ser	Tyr	Asp
			275				280							285	
Asn	Gln	Gly	Ser	Pro	Ile	Val	Ser	Leu	Thr	His	Val	Asn	Asn	Tyr	Gly
290					295						300				
Gly	Gln	Asp	Asn	Arg	Asn	Asn	Ala	Ala	Trp	Ile	Gly	Asp	Lys	Met	Ile
305					310					315					320
Tyr	Gly	Asp	Gly	Asp	Gly	Arg	Thr	Phe	Thr	Ser	Leu	Ser	Gly	Ala	Asn
				325					330					335	
Asp	Val	Val	Ala	His	Glu	Leu	Thr	His	Gly	Val	Thr	Gln	Glu	Thr	Ala
			340						345					350	
Asn	Leu	Glu	Tyr	Lys	Asp	Gln	Ser	Gly	Ala	Leu	Asn	Glu	Ser	Phe	Ser
			355				360						365		
Asp	Val	Phe	Gly	Tyr	Phe	Val	Asp	Asp	Glu	Asp	Phe	Leu	Met	Gly	Glu
			370			375					380				
Asp	Val	Tyr	Thr	Pro	Gly	Lys	Glu	Gly	Asp	Ala	Leu	Arg	Ser	Met	Ser
385					390					395					400
Asn	Pro	Glu	Gln	Phe	Gly	Gln	Pro	Ala	His	Met	Lys	Asp	Tyr	Val	Phe
			405						410					415	
Thr	Glu	Lys	Asp	Asn	Gly	Gly	Val	His	Thr	Asn	Ser	Gly	Ile	Pro	Asn
			420						425					430	
Lys	Ala	Ala	Tyr	Asn	Val	Ile	Gln	Ala	Ile	Gly	Lys	Ser	Lys	Ser	Glu
			435				440							445	

-continued

---

Gln Ile Tyr Tyr Arg Ala Leu Thr Glu Tyr Leu Thr Ser Asn Ser Asn  
 450 455 460

Phe Lys Asp Cys Lys Asp Ala Leu Tyr Gln Ala Ala Lys Asp Leu Tyr  
 465 470 475 480

Asp Glu Gln Thr Ala Glu Gln Val Tyr Glu Ala Trp Asn Glu Val Gly  
 485 490 495

Val Glu

<210> SEQ ID NO 98  
 <211> LENGTH: 680  
 <212> TYPE: PRT  
 <213> ORGANISM: Staphylococcus sp

&lt;400&gt; SEQUENCE: 98

Met Lys Ser Gln Asn Lys Tyr Ser Ile Arg Lys Phe Ser Val Gly Ala  
 1 5 10 15

Ser Ser Ile Leu Ile Ala Thr Leu Leu Phe Leu Ser Gly Gly Gln Ala  
 20 25 30

Gln Ala Ala Glu Lys Gln Val Asn Met Gly Asn Ser Gln Glu Asp Thr  
 35 40 45

Val Thr Ala Gln Ser Ile Gly Asp Gln Gln Thr Arg Glu Asn Ala Asn  
 50 55 60

Tyr Gln Arg Glu Asn Gly Val Asp Glu Gln Gln His Thr Glu Asn Leu  
 65 70 75 80

Thr Lys Asn Leu His Asn Asp Lys Thr Ile Ser Glu Glu Asn His Arg  
 85 90 95

Lys Thr Asp Asp Leu Asn Lys Asp Gln Leu Lys Asp Asp Lys Lys Ser  
 100 105 110

Ser Leu Asn Asn Lys Asn Ile Gln Arg Asp Thr Thr Lys Asn Asn Asn  
 115 120 125

Ala Asn Pro Ser Asp Val Asn Gln Gly Leu Glu Gln Ala Ile Asn Asp  
 130 135 140

Gly Lys Gln Ser Lys Val Ala Ser Gln Gln Gln Ser Lys Glu Ala Asp  
 145 150 155 160

Asn Ser Gln Asp Ser Asn Ala Asn Asn Asn Leu Pro Ser Gln Ser Arg  
 165 170 175

Ile Lys Glu Ala Pro Ser Leu Asn Lys Leu Asp Gln Thr Ser Gln Arg  
 180 185 190

Glu Ile Val Asn Glu Thr Glu Ile Glu Lys Val Gln Pro Gln Gln Asn  
 195 200 205

Asn Gln Ala Asn Asp Lys Ile Thr Asn Tyr Asn Phe Asn Asn Glu Gln  
 210 215 220

Glu Val Lys Pro Gln Lys Asp Glu Lys Thr Leu Ser Val Ser Asp Leu  
 225 230 235 240

Lys Asn Asn Gln Lys Ser Pro Val Glu Pro Thr Lys Asp Asn Asp Lys  
 245 250 255

Lys Asn Gly Leu Asn Leu Leu Lys Ser Ser Ala Val Ala Thr Leu Pro  
 260 265 270

Asn Lys Gly Thr Lys Glu Leu Thr Ala Lys Ala Lys Asp Asp Gln Thr  
 275 280 285

Asn Lys Val Ala Lys Gln Gly Gln Tyr Lys Asn Gln Asp Pro Ile Val  
 290 295 300

Leu Val His Gly Phe Asn Gly Phe Thr Asp Asp Ile Asn Pro Ser Val

-continued

305	310	315	320
Leu Ala His Tyr Trp 325	Gly Gly Asn Lys Met 330	Asn Ile Arg Gln Asp 335	Leu
Glu Glu Asn Gly Tyr Lys 340	Ala Tyr Glu Ala Ser 345	Ile Ser Ala Phe 350	Gly
Ser Asn Tyr Asp Arg Ala 355	Val Glu Leu Tyr Tyr 360	Tyr Ile Lys Gly 365	Gly
Arg Val Asp Tyr Gly Ala 370	Ala His Ala Ala Lys 375	Tyr Gly His Glu 380	Arg
Tyr Gly Lys Thr Tyr Glu 385	Gly Ile Tyr Lys Asp 390	Trp Lys Pro Gly 395	Gln 400
Lys Val His Leu Val Gly 405	His Ser Met Gly Gly 410	Gln Thr Ile Arg 415	Gln
Leu Glu Glu Leu Leu Arg 420	Asn Gly Asn Arg Glu 425	Glu Ile Glu Tyr 430	Gln
Lys Lys His Gly Gly Glu 435	Ile Ser Pro Leu Phe 440	Lys Gly Asn His 445	Asp
Asn Met Ile Ser Ser Ile 450	Thr Thr Leu Gly Thr 455	Pro His Asn Gly 460	Thr
His Ala Ser Asp Leu Ala 465	Gly Asn Glu Ala Leu 470	Val Arg Gln Ile 475	Val 480
Phe Asp Ile Gly Lys Met 485	Phe Gly Asn Lys Asn 490	Ser Arg Val Asp 495	Phe
Gly Leu Ala Gln Trp Gly 500	Leu Lys Gln Lys Pro 505	Asn Glu Ser Tyr 510	Ile
Asp Tyr Val Lys Arg Val 515	Lys Gln Ser Asn Leu 520	Trp Lys Ser Lys 525	Asp
Asn Gly Phe Tyr Asp Leu 530	Thr Arg Glu Gly Ala 535	Thr Asp Leu Asn 540	Arg
Lys Thr Ser Leu Asn Pro 545	Asn Ile Val Tyr Lys 550	Thr Tyr Thr Gly 555	Glu 560
Ala Thr His Lys Ala Leu 565	Asn Ser Asp Arg Gln 570	Lys Ala Asp Leu 575	Asn
Met Phe Phe Pro Phe Val 580	Ile Thr Gly Asn Leu 585	Ile Gly Lys Ala 590	Thr
Glu Lys Glu Trp Arg Glu 595	Asn Asp Gly Leu Val 600	Ser Val Ile Ser 605	Ser
Gln His Pro Phe Asn Gln 610	Ala Tyr Thr Lys Ala 615	Thr Asp Lys Ile 620	Gln
Lys Gly Ile Trp Gln Val 625	Thr Pro Thr Lys His 630	Asp Trp Asp His 635	Val 640
Asp Phe Val Gly Gln Asp 645	Ser Ser Asp Thr Val 650	Arg Thr Arg Glu 655	Glu
Leu Gln Asp Phe Trp His 660	His Leu Ala Asp Asp 665	Leu Val Lys Thr 670	Glu
Lys Leu Thr Asp Thr Lys 675	Gln Ala		

&lt;210&gt; SEQ ID NO 99

&lt;211&gt; LENGTH: 328

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Staphylococcus sp

-continued

&lt;400&gt; SEQUENCE: 99

Met Lys Lys Cys Ile Lys Thr Leu Phe Leu Ser Ile Ile Leu Val Val  
 1 5 10 15  
 Met Ser Gly Trp Tyr His Ser Ala His Ala Ser Asp Ser Leu Ser Lys  
 20 25 30  
 Ser Pro Glu Asn Trp Met Ser Lys Leu Asp Asp Gly Lys His Leu Thr  
 35 40 45  
 Glu Ile Asn Ile Pro Gly Ser His Asp Ser Gly Ser Phe Thr Leu Lys  
 50 55 60  
 Asp Pro Val Lys Ser Val Trp Ala Lys Thr Gln Asp Lys Asp Tyr Leu  
 65 70 75 80  
 Thr Gln Met Lys Ser Gly Val Arg Phe Phe Asp Ile Arg Gly Arg Ala  
 85 90 95  
 Ser Ala Asp Asn Met Ile Ser Val His His Gly Met Val Tyr Leu His  
 100 105 110  
 His Glu Leu Gly Lys Phe Leu Asp Asp Ala Lys Tyr Tyr Leu Ser Ala  
 115 120 125  
 Tyr Pro Asn Glu Thr Ile Val Met Ser Met Lys Lys Asp Tyr Asp Ser  
 130 135 140  
 Asp Ser Lys Val Thr Lys Thr Phe Glu Glu Ile Phe Arg Glu Tyr Tyr  
 145 150 155 160  
 Tyr Asn Asn Pro Gln Tyr Gln Asn Leu Phe Tyr Thr Gly Ser Asn Ala  
 165 170 175  
 Asn Pro Thr Leu Lys Glu Thr Lys Gly Lys Ile Val Leu Phe Asn Arg  
 180 185 190  
 Met Gly Gly Thr Tyr Ile Lys Ser Gly Tyr Gly Ala Asp Thr Ser Gly  
 195 200 205  
 Ile Gln Trp Ala Asp Asn Ala Thr Phe Glu Thr Lys Ile Asn Asn Gly  
 210 215 220  
 Ser Leu Asn Leu Lys Val Gln Asp Glu Tyr Lys Asp Tyr Tyr Asp Lys  
 225 230 235 240  
 Lys Val Glu Ala Val Lys Asn Leu Leu Ala Lys Ala Lys Thr Asp Ser  
 245 250 255  
 Asn Lys Asp Asn Val Tyr Val Asn Phe Leu Ser Val Ala Ser Gly Gly  
 260 265 270  
 Ser Ala Phe Asn Ser Thr Tyr Asn Tyr Ala Ser His Ile Asn Pro Glu  
 275 280 285  
 Ile Ala Lys Thr Leu Lys Ala Asn Gly Lys Ala Arg Thr Gly Trp Leu  
 290 295 300  
 Ile Val Asp Tyr Ala Gly Tyr Thr Trp Pro Gly Tyr Asp Asp Ile Val  
 305 310 315 320  
 Ser Glu Ile Ile Asp Ser Asn Lys  
 325

&lt;210&gt; SEQ ID NO 100

&lt;211&gt; LENGTH: 257

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Staphylococcus sp

&lt;400&gt; SEQUENCE: 100

Met Lys Ala His Lys Ile Phe Trp Leu Asn Leu Ala Ala Ile Ile Ile  
 1 5 10 15  
 Ile Ser Ile Val Val Ser Gly Asp Met Phe Leu Ala Met Lys Trp Glu



-continued

Gly Phe Asn Lys Gln Ala Leu Lys Ala Met Asn Tyr Asp Asn Lys Gln  
 130 135 140  
 Leu Ala Leu Pro Ala Ile Val Glu Thr Thr Ala Leu Phe Tyr Asn Lys  
 145 150 155 160  
 Lys Leu Val Lys Asn Ala Pro Gln Thr Leu Glu Glu Val Glu Ala Asn  
 165 170 175  
 Ala Ala Lys Leu Thr Asp Ser Lys Lys Lys Gln Tyr Gly Met Leu Phe  
 180 185 190  
 Asp Ala Lys Asn Phe Tyr Phe Asn Tyr Pro Phe Leu Phe Gly Asn Asp  
 195 200 205  
 Asp Tyr Ile Phe Lys Lys Asn Gly Ser Glu Tyr Asp Ile His Gln Leu  
 210 215 220  
 Gly Leu Asn Ser Lys His Val Val Lys Asn Ala Glu Arg Leu Gln Lys  
 225 230 235 240  
 Trp Tyr Asp Lys Gly Tyr Leu Pro Lys Ala Ala Thr His Asp Val Met  
 245 250 255  
 Ile Gly Leu Phe Lys Glu Gly Lys Val Gly Gln Phe Val Thr Gly Pro  
 260 265 270  
 Trp Asn Ile Asn Glu Tyr Gln Glu Thr Phe Gly Lys Asp Leu Gly Val  
 275 280 285  
 Thr Thr Leu Pro Thr Asp Gly Gly Lys Pro Met Lys Pro Phe Leu Gly  
 290 295 300  
 Val Arg Gly Trp Tyr Leu Ser Glu Tyr Ser Lys His Lys Tyr Trp Ala  
 305 310 315 320  
 Lys Asp Leu Met Leu Tyr Ile Thr Ser Lys Asp Thr Leu Gln Lys Tyr  
 325 330 335  
 Thr Asp Glu Met Ser Glu Ile Thr Gly Arg Val Asp Val Lys Ser Ser  
 340 345 350  
 Asn Pro Asn Leu Lys Val Phe Glu Lys Gln Ala Arg His Ala Glu Pro  
 355 360 365  
 Met Pro Asn Ile Pro Glu Met Arg Gln Val Trp Glu Pro Met Gly Asn  
 370 375 380  
 Ala Ser Ile Phe Ile Ser Asn Gly Lys Asn Pro Lys Gln Ala Leu Asp  
 385 390 395 400  
 Glu Ala Thr Asn Asp Ile Thr Gln Asn Ile Lys Ile Leu His Pro Ser  
 405 410 415  
 Gln Asn Asp Lys Lys Gly Asp  
 420

&lt;210&gt; SEQ ID NO 102

&lt;211&gt; LENGTH: 560

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Staphylococcus sp

&lt;400&gt; SEQUENCE: 102

Met Leu Ile Thr Ala Ala Met Val Cys Ser Phe Gly Leu Leu Lys Ser  
 1 5 10 15  
 Gln Ala Ala Glu Gln Gln Ser Ile Ser Asp Val Tyr Ser Val Ile Thr  
 20 25 30  
 Asp Ala Lys Ser Ala Leu Ser Asn Asn Ser Ile Ser Asn Asp Asn Lys  
 35 40 45  
 Gln Lys Ala Ile Glu Gln Val Val Ser Ala Val Lys Lys Leu Ser Leu  
 50 55 60

-continued

---

Glu Asp Asn Ser Glu Ser Asn Ala Val Lys Ser Asp Val Arg Lys Leu  
 65 70 75 80  
 Glu Asp Ala Lys Ala Asn Asp Asn Gln Lys Asp Thr Leu Ser Gln Leu  
 85 90 95  
 Thr Lys Ser Leu Ile Ala Tyr Glu Glu Lys Leu Ala Ser Lys Asp Ala  
 100 105 110  
 Gly Ser Lys Ile Lys Leu Leu Gln Gln Gln Val Asp Ala Lys Asp Ala  
 115 120 125  
 Ala Met Thr Lys Ala Ile Lys Asp Lys Asn Lys Ala Glu Leu Glu Ser  
 130 135 140  
 Leu Asn Asn Ser Leu Asn Gln Ile Trp Thr Ser Asn Glu Thr Val Ile  
 145 150 155 160  
 Arg Asn Tyr Asp Ala Asn Gln Tyr Gly Gln Ile Glu Val Ala Leu Leu  
 165 170 175  
 Gln Leu Arg Ile Ala Ile His Lys Ser Pro Leu Asp Thr Ala Lys Val  
 180 185 190  
 Ser His Ala Trp Thr Thr Phe Lys Ser Asn Ile Asp His Val Asp Lys  
 195 200 205  
 Lys Ser Asn Thr Ser Ala Asn Asp Gln Tyr His Val Ser Gln Leu Asn  
 210 215 220  
 Asp Ala Leu Glu Lys Ala Ile Lys Ala Ile Asp Asp Asn Gln Leu Ser  
 225 230 235 240  
 Asp Ala Asp Ala Ala Leu Thr His Phe Ile Glu Thr Trp Pro Tyr Val  
 245 250 255  
 Glu Gly Gln Ile Gln Thr Lys Asp Gly Ala Leu Tyr Thr Lys Ile Glu  
 260 265 270  
 Asp Lys Ile Pro Tyr Tyr Gln Ser Val Leu Asp Glu His Asn Lys Ala  
 275 280 285  
 His Val Lys Asp Gly Leu Val Asp Leu Asn Asn Gln Ile Lys Glu Val  
 290 295 300  
 Val Gly His Ser Tyr Ser Phe Val Asp Val Met Ile Ile Phe Leu Arg  
 305 310 315 320  
 Glu Gly Leu Glu Val Leu Leu Ile Val Met Thr Leu Thr Thr Met Thr  
 325 330 335  
 Arg Asn Val Lys Asp Lys Lys Gly Thr Ala Ser Val Ile Gly Gly Ala  
 340 345 350  
 Ile Ala Gly Leu Val Leu Ser Ile Ile Leu Ala Ile Thr Phe Val Glu  
 355 360 365  
 Thr Leu Gly Asn Ser Gly Ile Leu Arg Glu Ser Met Glu Ala Gly Leu  
 370 375 380  
 Gly Ile Val Ala Val Ile Leu Met Phe Ile Val Gly Val Trp Met His  
 385 390 395 400  
 Lys Arg Ser Asn Ala Lys Arg Trp Asn Asp Met Ile Lys Asn Met Tyr  
 405 410 415  
 Ala Asn Ala Ile Ser Asn Gly Asn Leu Val Leu Leu Ala Thr Ile Gly  
 420 425 430  
 Leu Ile Ser Val Leu Arg Glu Gly Val Glu Val Ile Ile Phe Tyr Met  
 435 440 445  
 Gly Met Ile Gly Glu Leu Ala Thr Lys Asp Phe Ile Ile Gly Ile Ala  
 450 455 460  
 Leu Ala Ile Val Ile Leu Ile Ile Phe Ala Leu Leu Phe Arg Phe Ile

-continued

---

```

465             470             475             480
Val Lys Leu Ile Pro Ile Phe Tyr Ile Phe Arg Val Leu Ser Ile Phe
      485             490             495
Ile Phe Ile Met Gly Phe Lys Met Leu Gly Val Ser Ile Gln Lys Leu
      500             505             510
Gln Leu Leu Gly Ala Met Pro Arg His Val Ile Glu Gly Phe Pro Thr
      515             520             525
Ile Asn Trp Leu Gly Phe Tyr Pro Ser Tyr Glu Pro Leu Ile Ala Gln
      530             535             540
Gly Ala Tyr Ile Met Val Val Ala Ile Leu Ile Phe Lys Phe Lys Lys
      545             550             555             560

<210> SEQ ID NO 103
<211> LENGTH: 334
<212> TYPE: PRT
<213> ORGANISM: Staphylococcus sp

<400> SEQUENCE: 103
Met Gln Lys Lys Val Leu Ala Ala Ile Ile Gly Thr Ser Ala Ile Ser
 1             5             10             15
Ala Val Ala Ala Thr Gln Ala Asn Ala Ala Thr Thr His Thr Val Lys
      20             25             30
Pro Gly Glu Ser Val Trp Ala Ile Ser Asn Lys Tyr Gly Ile Ser Ile
      35             40             45
Ala Lys Leu Lys Ser Leu Asn Asn Leu Thr Ser Asn Leu Ile Phe Pro
      50             55             60
Asn Gln Val Leu Lys Val Ser Gly Ser Ser Asn Ser Thr Ser Asn Ser
      65             70             75             80
Ser Arg Pro Ser Thr Asn Ser Gly Gly Gly Ser Tyr Tyr Thr Val Gln
      85             90             95
Ala Gly Asp Ser Leu Ser Leu Ile Ala Ser Lys Tyr Gly Thr Thr Tyr
      100            105            110
Gln Asn Ile Met Arg Leu Asn Gly Leu Asn Asn Phe Phe Ile Tyr Pro
      115            120            125
Gly Gln Lys Leu Lys Val Ser Gly Thr Ala Ser Ser Ser Asn Ala Ala
      130            135            140
Ser Asn Ser Ser Arg Pro Ser Thr Asn Ser Gly Gly Gly Ser Tyr Tyr
      145            150            155            160
Thr Val Gln Ala Gly Asp Ser Leu Ser Leu Ile Ala Ser Lys Tyr Gly
      165            170            175
Thr Thr Tyr Gln Lys Ile Met Ser Leu Asn Gly Leu Asn Asn Phe Phe
      180            185            190
Ile Tyr Pro Gly Gln Lys Leu Lys Val Thr Gly Asn Ala Ser Thr Asn
      195            200            205
Ser Gly Ser Ala Thr Thr Thr Asn Arg Gly Tyr Asn Thr Pro Val Phe
      210            215            220
Ser His Gln Asn Leu Tyr Thr Trp Gly Gln Cys Thr Tyr His Val Phe
      225            230            235            240
Asn Arg Arg Ala Glu Ile Gly Lys Gly Ile Ser Thr Tyr Trp Trp Asn
      245            250            255
Ala Asn Asn Trp Asp Asn Ala Ala Ala Ala Asp Gly Tyr Thr Ile Asp
      260            265            270
Asn Arg Pro Thr Val Gly Ser Ile Ala Gln Thr Asp Val Gly Tyr Tyr

```

-continued

---

```

      275              280              285
Gly His Val Met Phe Val Glu Arg Val Asn Asn Asp Gly Ser Ile Leu
 290              295              300
Val Ser Glu Met Asn Tyr Ser Ala Ala Pro Gly Ile Leu Thr Tyr Arg
 305              310              315              320
Thr Val Pro Ala Tyr Gln Val Asn Asn Tyr Arg Tyr Ile His
      325              330

<210> SEQ ID NO 104
<211> LENGTH: 279
<212> TYPE: PRT
<213> ORGANISM: Staphylococcus sp

<400> SEQUENCE: 104
Met Lys Lys Ser Leu Thr Val Thr Val Ser Ser Val Leu Ala Phe Leu
 1              5              10              15
Ala Leu Asn Asn Ala Ala His Ala Gln Gln His Gly Thr Gln Val Lys
      20              25              30
Thr Pro Val Gln His Asn Tyr Val Ser Asn Val Gln Ala Gln Thr Gln
 35              40              45
Ser Pro Thr Thr Tyr Thr Val Val Ala Gly Asp Ser Leu Tyr Lys Ile
 50              55              60
Ala Leu Glu His His Leu Thr Leu Asn Gln Leu Tyr Ser Tyr Asn Pro
 65              70              75              80
Gly Val Thr Pro Leu Ile Phe Pro Gly Asp Val Ile Ser Leu Val Pro
      85              90              95
Gln Asn Lys Val Lys Gln Thr Lys Ala Val Lys Ser Pro Val Arg Lys
      100              105              110
Ala Ser Gln Ala Lys Lys Val Val Lys Gln Pro Val Gln Gln Ala Ser
      115              120              125
Lys Lys Val Val Val Lys Gln Ala Pro Lys Gln Ala Val Thr Lys Thr
      130              135              140
Val Asn Val Ala Tyr Lys Pro Ala Gln Val Gln Lys Ser Val Pro Thr
      145              150              155              160
Val Pro Val Ala His Asn Tyr Asn Lys Ser Val Ala Asn Arg Gly Asn
      165              170              175
Leu Tyr Ala Tyr Gly Asn Cys Thr Tyr Tyr Ala Phe Asp Arg Arg Ala
      180              185              190
Gln Leu Gly Arg Ser Ile Gly Ser Leu Trp Gly Asn Ala Asn Asn Trp
      195              200              205
Asn Tyr Ala Ala Lys Val Ala Gly Phe Lys Val Asp Lys Thr Pro Glu
      210              215              220
Val Gly Ala Ile Phe Gln Thr Ala Ala Gly Pro Tyr Gly His Val Gly
      225              230              235              240
Val Val Glu Ser Val Asn Pro Asn Gly Thr Ile Thr Val Ser Glu Met
      245              250              255
Asn Tyr Ala Gly Phe Asn Val Lys Ser Ser Arg Thr Ile Leu Asn Pro
      260              265              270

Gly Lys Tyr Asn Tyr Ile His
      275

```

```

<210> SEQ ID NO 105
<211> LENGTH: 346
<212> TYPE: PRT

```

-continued

---

```

<213> ORGANISM: Staphylococcus sp

<400> SEQUENCE: 105

Met Ile Ile Ala Ile Ile Ile Leu Ile Phe Ile Ser Phe Phe Phe Ser
 1           5           10           15

Gly Ser Glu Thr Ala Leu Thr Ala Ala Asn Lys Thr Lys Phe Lys Thr
      20           25           30

Glu Ala Asp Lys Gly Asp Lys Lys Ala Lys Gly Ile Val Lys Leu Leu
      35           40           45

Glu Lys Pro Ser Glu Phe Ile Thr Thr Ile Leu Ile Gly Asn Asn Val
      50           55           60

Ala Asn Ile Leu Leu Pro Thr Leu Val Thr Leu Met Ala Leu Arg Trp
      65           70           75           80

Gly Ile Ser Val Gly Ile Ala Ser Ala Val Leu Thr Val Val Ile Ile
      85           90           95

Leu Ile Ser Glu Val Ile Pro Lys Ser Val Ala Ala Thr Phe Pro Asp
      100          105          110

Lys Ile Thr Arg Leu Val Tyr Pro Ile Ile Asn Ile Cys Val Ile Val
      115          120          125

Phe Arg Pro Ile Thr Leu Leu Leu Asn Lys Leu Thr Asp Ser Ile Asn
      130          135          140

Arg Ser Leu Ser Lys Gly Gln Pro Gln Glu His Gln Phe Ser Lys Glu
      145          150          155          160

Glu Phe Lys Thr Met Leu Ala Ile Ala Gly His Glu Gly Ala Leu Asn
      165          170          175

Glu Ile Glu Thr Ser Arg Leu Glu Gly Val Ile Asn Phe Glu Asn Leu
      180          185          190

Lys Val Lys Asp Val Asp Thr Thr Pro Arg Ile Asn Val Thr Ala Phe
      195          200          205

Ala Ser Asn Ala Thr Tyr Glu Glu Val Tyr Glu Thr Val Met Asn Lys
      210          215          220

Pro Tyr Thr Arg Tyr Pro Val Tyr Glu Gly Asp Ile Asp Asn Ile Ile
      225          230          235          240

Gly Val Phe His Ser Lys Tyr Leu Leu Ala Trp Ser Asn Lys Lys Glu
      245          250          255

Asn Gln Ile Thr Asn Tyr Ser Ala Lys Pro Leu Phe Val Asn Glu His
      260          265          270

Asn Lys Ala Glu Trp Val Leu Arg Lys Met Thr Ile Ser Arg Lys His
      275          280          285

Leu Ala Ile Val Leu Asp Glu Phe Gly Gly Thr Glu Ala Ile Val Ser
      290          295          300

His Glu Asp Leu Ile Glu Glu Leu Leu Gly Met Glu Ile Glu Asp Glu
      305          310          315          320

Met Asp Lys Lys Glu Lys Glu Lys Leu Ser Gln Gln Gln Ile Gln Phe
      325          330          335

Gln Gln Arg Lys Asn Arg Asn Val Ser Ile
      340          345

<210> SEQ ID NO 106
<211> LENGTH: 391
<212> TYPE: PRT
<213> ORGANISM: Staphylococcus sp

<400> SEQUENCE: 106

```

-continued

---

Met Lys Leu Lys Pro Phe Leu Pro Ile Leu Ile Ser Gly Ala Val Phe  
 1 5 10 15  
 Ile Val Phe Leu Leu Leu Pro Ala Ser Trp Phe Thr Gly Leu Val Asn  
 20 25 30  
 Glu Lys Thr Val Glu Asp Asn Arg Thr Ser Leu Thr Asp Gln Val Leu  
 35 40 45  
 Lys Gly Thr Leu Ile Gln Asp Lys Leu Tyr Glu Ser Asn Lys Tyr Tyr  
 50 55 60  
 Pro Ile Tyr Gly Ser Ser Glu Leu Gly Lys Asp Asp Pro Phe Asn Pro  
 65 70 75 80  
 Ala Ile Ala Leu Asn Lys His Asn Ala Asn Lys Lys Ala Phe Leu Leu  
 85 90 95  
 Gly Ala Gly Gly Ser Thr Asp Leu Ile Asn Ala Val Glu Leu Ala Ser  
 100 105 110  
 Gln Tyr Asp Lys Leu Lys Gly Lys Lys Leu Thr Phe Ile Ile Ser Pro  
 115 120 125  
 Gln Trp Phe Thr Asn His Gly Leu Thr Asn Gln Asn Phe Asp Ala Arg  
 130 135 140  
 Met Ser Gln Thr Gln Ile Asn Gln Met Phe Gln Gln Lys Asn Met Ser  
 145 150 155 160  
 Thr Glu Leu Lys Arg Arg Tyr Ala Gln Arg Leu Leu Gln Phe Pro His  
 165 170 175  
 Val His Asn Lys Glu Tyr Leu Lys Ser Tyr Ala Lys Asn Pro Lys Glu  
 180 185 190  
 Thr Lys Asp Ser Tyr Ile Ser Gly Phe Lys Glu Asn Gln Leu Ile Lys  
 195 200 205  
 Ile Glu Ala Ile Lys Ser Leu Phe Ala Met Asp Lys Ser Pro Leu Glu  
 210 215 220  
 His Val Lys Pro Ala Thr Lys Pro Asp Ala Ser Trp Asp Glu Met Lys  
 225 230 235 240  
 Gln Lys Ala Val Glu Ile Gly Lys Ala Asp Thr Thr Ser Asn Lys Phe  
 245 250 255  
 Gly Ile Arg Asp Gln Tyr Trp Lys Leu Ile Gln Glu Ser Lys Arg Lys  
 260 265 270  
 Val Arg Arg Asp Tyr Glu Phe Asn Val Asn Ser Pro Glu Phe Gln Asp  
 275 280 285  
 Leu Glu Leu Leu Val Lys Thr Met Arg Ala Ala Gly Ala Asp Val Gln  
 290 295 300  
 Tyr Val Ser Ile Pro Ser Asn Gly Val Trp Tyr Asp His Ile Gly Ile  
 305 310 315 320  
 Asp Lys Glu Arg Arg Gln Ala Val Tyr Lys Lys Ile His Ser Thr Val  
 325 330 335  
 Val Asp Asn Gly Gly Lys Ile Tyr Asp Met Thr Asp Lys Asp Tyr Glu  
 340 345 350  
 Lys Tyr Val Ile Ser Asp Ala Val His Ile Gly Trp Lys Gly Trp Val  
 355 360 365  
 Tyr Met Asp Glu Gln Ile Ala Lys His Met Lys Gly Glu Pro Gln Pro  
 370 375 380  
 Glu Val Asp Lys Pro Lys Asn  
 385 390

-continued

---

```

<210> SEQ ID NO 107
<211> LENGTH: 1256
<212> TYPE: PRT
<213> ORGANISM: Staphylococcus sp

<400> SEQUENCE: 107

Met Ala Lys Lys Phe Asn Tyr Lys Leu Pro Ser Met Val Ala Leu Thr
1          5          10          15

Leu Val Gly Ser Ala Val Thr Ala His Gln Val Gln Ala Ala Glu Thr
20          25          30

Thr Gln Asp Gln Thr Thr Asn Lys Asn Val Leu Asp Ser Asn Lys Val
35          40          45

Lys Ala Thr Thr Glu Gln Ala Lys Ala Glu Val Lys Asn Pro Thr Gln
50          55          60

Asn Ile Ser Gly Thr Gln Val Tyr Gln Asp Pro Ala Ile Val Gln Pro
65          70          75          80

Lys Thr Ala Asn Asn Lys Thr Gly Asn Ala Gln Val Ser Gln Lys Val
85          90          95

Asp Thr Ala Gln Val Asn Gly Asp Thr Arg Ala Asn Gln Ser Ala Thr
100         105         110

Thr Asn Asn Thr Gln Pro Val Ala Lys Ser Thr Ser Thr Thr Ala Pro
115         120         125

Lys Thr Asn Thr Asn Val Thr Asn Ala Gly Tyr Ser Leu Val Asp Asp
130         135         140

Glu Asp Asp Asn Ser Glu Asn Gln Ile Asn Pro Glu Leu Ile Lys Ser
145         150         155         160

Ala Ala Lys Pro Ala Ala Leu Glu Thr Gln Tyr Lys Thr Ala Ala Pro
165         170         175

Lys Ala Ala Thr Thr Ser Ala Pro Lys Ala Lys Thr Glu Ala Thr Pro
180         185         190

Lys Val Thr Thr Phe Ser Ala Ser Ala Gln Pro Arg Ser Val Ala Ala
195         200         205

Thr Pro Lys Thr Ser Leu Pro Lys Tyr Lys Pro Gln Val Asn Ser Ser
210         215         220

Ile Asn Asp Tyr Ile Cys Lys Asn Asn Leu Lys Ala Pro Lys Ile Glu
225         230         235         240

Glu Asp Tyr Thr Ser Tyr Phe Pro Lys Tyr Ala Tyr Arg Asn Gly Val
245         250         255

Gly Arg Pro Glu Gly Ile Val Val His Asp Thr Ala Asn Asp Arg Ser
260         265         270

Thr Ile Asn Gly Glu Ile Ser Tyr Met Lys Asn Asn Tyr Gln Asn Ala
275         280         285

Phe Val His Ala Phe Val Asp Gly Asp Arg Ile Ile Glu Thr Ala Pro
290         295         300

Thr Asp Tyr Leu Ser Trp Gly Val Gly Ala Val Gly Asn Pro Arg Phe
305         310         315         320

Ile Asn Val Glu Ile Val His Thr His Asp Tyr Ala Ser Phe Ala Arg
325         330         335

Ser Met Asn Asn Tyr Ala Asp Tyr Ala Ala Thr Gln Leu Gln Tyr Tyr
340         345         350

Gly Leu Lys Pro Asp Ser Ala Glu Tyr Asp Gly Asn Gly Thr Val Trp
355         360         365

Thr His Tyr Ala Val Ser Lys Tyr Leu Gly Gly Thr Asp His Ala Asp

```

-continued

370			375			380									
Pro	His	Gly	Tyr	Leu	Arg	Ser	His	Asn	Tyr	Ser	Tyr	Asp	Gln	Leu	Tyr
385					390					395					400
Asp	Leu	Ile	Asn	Glu	Lys	Tyr	Leu	Ile	Lys	Met	Gly	Lys	Val	Ala	Pro
			405						410					415	
Trp	Gly	Thr	Gln	Ser	Thr	Thr	Thr	Pro	Thr	Thr	Pro	Ser	Lys	Pro	Thr
			420					425					430		
Thr	Pro	Ser	Lys	Pro	Ser	Thr	Gly	Lys	Leu	Thr	Val	Ala	Ala	Asn	Asn
		435					440					445			
Gly	Val	Ala	Gln	Ile	Lys	Pro	Thr	Asn	Ser	Gly	Leu	Tyr	Thr	Thr	Val
	450				455						460				
Tyr	Asp	Lys	Thr	Gly	Lys	Ala	Thr	Asn	Glu	Val	Gln	Lys	Thr	Phe	Ala
465					470					475					480
Val	Ser	Lys	Thr	Ala	Thr	Leu	Gly	Asn	Gln	Lys	Phe	Tyr	Leu	Val	Gln
				485					490					495	
Asp	Tyr	Asn	Ser	Gly	Asn	Lys	Phe	Gly	Trp	Val	Lys	Glu	Gly	Asp	Val
			500					505					510		
Val	Tyr	Asn	Thr	Ala	Lys	Ser	Pro	Val	Asn	Val	Asn	Gln	Ser	Tyr	Ser
		515					520					525			
Ile	Lys	Pro	Gly	Thr	Lys	Leu	Tyr	Thr	Val	Pro	Trp	Gly	Thr	Ser	Lys
	530					535					540				
Gln	Val	Ala	Gly	Ser	Val	Ser	Gly	Ser	Gly	Asn	Gln	Thr	Phe	Lys	Ala
545					550					555					560
Ser	Lys	Gln	Gln	Gln	Ile	Asp	Lys	Ser	Ile	Tyr	Leu	Tyr	Gly	Ser	Val
				565					570					575	
Asn	Gly	Lys	Ser	Gly	Trp	Val	Ser	Lys	Ala	Tyr	Leu	Val	Asp	Thr	Ala
			580					585					590		
Lys	Pro	Thr	Pro	Thr	Pro	Thr	Pro	Lys	Pro	Ser	Thr	Pro	Thr	Thr	Asn
		595					600					605			
Asn	Lys	Leu	Thr	Val	Ser	Ser	Leu	Asn	Gly	Val	Ala	Gln	Ile	Asn	Ala
	610						615				620				
Lys	Asn	Asn	Gly	Leu	Phe	Thr	Thr	Val	Tyr	Asp	Lys	Thr	Gly	Lys	Pro
625					630					635					640
Thr	Lys	Glu	Val	Gln	Lys	Thr	Phe	Ala	Val	Thr	Lys	Glu	Ala	Ser	Leu
				645					650					655	
Gly	Gly	Asn	Lys	Phe	Tyr	Leu	Val	Lys	Asp	Tyr	Asn	Ser	Pro	Thr	Leu
			660					665					670		
Ile	Gly	Trp	Val	Lys	Gln	Gly	Asp	Val	Ile	Tyr	Asn	Asn	Ala	Lys	Ser
	675						680						685		
Pro	Val	Asn	Val	Met	Gln	Thr	Tyr	Thr	Val	Lys	Pro	Gly	Thr	Lys	Leu
	690						695				700				
Tyr	Ser	Val	Pro	Trp	Gly	Thr	Tyr	Lys	Gln	Glu	Ala	Gly	Ala	Val	Ser
705					710					715					720
Gly	Thr	Gly	Asn	Gln	Thr	Phe	Lys	Ala	Thr	Lys	Gln	Gln	Gln	Ile	Asp
				725					730					735	
Lys	Ser	Ile	Tyr	Leu	Phe	Gly	Thr	Val	Asn	Gly	Lys	Ser	Gly	Trp	Val
			740					745					750		
Ser	Lys	Ala	Tyr	Leu	Ala	Val	Pro	Ala	Ala	Pro	Lys	Lys	Ala	Val	Ala
		755					760					765			
Gln	Pro	Lys	Thr	Ala	Val	Lys	Ala	Tyr	Thr	Val	Thr	Lys	Pro	Gln	Thr
	770						775					780			

-continued

---

Thr	Gln	Thr	Val	Ser	Lys	Ile	Ala	Gln	Val	Lys	Pro	Asn	Asn	Thr	Gly	
785					790					795					800	
Leu	Arg	Ala	Ser	Val	Tyr	Glu	Lys	Thr	Ala	Lys	Asn	Gly	Ala	Lys	Tyr	
			805						810					815		
Ala	Asp	Arg	Thr	Phe	Tyr	Val	Thr	Lys	Glu	Arg	Ala	His	Gly	Asn	Glu	
			820					825					830			
Thr	Tyr	Val	Leu	Leu	Asn	Asn	Thr	Ser	His	Asn	Ile	Pro	Leu	Gly	Trp	
		835					840					845				
Phe	Asn	Val	Lys	Asp	Leu	Asn	Val	Gln	Asn	Leu	Gly	Lys	Glu	Val	Lys	
	850					855					860					
Thr	Thr	Gln	Lys	Tyr	Thr	Val	Asn	Lys	Ser	Asn	Asn	Gly	Leu	Ser	Met	
865					870					875					880	
Val	Pro	Trp	Gly	Thr	Lys	Asn	Gln	Val	Ile	Leu	Thr	Gly	Asn	Asn	Ile	
				885					890						895	
Ala	Gln	Gly	Thr	Phe	Asn	Ala	Thr	Lys	Gln	Val	Ser	Val	Gly	Lys	Asp	
			900					905					910			
Val	Tyr	Leu	Tyr	Gly	Thr	Ile	Asn	Asn	Arg	Thr	Gly	Trp	Val	Asn	Ala	
		915					920					925				
Lys	Asp	Leu	Thr	Ala	Pro	Thr	Ala	Val	Lys	Pro	Thr	Thr	Ser	Ala	Ala	
	930						935					940				
Lys	Asp	Tyr	Asn	Tyr	Thr	Tyr	Val	Ile	Lys	Asn	Gly	Asn	Gly	Tyr	Tyr	
945					950					955					960	
Tyr	Val	Thr	Pro	Asn	Ser	Asp	Thr	Ala	Lys	Tyr	Ser	Leu	Lys	Ala	Phe	
				965					970						975	
Asn	Glu	Gln	Pro	Phe	Ala	Val	Val	Lys	Glu	Gln	Val	Ile	Asn	Gly	Gln	
			980					985						990		
Thr	Trp	Tyr	Tyr	Gly	Lys	Leu	Ser	Asn	Gly	Lys	Leu	Ala	Trp	Ile	Lys	
		995					1000						1005			
Ser	Thr	Asp	Leu	Ala	Lys	Glu	Leu	Ile	Lys	Tyr	Asn	Gln	Thr	Gly		
	1010					1015						1020				
Met	Thr	Leu	Asn	Gln	Val	Ala	Gln	Ile	Gln	Ala	Gly	Leu	Gln	Tyr		
	1025					1030						1035				
Lys	Pro	Gln	Val	Gln	Arg	Val	Pro	Gly	Lys	Trp	Thr	Asp	Ala	Lys		
	1040					1045						1050				
Phe	Asn	Asp	Val	Lys	His	Ala	Met	Asp	Thr	Lys	Arg	Leu	Ala	Gln		
	1055					1060						1065				
Asp	Pro	Ala	Leu	Lys	Tyr	Gln	Phe	Leu	Arg	Leu	Asp	Gln	Pro	Gln		
	1070					1075						1080				
Asn	Ile	Ser	Ile	Asp	Lys	Ile	Asn	Gln	Phe	Leu	Lys	Gly	Lys	Gly		
	1085					1090						1095				
Val	Leu	Glu	Asn	Gln	Gly	Ala	Ala	Phe	Asn	Lys	Ala	Ala	Gln	Met		
	1100					1105						1110				
Tyr	Gly	Ile	Asn	Glu	Val	Tyr	Leu	Ile	Ser	His	Ala	Leu	Leu	Glu		
	1115					1120						1125				
Thr	Gly	Asn	Gly	Thr	Ser	Gln	Leu	Ala	Lys	Gly	Ala	Asp	Val	Val		
	1130					1135						1140				
Asn	Asn	Lys	Val	Val	Thr	Asn	Ser	Asn	Thr	Lys	Tyr	His	Asn	Val		
	1145					1150						1155				
Phe	Gly	Leu	Ala	Ala	Tyr	Asp	Asn	Asp	Pro	Leu	Arg	Glu	Gly	Ile		
	1160					1165						1170				
Lys	Tyr	Ala	Lys	Gln	Ala	Gly	Trp	Asp	Thr	Val	Ser	Lys	Ala	Ile		
	1175					1180						1185				

-continued

---

Val Gly Gly Ala Lys Phe Ile Gly Asn Ser Tyr Val Lys Ala Gly  
 1190 1195 1200

Gln Asn Thr Leu Tyr Lys Met Arg Trp Asn Pro Ala His Pro Gly  
 1205 1210 1215

Thr His Gln Tyr Ala Thr Asp Val Asp Trp Ala Asn Ile Asn Ala  
 1220 1225 1230

Lys Ile Ile Lys Gly Tyr Tyr Asp Lys Ile Gly Glu Val Gly Lys  
 1235 1240 1245

Tyr Phe Asp Ile Pro Gln Tyr Lys  
 1250 1255

<210> SEQ ID NO 108  
 <211> LENGTH: 413  
 <212> TYPE: PRT  
 <213> ORGANISM: Staphylococcus sp

<400> SEQUENCE: 108

Met Lys Phe Ser Thr Leu Ser Glu Glu Glu Phe Thr Asn Tyr Thr Lys  
 1 5 10 15

Lys His Phe Lys His Tyr Thr Gln Ser Ile Glu Leu Tyr Asn Tyr Arg  
 20 25 30

Asn Lys Ile Asn His Glu Ala His Ile Val Gly Val Lys Asn Asp Lys  
 35 40 45

Asn Glu Val Leu Ala Ala Cys Leu Leu Thr Glu Ala Arg Ile Phe Lys  
 50 55 60

Phe Tyr Lys Tyr Phe Tyr Ser His Arg Gly Pro Leu Leu Asp Tyr Phe  
 65 70 75 80

Asp Ala Lys Leu Val Cys Tyr Phe Phe Lys Glu Leu Ser Lys Phe Ile  
 85 90 95

Tyr Lys Asn Arg Gly Val Phe Ile Leu Val Asp Pro Tyr Leu Ile Glu  
 100 105 110

Asn Leu Arg Asp Ala Asn Gly Arg Ile Ile Lys Asn Tyr Asn Asn Ser  
 115 120 125

Val Ile Val Lys Met Leu Gly Lys Ile Gly Tyr Leu His Gln Gly Tyr  
 130 135 140

Thr Thr Gly Tyr Ser Asn Lys Ser Gln Ile Arg Trp Ile Ser Val Leu  
 145 150 155 160

Asp Leu Lys Asp Lys Asp Glu Asn Gln Leu Leu Lys Glu Met Glu Tyr  
 165 170 175

Gln Thr Arg Arg Asn Ile Lys Lys Thr Ile Glu Ile Gly Val Lys Val  
 180 185 190

Glu Asp Leu Ser Ile Glu Glu Thr Asn Arg Phe Tyr Lys Leu Phe Gln  
 195 200 205

Met Ala Glu Glu Lys His Gly Phe His Phe Met Asn Glu Asp Tyr Phe  
 210 215 220

Lys Arg Met Gln Glu Ile Tyr Lys Asp Lys Ala Met Leu Lys Ile Ala  
 225 230 235 240

Cys Ile Asn Leu Asn Glu Tyr Gln Asp Lys Leu Lys Ile Gln Leu Leu  
 245 250 255

Lys Ile Glu Asn Glu Met Met Thr Val Asn Arg Ala Leu Asn Glu Asn  
 260 265 270

Pro Asn Ser Lys Lys Asn Lys Ser Lys Leu Asn Gln Leu Asn Met Gln  
 275 280 285

-continued

---

Leu Ser Ser Ile Asn Asn Arg Ile Ser Lys Thr Glu Glu Leu Ile Phe  
 290 295 300  
 Glu Asp Gly Pro Val Leu Asp Leu Ala Ala Ala Leu Phe Ile Cys Thr  
 305 310 315 320  
 Asp Asp Glu Val Tyr Tyr Leu Ser Ser Gly Ser Asn Pro Lys Tyr Asn  
 325 330 335  
 Gln Tyr Met Gly Ala Tyr His Leu Gln Trp His Met Ile Lys Tyr Ala  
 340 345 350  
 Lys Ser His Asn Ile Asn Arg Tyr Asn Phe Tyr Gly Ile Thr Gly Val  
 355 360 365  
 Phe Ser Asn Glu Asp Asp Phe Gly Val Gln Gln Phe Lys Lys Gly Phe  
 370 375 380  
 Asn Ala His Val Glu Glu Leu Ile Gly Asp Phe Ile Lys Pro Val Arg  
 385 390 395 400  
 Pro Ile Leu Tyr Lys Phe Ala Lys Leu Ile Tyr Lys Val  
 405 410

&lt;210&gt; SEQ ID NO 109

&lt;211&gt; LENGTH: 428

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Staphylococcus sp

&lt;400&gt; SEQUENCE: 109

Met Lys Glu Arg Tyr Tyr Glu Leu Ile Asp Glu Arg Val Phe Glu Gln  
 1 5 10 15  
 Glu Leu Glu Asn Gly Leu Arg Leu Phe Ile Ile Pro Lys Pro Gly Phe  
 20 25 30  
 Gln Lys Thr Phe Val Thr Tyr Thr Thr Gln Phe Gly Ser Leu Asp Asn  
 35 40 45  
 Gln Phe Lys Pro Leu Gly Gln Asp Gln Phe Val Thr Val Pro Asp Gly  
 50 55 60  
 Val Ala His Phe Leu Glu His Lys Leu Phe Glu Lys Glu Glu Glu Asp  
 65 70 75 80  
 Leu Phe Thr Ala Phe Ala Glu Asp Asn Ala Gln Ala Asn Ala Phe Thr  
 85 90 95  
 Ser Phe Asp Arg Thr Ser Tyr Leu Phe Ser Ala Thr Asp Asn Ile Glu  
 100 105 110  
 Asn Asn Ile Lys Arg Leu Leu Thr Met Val Glu Thr Pro Tyr Phe Thr  
 115 120 125  
 Lys Glu Thr Val Asp Lys Glu Lys Gly Ile Ile Ala Glu Glu Ile Lys  
 130 135 140  
 Met Tyr Gln Glu Gln Pro Gly Tyr Lys Leu Met Phe Asn Thr Leu Arg  
 145 150 155 160  
 Ala Met Tyr Gln Gln His Pro Ile Arg Val Asp Ile Ala Gly Ser Val  
 165 170 175  
 Glu Ser Ile Tyr Asp Ile Thr Lys Asp Asp Leu Tyr Leu Cys Tyr Glu  
 180 185 190  
 Thr Phe Tyr His Pro Ser Asn Met Val Leu Phe Val Val Gly Asp Val  
 195 200 205  
 Asp Pro Glu Ala Ile Cys Arg Ile Val Lys Gln His Glu Asp Ala Arg  
 210 215 220  
 Asn Lys Val Asn Gln Pro Lys Ile Glu Arg Gly Leu Val Asp Glu Pro  
 225 230 235 240

-continued

---

Glu Asp Val Lys Glu Ala Phe Val Thr Glu Ser Met Lys Ile Gln Ser  
                   245                                  250                                  255  
 Pro Arg Leu Met Leu Gly Phe Lys Asn Lys Pro Leu Gln Glu Ala Pro  
                   260                                  265                                  270  
 Gln Lys Tyr Val Gln Arg Asp Leu Glu Met Ser Leu Phe Phe Glu Leu  
                   275                                  280                                  285  
 Ile Phe Gly Glu Glu Thr Asp Phe Tyr Gln Asn Leu Leu Asn Glu Gly  
                   290                                  295                                  300  
 Leu Ile Asp Asp Thr Phe Gly Tyr Gln Phe Val Leu Glu Pro Thr Tyr  
                   305                                  310                                  315                                  320  
 Ser Phe Ser Ile Val Thr Ser Ala Thr Glu Glu Pro Asp Lys Leu Lys  
                   325                                  330                                  335  
 Lys Leu Leu Leu Asp Glu Leu Arg Asp Lys Lys Gly Asn Phe Gln Asp  
                   340                                  345                                  350  
 Ala Glu Ala Phe Glu Leu Leu Lys Lys Gln Phe Ile Gly Glu Phe Ile  
                   355                                  360                                  365  
 Ser Ser Leu Asn Ser Pro Glu Tyr Ile Ala Asn Gln Tyr Thr Lys Leu  
                   370                                  375                                  380  
 Tyr Phe Glu Gly Val Ser Val Phe Asp Met Leu Asp Ile Val Glu Asn  
                   385                                  390                                  395                                  400  
 Ile Thr Leu Asp Ser Ile Asn Glu Thr Ser Ser Leu Tyr Leu Asn Leu  
                   405                                  410                                  415  
 Asp Gln Gln Val Asp Ser Arg Leu Glu Ile Lys Lys  
                   420                                  425

&lt;210&gt; SEQ ID NO 110

&lt;211&gt; LENGTH: 519

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Staphylococcus sp

&lt;400&gt; SEQUENCE: 110

Met Asn Leu Leu Ser Leu Leu Leu Ile Leu Leu Gly Ile Ile Leu Gly  
 1                  5                                  10                                  15  
 Val Val Gly Gly Tyr Val Val Ala Arg Asn Leu Leu Leu Gln Lys Gln  
                   20                                  25                                  30  
 Ser Gln Ala Arg Gln Thr Ala Glu Asp Ile Val Asn Gln Ala His Lys  
                   35                                  40                                  45  
 Glu Ala Asp Asn Ile Lys Lys Glu Lys Leu Leu Glu Ala Lys Glu Glu  
                   50                                  55                                  60  
 Asn Gln Ile Leu Arg Glu Gln Thr Glu Ala Glu Leu Arg Glu Arg Arg  
                   65                                  70                                  75                                  80  
 Ser Glu Leu Gln Arg Gln Glu Thr Arg Leu Leu Gln Lys Glu Glu Asn  
                   85                                  90                                  95  
 Leu Glu Arg Lys Ser Asp Leu Leu Asp Lys Lys Asp Glu Ile Leu Glu  
                   100                                  105                                  110  
 Gln Lys Glu Ser Lys Ile Glu Glu Lys Gln Gln Gln Val Asp Ala Lys  
                   115                                  120                                  125  
 Glu Ser Ser Val Gln Thr Leu Ile Met Lys His Glu Gln Glu Leu Glu  
                   130                                  135                                  140  
 Arg Ile Ser Gly Leu Thr Gln Glu Glu Ala Ile Asn Glu Gln Leu Gln  
                   145                                  150                                  155                                  160  
 Arg Val Glu Glu Glu Leu Ser Gln Asp Ile Ala Val Leu Val Lys Glu  
                   165                                  170                                  175

-continued

Lys Glu Lys Glu Ala Lys Glu Lys Val Asp Lys Thr Ala Lys Glu Leu  
 180 185 190  
 Leu Ala Thr Ala Val Gln Arg Leu Ala Ala Asp His Thr Ser Glu Ser  
 195 200 205  
 Thr Val Ser Val Val Asn Leu Pro Asn Asp Glu Met Lys Gly Arg Ile  
 210 215 220  
 Ile Gly Arg Glu Gly Arg Asn Ile Arg Thr Leu Glu Thr Leu Thr Gly  
 225 230 235 240  
 Ile Asp Leu Ile Ile Asp Asp Thr Pro Glu Ala Val Ile Leu Ser Gly  
 245 250 255  
 Phe Asp Pro Ile Arg Arg Glu Ile Ala Arg Thr Ala Leu Val Asn Leu  
 260 265 270  
 Val Ser Asp Gly Arg Ile His Pro Gly Arg Ile Glu Asp Met Val Glu  
 275 280 285  
 Lys Ala Arg Lys Glu Val Asp Asp Ile Ile Arg Glu Ala Gly Glu Gln  
 290 295 300  
 Ala Thr Phe Glu Val Asn Ala His Asn Met His Pro Asp Leu Val Lys  
 305 310 315 320  
 Ile Val Gly Arg Leu Asn Tyr Arg Thr Ser Tyr Gly Gln Asn Val Leu  
 325 330 335  
 Lys His Ser Ile Glu Val Ala His Leu Ala Ser Met Leu Ala Ala Glu  
 340 345 350  
 Leu Gly Glu Asp Glu Thr Leu Ala Lys Arg Ala Gly Leu Leu His Asp  
 355 360 365  
 Val Gly Lys Ala Ile Asp His Glu Val Glu Gly Ser His Val Glu Ile  
 370 375 380  
 Gly Val Glu Leu Ala Lys Lys Tyr Gly Glu Asn Glu Thr Val Ile Asn  
 385 390 395 400  
 Ala Ile His Ser His His Gly Asp Val Glu Pro Thr Ser Ile Ile Ser  
 405 410 415  
 Ile Leu Val Ala Ala Ala Asp Ala Leu Ser Ala Ala Arg Pro Gly Ala  
 420 425 430  
 Arg Lys Glu Thr Leu Glu Asn Tyr Ile Arg Arg Leu Glu Arg Leu Glu  
 435 440 445  
 Thr Leu Ser Glu Ser Tyr Asp Gly Val Glu Lys Ala Phe Ala Ile Gln  
 450 455 460  
 Ala Gly Arg Glu Ile Arg Val Ile Val Ser Pro Glu Glu Ile Asp Asp  
 465 470 475 480  
 Leu Lys Ser Tyr Arg Leu Ala Arg Asp Ile Lys Asn Gln Ile Glu Asp  
 485 490 495  
 Glu Leu Gln Tyr Pro Gly His Ile Lys Val Thr Val Val Arg Glu Thr  
 500 505 510  
 Arg Ala Val Glu Tyr Ala Lys  
 515

&lt;210&gt; SEQ ID NO 111

&lt;211&gt; LENGTH: 284

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Staphylococcus sp

&lt;400&gt; SEQUENCE: 111

Met Ser Phe Tyr Val Val Leu Ile Ile Ile Ile Val Ala Leu Ile Gly  
 1 5 10 15



-continued

---

Arg His Arg Arg Arg Arg Asn Gln Thr Thr Glu Glu Gln Asn Tyr Ser  
                   100                                  105                                  110

Glu Gln Arg Gly Asn Ser Lys Ile Ser Gln Gln Ser Ile Lys Tyr Lys  
                   115                                  120                                  125

Asp His Ser His Tyr His Thr Asn Lys Pro Gly Thr Tyr Val Ser Ala  
                   130                                  135                                  140

Ile Asn Gly Ile Glu Lys Glu Thr His Lys Pro Lys Thr His Asn Met  
                   145                                  150                                  155                                  160

Tyr Ser Asn Asn Thr Asn His Arg Ala Lys Asp Ser Thr Pro Asp Tyr  
                                   165                                  170                                  175

His Lys Glu Ser Phe Lys Thr Ser Glu Val Pro Ser Ala Ile Phe Gly  
                                   180                                  185                                  190

Thr Met Lys Pro Lys Lys Leu Glu Asn Gly Arg Ile Pro Val Ser Lys  
                   195                                  200                                  205

Pro Ser Glu Lys Val Glu Ser Asp Lys Gln Lys Tyr Asp Lys Tyr Val  
                   210                                  215                                  220

Ala Lys Thr Gln Thr Ser Gln Asn Lys Gln Leu Glu Gln Glu Lys Gln  
                   225                                  230                                  235                                  240

Asn Asp Ser Val Val Lys Gln Gly Thr Ala Ser Lys Ser Ser Asp Glu  
                                   245                                  250                                  255

Asn Val Ser Ser Thr Thr Lys Ser Met Pro Asn Tyr Ser Lys Val Asp  
                                   260                                  265                                  270

Asn Thr Ile Lys Ile Glu Asn Ile Tyr Ala Ser Gln Ile Val Glu Glu  
                   275                                  280                                  285

Ile Arg Arg Glu Arg Glu Arg Lys Val Leu Gln Lys Arg Arg Phe Lys  
                   290                                  295                                  300

Lys Ala Leu Gln Gln Lys Arg Glu Glu His Lys Asn Glu Glu Gln Asp  
                   305                                  310                                  315                                  320

Ala Ile Gln Arg Ala Ile Asp Glu Met Tyr Ala Lys Gln Ala Glu Arg  
                                   325                                  330                                  335

Tyr Val Gly Asp Ser Ser Leu Asn Asp Asp Ser Asp Leu Thr Asp Asn  
                                   340                                  345                                  350

Ser Thr Asp Ala Ser Gln Leu His Thr Asn Gly Ile Glu Asn Glu Thr  
                   355                                  360                                  365

Val Ser Asn Asp Glu Asn Lys Gln Ala Ser Ile Gln Asn Glu Asp Thr  
                   370                                  375                                  380

Asn Asp Thr His Val Asp Glu Ser Pro Tyr Asn Tyr Glu Glu Val Ser  
                   385                                  390                                  395                                  400

Leu Asn Gln Val Ser Thr Thr Lys Gln Leu Ser Asp Asp Glu Val Thr  
                                   405                                  410                                  415

Val Ser Asn Val Thr Ser Gln His Gln Ser Ala Leu Gln His Asn Val  
                                   420                                  425                                  430

Glu Val Asn Asp Lys Asp Glu Leu Lys Asn Gln Ser Arg Leu Ile Ala  
                   435                                  440                                  445

Asp Ser Glu Glu Asp Gly Ala Thr Asn Lys Glu Glu Tyr Ser Gly Ser  
                   450                                  455                                  460

Gln Ile Asp Asp Ala Glu Phe Tyr Glu Leu Asn Asp Thr Glu Val Asp  
                   465                                  470                                  475                                  480

Glu Asp Thr Thr Ser Asn Ile Glu Asp Asn Thr Asn Arg Asn Ala Ser  
                                   485                                  490                                  495

Glu Met His Val Asp Ala Pro Lys Thr Gln Glu Tyr Ala Val Thr Glu

-continued

500					505					510					
Ser	Gln	Val	Asn	Asn	Ile	Asp	Lys	Thr	Val	Asp	Asn	Glu	Ile	Glu	Leu
			515				520					525			
Ala	Pro	Arg	His	Lys	Lys	Asp	Asp	Gln	Thr	Asn	Leu	Ser	Val	Asn	Ser
			530			535					540				
Leu	Lys	Thr	Asn	Asp	Val	Asn	Asp	Asn	His	Val	Val	Glu	Asp	Ser	Ser
545					550					555					560
Met	Asn	Glu	Ile	Glu	Lys	Asn	Asn	Ala	Glu	Ile	Thr	Glu	Asn	Val	Gln
				565					570						575
Asn	Glu	Ala	Ala	Glu	Ser	Glu	Gln	Asn	Val	Glu	Glu	Lys	Thr	Ile	Glu
			580					585						590	
Asn	Val	Asn	Pro	Lys	Lys	Gln	Thr	Glu	Lys	Val	Ser	Thr	Leu	Ser	Lys
		595					600					605			
Arg	Pro	Phe	Asn	Val	Val	Met	Thr	Pro	Ser	Asp	Lys	Lys	Arg	Met	Met
		610				615					620				
Asp	Arg	Lys	Lys	His	Ser	Lys	Val	Asn	Val	Pro	Glu	Leu	Lys	Pro	Val
625					630					635					640
Gln	Ser	Lys	Gln	Ala	Val	Ser	Glu	Arg	Met	Pro	Ala	Ser	Gln	Ala	Thr
				645					650						655
Pro	Ser	Ser	Arg	Ser	Asp	Ser	Gln	Glu	Ser	Asn	Thr	Asn	Ala	Tyr	Lys
			660					665						670	
Thr	Asn	Asn	Met	Thr	Ser	Asn	Asn	Val	Glu	Asn	Asn	Gln	Leu	Ile	Gly
		675					680						685		
His	Ala	Glu	Thr	Glu	Asn	Asp	Tyr	Gln	Asn	Ala	Gln	Gln	Tyr	Ser	Glu
		690				695						700			
Gln	Lys	Pro	Ser	Val	Asp	Ser	Thr	Gln	Thr	Glu	Ile	Phe	Glu	Glu	Ser
705					710					715					720
Gln	Asp	Asp	Asn	Gln	Leu	Glu	Asn	Glu	Gln	Val	Asp	Gln	Ser	Thr	Ser
				725					730						735
Ser	Ser	Val	Ser	Glu	Val	Ser	Asp	Ile	Thr	Glu	Glu	Ser	Glu	Glu	Thr
			740					745						750	
Thr	His	Pro	Asn	Asn	Thr	Ser	Gly	Gln	Gln	Asp	Asn	Asp	Asp	Gln	Gln
		755					760						765		
Lys	Asp	Leu	Gln	Ser	Ser	Phe	Ser	Asn	Lys	Asn	Glu	Asp	Thr	Ala	Asn
		770				775					780				
Glu	Asn	Arg	Pro	Arg	Thr	Asn	Gln	Gln	Asp	Val	Ala	Thr	Asn	Gln	Ala
785					790					795					800
Val	Gln	Thr	Ser	Lys	Pro	Met	Ile	Arg	Lys	Gly	Pro	Asn	Ile	Lys	Leu
				805					810						815
Pro	Ser	Val	Ser	Leu	Leu	Glu	Glu	Pro	Gln	Val	Ile	Glu	Ser	Asp	Glu
				820				825						830	
Asp	Trp	Ile	Thr	Asp	Lys	Lys	Lys	Glu	Leu	Asn	Asp	Ala	Leu	Phe	Tyr
		835					840						845		
Phe	Asn	Val	Pro	Ala	Glu	Val	Gln	Asp	Val	Thr	Glu	Gly	Pro	Ser	Val
		850				855						860			
Thr	Arg	Phe	Glu	Leu	Ser	Val	Glu	Lys	Gly	Val	Lys	Val	Ser	Arg	Ile
865					870					875					880
Thr	Ala	Leu	Gln	Asp	Asp	Ile	Lys	Met	Ala	Leu	Ala	Ala	Lys	Asp	Ile
				885					890						895
Arg	Ile	Glu	Ala	Pro	Ile	Pro	Gly	Thr	Ser	Arg	Val	Gly	Ile	Glu	Val
			900					905							910

-continued

---

```

Pro Asn Gln Asn Pro Thr Thr Val Asn Leu Arg Ser Ile Ile Glu Ser
   915                               920                       925

Pro Ser Phe Lys Asn Ala Glu Ser Lys Leu Thr Val Ala Met Gly Tyr
   930                               935                       940

Arg Ile Asn Asn Glu Pro Leu Leu Met Asp Ile Ala Lys Thr Pro His
  945                               950                       955                       960

Ala Leu Ile Ala Gly Ala Thr Gly Ser Gly Lys Ser Val Cys Ile Asn
   965                               970                       975

Ser Ile Leu Met Ser Leu Leu Tyr Lys Asn His Pro Glu Glu Leu Arg
   980                               985                       990

Leu Leu Leu Ile Asp Pro Lys Met Val Glu Leu Ala Pro Tyr Asn Gly
   995                               1000                      1005

Leu Pro His Leu Val Ala Pro Val Ile Thr Asp Val Lys Ala Ala
  1010                               1015                      1020

Thr Gln Ser Leu Lys Trp Ala Val Glu Glu Met Glu Arg Arg Tyr
  1025                               1030                      1035

Lys Leu Phe Ala His Tyr His Val Arg Asn Ile Thr Ala Phe Asn
  1040                               1045                      1050

Lys Lys Ala Pro Tyr Asp Glu Arg Met Pro Lys Ile Val Ile Val
  1055                               1060                      1065

Ile Asp Glu Leu Ala Asp Leu Met Met Met Ala Pro Gln Glu Val
  1070                               1075                      1080

Glu Gln Ser Ile Ala Arg Ile Ala Gln Lys Ala Arg Ala Cys Gly
  1085                               1090                      1095

Ile His Met Leu Val Ala Thr Gln Arg Pro Ser Val Asn Val Ile
  1100                               1105                      1110

Thr Gly Leu Leu Lys Ala Asn Ile Pro Thr Arg Ile Ala Phe Met
  1115                               1120                      1125

Val Ser Ser Ser Val Asp Ser Arg Thr Ile Leu Asp Ser Gly Gly
  1130                               1135                      1140

Ala Glu Arg Leu Leu Gly Tyr Gly Asp Met Leu Tyr Leu Gly Ser
  1145                               1150                      1155

Gly Met Asn Lys Pro Ile Arg Val Gln Gly Thr Phe Val Ser Asp
  1160                               1165                      1170

Asp Glu Ile Asp Asp Val Val Asp Phe Ile Lys Gln Gln Arg Glu
  1175                               1180                      1185

Pro Asp Tyr Leu Phe Glu Glu Lys Glu Leu Leu Lys Lys Thr Gln
  1190                               1195                      1200

Thr Gln Ser Gln Asp Glu Leu Phe Asp Asp Val Cys Ala Phe Met
  1205                               1210                      1215

Val Asn Glu Gly His Ile Ser Thr Ser Leu Ile Gln Arg His Phe
  1220                               1225                      1230

Gln Ile Gly Tyr Asn Arg Ala Ala Arg Ile Ile Asp Gln Leu Glu
  1235                               1240                      1245

Gln Leu Gly Tyr Val Ser Ser Ala Asn Gly Ser Lys Pro Arg Asp
  1250                               1255                      1260

Val Tyr Val Thr Glu Ala Asp Leu Asn Lys Glu
  1265                               1270

```

&lt;210&gt; SEQ ID NO 113

&lt;211&gt; LENGTH: 239

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Staphylococcus sp

-continued

&lt;400&gt; SEQUENCE: 113

Met Asn Lys Asn Ile Ile Ile Lys Ser Leu Ala Ala Leu Thr Ile Leu  
 1 5 10 15  
 Thr Ser Ile Thr Gly Val Gly Thr Thr Met Val Glu Gly Ile Gln Gln  
 20 25 30  
 Thr Ala Lys Ala Glu Asn Thr Val Lys Gln Ile Thr Asn Thr Asn Val  
 35 40 45  
 Ala Pro Tyr Ser Gly Val Thr Trp Met Gly Ala Gly Thr Gly Phe Val  
 50 55 60  
 Val Gly Asn His Thr Ile Ile Thr Asn Lys His Val Thr Tyr His Met  
 65 70 75 80  
 Lys Val Gly Asp Glu Leu Lys Ala His Pro Asn Gly Phe Tyr Asn Asn  
 85 90 95  
 Gly Gly Gly Leu Tyr Lys Val Thr Lys Ile Val Asp Tyr Pro Gly Lys  
 100 105 110  
 Glu Asp Ile Ala Val Val Gln Val Glu Glu Lys Ser Thr Gln Pro Lys  
 115 120 125  
 Gly Arg Lys Phe Lys Asp Phe Thr Ser Lys Phe Asn Ile Ala Ser Glu  
 130 135 140  
 Ala Lys Glu Asn Glu Pro Ile Ser Val Ile Gly Tyr Pro Asn Pro Asn  
 145 150 155 160  
 Gly Asn Lys Leu Gln Met Tyr Glu Ser Thr Gly Lys Val Leu Ser Val  
 165 170 175  
 Asn Gly Asn Ile Val Ser Ser Asp Ala Ile Ile Gln Pro Gly Ser Ser  
 180 185 190  
 Gly Ser Pro Ile Leu Asn Ser Lys His Glu Ala Ile Gly Val Ile Tyr  
 195 200 205  
 Ala Gly Asn Lys Pro Ser Gly Glu Ser Thr Arg Gly Phe Ala Val Tyr  
 210 215 220  
 Phe Ser Pro Glu Ile Lys Lys Phe Ile Ala Asp Asn Leu Asp Lys  
 225 230 235

&lt;210&gt; SEQ ID NO 114

&lt;211&gt; LENGTH: 238

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Staphylococcus sp

&lt;400&gt; SEQUENCE: 114

Met Asn Lys Asn Ile Ile Ile Lys Ser Leu Ala Ala Leu Thr Ile Leu  
 1 5 10 15  
 Thr Ser Val Thr Gly Val Gly Thr Thr Val Val Glu Gly Ile Gln Gln  
 20 25 30  
 Thr Ala Lys Ala Glu His Asn Val Lys Leu Ile Lys Asn Thr Asn Val  
 35 40 45  
 Ala Pro Tyr Asn Gly Val Val Ser Ile Gly Ser Gly Thr Gly Phe Ile  
 50 55 60  
 Val Gly Lys Asn Thr Ile Val Thr Asn Lys His Val Val Ala Gly Met  
 65 70 75 80  
 Glu Ile Gly Ala His Ile Ile Ala His Pro Asn Gly Glu Tyr Asn Asn  
 85 90 95  
 Gly Gly Phe Tyr Lys Val Lys Lys Ile Val Arg Tyr Ser Gly Gln Glu  
 100 105 110

-continued

---

Asp Ile Ala Ile Leu His Val Glu Asp Lys Ala Val His Pro Lys Asn  
           115                                  120                                  125  
  
 Arg Asn Phe Lys Asp Tyr Thr Gly Ile Leu Lys Ile Ala Ser Glu Ala  
       130                                  135                                  140  
  
 Lys Glu Asn Glu Arg Ile Ser Ile Val Gly Tyr Pro Glu Pro Tyr Ile  
   145                                  150                                  155                                  160  
  
 Asn Lys Phe Gln Met Tyr Glu Ser Thr Gly Lys Val Leu Ser Val Lys  
           165                                  170                                  175  
  
 Gly Asn Met Ile Ile Thr Asp Ala Phe Val Glu Pro Gly Asn Ser Gly  
           180                                  185                                  190  
  
 Ser Ala Val Phe Asn Ser Lys Tyr Glu Val Val Gly Val His Phe Gly  
           195                                  200                                  205  
  
 Gly Asn Gly Pro Gly Asn Lys Ser Thr Lys Gly Tyr Gly Val Tyr Phe  
       210                                  215                                  220  
  
 Ser Pro Glu Ile Lys Lys Phe Ile Ala Asp Asn Thr Asp Lys  
   225                                  230                                  235

&lt;210&gt; SEQ ID NO 115

&lt;211&gt; LENGTH: 239

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Staphylococcus sp

&lt;400&gt; SEQUENCE: 115

Met Asn Lys Asn Ile Ile Ile Lys Ser Leu Ala Ala Leu Thr Ile Leu  
 1                                  5                                  10                                  15  
  
 Thr Ser Ile Thr Gly Val Gly Thr Thr Val Val Asp Gly Ile Gln Gln  
           20                                  25                                  30  
  
 Thr Ala Lys Ala Glu Asn Ser Val Lys Leu Ile Thr Asn Thr Asn Val  
       35                                  40                                  45  
  
 Ala Pro Tyr Ser Gly Val Thr Trp Met Gly Ala Gly Thr Gly Phe Val  
       50                                  55                                  60  
  
 Val Gly Asn His Thr Ile Ile Thr Asn Lys His Val Thr Tyr His Met  
   65                                  70                                  75                                  80  
  
 Lys Val Gly Asp Glu Leu Lys Ala His Pro Asn Gly Phe Tyr Asn Asn  
           85                                  90                                  95  
  
 Gly Gly Gly Leu Tyr Lys Val Thr Lys Ile Val Asp Tyr Pro Gly Lys  
       100                                  105                                  110  
  
 Glu Asp Ile Ala Val Val Gln Val Glu Glu Lys Ser Thr Gln Pro Lys  
   115                                  120                                  125  
  
 Gly Arg Lys Phe Lys Asp Phe Thr Ser Lys Phe Asn Ile Ala Ser Glu  
   130                                  135                                  140  
  
 Ala Lys Glu Asn Glu Pro Ile Ser Val Ile Gly Tyr Pro Asn Pro Asn  
   145                                  150                                  155                                  160  
  
 Gly Asn Lys Leu Gln Met Tyr Glu Ser Thr Gly Lys Val Leu Ser Val  
           165                                  170                                  175  
  
 Asn Gly Asn Ile Val Thr Ser Asp Ala Val Val Gln Pro Gly Ser Ser  
   180                                  185                                  190  
  
 Gly Ser Pro Ile Leu Asn Ser Lys Arg Glu Ala Ile Gly Val Met Tyr  
   195                                  200                                  205  
  
 Ala Ser Asp Lys Pro Thr Gly Glu Ser Thr Arg Ser Phe Ala Val Tyr  
   210                                  215                                  220  
  
 Phe Ser Pro Glu Ile Lys Lys Phe Ile Ala Asp Asn Leu Asp Lys  
   225                                  230                                  235

-continued

---

```

<210> SEQ ID NO 116
<211> LENGTH: 239
<212> TYPE: PRT
<213> ORGANISM: Staphylococcus sp

<400> SEQUENCE: 116

Met Asn Lys Asn Ile Val Ile Lys Ser Met Ala Ala Leu Ala Ile Leu
1          5          10          15
Thr Ser Val Thr Gly Ile Asn Ala Ala Val Val Glu Glu Thr Gln Gln
20        25        30
Ile Ala Asn Ala Glu Lys Asn Val Thr Gln Val Lys Asp Thr Asn Ile
35        40        45
Phe Pro Tyr Asn Gly Val Val Ser Phe Lys Asp Ala Thr Gly Phe Val
50        55        60
Ile Gly Lys Asn Thr Ile Ile Thr Asn Lys His Val Ser Lys Asp Tyr
65        70        75        80
Lys Val Gly Asp Arg Ile Thr Ala His Pro Asn Gly Asp Lys Gly Asn
85        90        95
Gly Gly Ile Tyr Lys Ile Lys Ser Ile Ser Asp Tyr Pro Gly Asp Glu
100       105       110
Asp Ile Ser Val Met Asn Ile Glu Glu Gln Ala Val Glu Arg Gly Pro
115       120       125
Lys Gly Phe Asn Phe Asn Glu Asn Val Gln Ala Phe Asn Phe Ala Lys
130       135       140
Asp Ala Lys Val Asp Asp Lys Ile Lys Val Ile Gly Tyr Pro Leu Pro
145       150       155       160
Ala Gln Asn Ser Phe Lys Gln Phe Glu Ser Thr Gly Thr Ile Lys Arg
165       170       175
Ile Lys Asp Asn Ile Leu Asn Phe Asp Ala Tyr Ile Glu Pro Gly Asn
180       185       190
Ser Gly Ser Pro Val Leu Asn Ser Asn Asn Glu Val Ile Gly Val Val
195       200       205
Tyr Gly Gly Ile Gly Lys Ile Gly Ser Glu Tyr Asn Gly Ala Val Tyr
210       215       220
Phe Thr Pro Gln Ile Lys Asp Phe Ile Gln Lys His Ile Glu Gln
225       230       235

```

```

<210> SEQ ID NO 117
<211> LENGTH: 240
<212> TYPE: PRT
<213> ORGANISM: Staphylococcus sp

<400> SEQUENCE: 117

Met Asn Lys Asn Val Val Ile Lys Ser Leu Ala Ala Leu Thr Ile Leu
1          5          10          15
Thr Ser Val Thr Gly Ile Gly Thr Thr Leu Val Glu Glu Val Gln Gln
20        25        30
Thr Ala Lys Ala Glu Asn Asn Val Thr Lys Val Lys Asp Thr Asn Ile
35        40        45
Phe Pro Tyr Thr Gly Val Val Ala Phe Lys Ser Ala Thr Gly Phe Val
50        55        60
Val Gly Lys Asn Thr Ile Leu Thr Asn Lys His Val Ser Lys Asn Tyr
65        70        75        80
Lys Val Gly Asp Arg Ile Thr Ala His Pro Asn Ser Asp Lys Gly Asn

```



-continued

---

210	215	220
Leu Lys Glu Phe Ile	Gln Asn Asn Ile Glu Lys	
225	230	235

<210> SEQ ID NO 119  
 <211> LENGTH: 163  
 <212> TYPE: PRT  
 <213> ORGANISM: Staphylococcus sp

<400> SEQUENCE: 119

Met Leu Lys Arg Ser	Leu Leu Phe Leu Thr Val	Leu Leu Leu Leu Phe
1	5	10 15
Ser Phe Ser Ser Ile	Thr Asn Glu Val Ser Ala Ser Ser Ser Phe Asp	
	20	25 30
Lys Gly Lys Tyr Lys	Lys Gly Asp Asp Ala Ser Tyr Phe Glu Pro Thr	
	35	40 45
Gly Pro Tyr Leu Met	Val Asn Val Thr Gly Val Asp Gly Lys Gly Asn	
	50	55 60
Glu Leu Leu Ser Pro	His Tyr Val Glu Phe Pro Ile Lys Pro Gly Thr	
65	70	75 80
Thr Leu Thr Lys Glu	Lys Ile Glu Tyr Tyr Val Glu Trp Ala Leu Asp	
	85	90 95
Ala Thr Ala Tyr Lys	Glu Phe Arg Val Val Glu Leu Asp Pro Ser Ala	
	100	105 110
Lys Ile Glu Val Thr	Tyr Tyr Asp Lys Asn Lys Lys Lys Glu Glu Thr	
	115	120 125
Lys Ser Phe Pro Ile	Thr Glu Lys Gly Phe Val Val Pro Asp Leu Ser	
	130	135 140
Glu His Ile Lys Asn	Pro Gly Phe Asn Leu Ile Thr Lys Val Ile Ile	
145	150	155 160

Glu Lys Lys

<210> SEQ ID NO 120  
 <211> LENGTH: 290  
 <212> TYPE: PRT  
 <213> ORGANISM: Staphylococcus sp

<400> SEQUENCE: 120

Met Lys Lys Lys Ala	Leu Leu Pro Leu Phe Leu Gly Ile Met Val Phe
1	5 10 15
Leu Ala Gly Cys Asp	Tyr Ser Lys Pro Glu Lys Arg Ser Gly Phe Phe
	20 25 30
Tyr Asn Thr Phe Val	Asp Pro Met Lys Asn Val Leu Asp Trp Leu Gly
	35 40 45
Asn Asn Leu Leu Asn	Asp Asn Tyr Gly Leu Ala Ile Ile Ile Leu Val
	50 55 60
Leu Val Ile Arg Ile	Ile Leu Leu Pro Phe Met Leu Ser Asn Tyr Lys
65	70 75 80
Asn Ser His Met Met	Arg Gln Lys Met Lys Val Ala Lys Pro Glu Val
	85 90 95
Glu Lys Ile Gln Glu	Lys Val Lys Arg Ala Arg Thr Gln Glu Glu Lys
	100 105 110
Met Ala Ala Asn Gln	Glu Leu Met Gln Val Tyr Lys Lys Tyr Asp Met
	115 120 125



-continued

---

Glu Phe Lys Ser Gly Gly Lys Lys Lys Met Val Ile Ala Glu Ala Asn  
 195 200 205  
 Lys Val Thr Pro Ile Gly Asn Phe Ile Pro Gly Thr Tyr Arg Ile Pro  
 210 215 220  
 Ala Met Lys Ser Thr Glu Asn Gly Asp Phe Ala Gly His Leu Lys Phe  
 225 230 235 240  
 Asp Phe Arg Gln Ser Asn Ser Glu Thr Val Asp Val Thr Glu Asp Phe  
 245 250 255  
 Glu Glu Ala Asn Ile Ser Val Thr Leu Lys Gly Asp Thr Lys Leu Asn  
 260 265 270  
 Asp Ser Ser Lys Lys Val Thr Ile Asn Asp His Glu Met Ala Phe Ser  
 275 280 285  
 Ser Ser Lys Thr Tyr Gly Pro Tyr Pro Gln Asn Lys Asp Ile Thr Ile  
 290 295 300  
 Ser Ala Ser Gly Lys Ala Lys Asp Lys Thr Phe Thr Thr Gln Thr Lys  
 305 310 315 320  
 Thr Leu Lys Ala Ser Asp Leu Lys Tyr Asn Thr Glu Ile Thr Leu Asn  
 325 330 335  
 Phe Asp Ser Glu Asp Ile Glu Asp Tyr Val Glu Lys Lys Glu Lys Glu  
 340 345 350  
 Glu Asn Ser Leu Lys Asn Lys Leu Ile Glu Phe Phe Ala Gly Tyr Ser  
 355 360 365  
 Leu Ala Asn Asn Ala Ala Phe Asn Gln Ser Asp Phe Asp Phe Val Ser  
 370 375 380  
 Ser Tyr Ile Lys Lys Gly Ser Ser Phe Tyr Asp Asp Val Lys Lys Arg  
 385 390 395 400  
 Val Ser Lys Gly Ser Leu Met Met Ile Ser Ser Pro Gln Ile Ile Asp  
 405 410 415  
 Ala Glu Lys His Gly Asp Lys Ile Thr Ala Thr Val Arg Leu Ile Asn  
 420 425 430  
 Glu Asn Gly Lys Gln Val Asp Lys Glu Tyr Glu Leu Glu Gln Gly Ser  
 435 440 445  
 Gln Asp Arg Leu Gln Leu Ile Lys Thr Ser Glu Lys  
 450 455 460

&lt;210&gt; SEQ ID NO 122

&lt;211&gt; LENGTH: 322

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Staphylococcus sp

&lt;400&gt; SEQUENCE: 122

Met Arg Lys Lys Trp Ser Thr Leu Ala Phe Gly Phe Leu Val Ala Ala  
 1 5 10 15  
 Tyr Ala His Ile Arg Ile Lys Glu Lys Arg Ser Val Lys Ser Tyr Met  
 20 25 30  
 Leu Glu Gln Gly Ile Arg Leu Ser Arg Ala Lys Arg Arg Phe Met Tyr  
 35 40 45  
 Lys Glu Glu Ala Met Lys Ala Leu Glu Lys Met Ala Pro Gln Thr Ala  
 50 55 60  
 Gly Glu Tyr Glu Gly Thr Asn Tyr Gln Phe Lys Met Pro Val Lys Val  
 65 70 75 80  
 Asp Lys His Phe Gly Ser Thr Val Tyr Thr Val Asn Asp Lys Gln Asp  
 85 90 95

-continued

---

Lys His Gln Arg Val Val Leu Tyr Ala His Gly Gly Ala Trp Phe Gln  
                   100                                  105                                  110  
 Asp Pro Leu Lys Ile His Phe Glu Phe Ile Asp Glu Leu Ala Glu Thr  
                   115                                  120                                  125  
 Leu Asn Ala Lys Val Ile Met Pro Val Tyr Pro Lys Ile Pro His Gln  
                   130                                  135                                  140  
 Asp Tyr Gln Ala Thr Tyr Val Leu Phe Glu Lys Leu Tyr His Asp Leu  
                   145                                  150                                  155                                  160  
 Leu Asn Gln Val Ala Asp Ser Lys Gln Ile Val Val Met Gly Asp Ser  
                                   165                                  170                                  175  
 Ala Gly Gly Gln Ile Ala Leu Ser Phe Ala Gln Leu Leu Lys Glu Lys  
                                   180                                  185                                  190  
 His Ile Val Gln Pro Gly His Ile Val Leu Ile Ser Pro Val Leu Asp  
                   195                                  200                                  205  
 Ala Thr Met Gln His Pro Glu Ile Pro Asp Tyr Leu Lys Lys Asp Pro  
                   210                                  215                                  220  
 Met Val Gly Val Asp Gly Ser Val Phe Leu Ala Glu Gln Trp Ala Gly  
                   225                                  230                                  235                                  240  
 Asp Thr Pro Leu Asp Asn Tyr Lys Val Ser Pro Ile Asn Gly Asp Leu  
                                   245                                  250                                  255  
 Asp Gly Leu Gly Arg Ile Thr Leu Thr Val Gly Thr Lys Glu Val Leu  
                                   260                                  265                                  270  
 Tyr Pro Asp Ala Leu Asn Leu Ser Gln Leu Leu Ser Ala Lys Gly Ile  
                   275                                  280                                  285  
 Glu His Asp Phe Ile Pro Gly Tyr Tyr Gln Phe His Ile Tyr Pro Val  
                   290                                  295                                  300  
 Phe Pro Ile Pro Glu Arg Arg Arg Phe Leu Tyr Gln Val Lys Asn Ile  
                   305                                  310                                  315                                  320

Ile Asn

&lt;210&gt; SEQ ID NO 123

&lt;211&gt; LENGTH: 143

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Staphylococcus sp

&lt;400&gt; SEQUENCE: 123

Met Glu Tyr Lys Lys Ile Leu Ile Arg Leu Leu Ile Ala Phe Ala Val  
 1                  5                                  10                                  15  
 Leu Phe Ser Ala Asp Phe Thr Tyr Gln Ser Val Glu Gln Thr His Gln  
                   20                                  25                                  30  
 Ser His Ala Ala Val Asn Tyr Tyr Ser Lys Asn Gln Cys Thr Trp Trp  
                   35                                  40                                  45  
 Ala Phe Lys Arg Arg Ala Gln Val Gly Lys Pro Val Ser Asn Arg Trp  
                   50                                  55                                  60  
 Gly Asn Ala Lys Asn Trp Tyr Tyr Asn Ala Arg Lys Ser Lys Tyr Ala  
                   65                                  70                                  75                                  80  
 Thr Gly Arg Thr Pro Arg Lys Phe Ala Val Met Gln Ser Thr Ala Gly  
                   85                                  90                                  95  
 Tyr Tyr Gly His Val Ala Val Val Glu Gln Val Tyr Lys Asn Gly Ser  
                   100                                  105                                  110  
 Ile Lys Val Ser Glu Tyr Asn Phe Tyr Arg Pro Leu Lys Tyr Asn Thr  
                   115                                  120                                  125  
 Arg Val Leu Ser Lys Lys Ala Ala Arg Asn Phe Asn Tyr Ile Tyr

-continued

---

130	135	140
<210> SEQ ID NO 124		
<211> LENGTH: 255		
<212> TYPE: PRT		
<213> ORGANISM: Staphylococcus sp		
<400> SEQUENCE: 124		
Met Lys Lys Ile Val Thr Ala Thr Ile Ala Thr Ala Gly Leu Ala Thr		
1	5	10 15
Ile Ala Phe Ala Gly His Asp Ala Gln Ala Ala Glu Gln Asn Asn Asn		
	20	25 30
Gly Tyr Asn Ser Asn Asp Ala Gln Ser Tyr Ser Tyr Thr Tyr Thr Ile		
	35	40 45
Asp Ala Gln Gly Asn Tyr His Tyr Thr Trp Thr Gly Asn Trp Asn Pro		
	50	55 60
Ser Gln Leu Thr Gln Asn Asn Thr Tyr Tyr Tyr Asn Asn Tyr Asn Thr		
65	70	75 80
Tyr Ser Tyr Asn Asn Ala Ser Tyr Asn Asn Tyr Tyr Asn His Ser Tyr		
	85	90 95
Gln Tyr Asn Asn Tyr Thr Asn Asn Ser Gln Thr Ala Thr Asn Asn Tyr		
	100	105 110
Tyr Thr Gly Gly Ser Gly Ala Ser Tyr Ser Thr Thr Ser Asn Asn Val		
	115	120 125
His Val Thr Thr Thr Ala Ala Pro Ser Ser Asn Gly Arg Ser Ile Ser		
	130	135 140
Asn Gly Tyr Ala Ser Gly Ser Asn Leu Tyr Thr Ser Gly Gln Cys Thr		
145	150	155 160
Tyr Tyr Val Phe Asp Arg Val Gly Gly Lys Ile Gly Ser Thr Trp Gly		
	165	170 175
Asn Ala Ser Asn Trp Ala Asn Ala Ala Ala Ser Ser Gly Tyr Thr Val		
	180	185 190
Asn Asn Thr Pro Lys Val Gly Ala Ile Met Gln Thr Thr Gln Gly Tyr		
	195	200 205
Tyr Gly His Val Ala Tyr Val Glu Gly Val Asn Ser Asn Gly Ser Val		
	210	215 220
Arg Val Ser Glu Met Asn Tyr Gly His Gly Ala Gly Val Val Thr Ser		
225	230	235 240
Arg Thr Ile Ser Ala Asn Gln Ala Gly Ser Tyr Asn Phe Ile His		
	245	250 255

---

<210> SEQ ID NO 125		
<211> LENGTH: 131		
<212> TYPE: PRT		
<213> ORGANISM: Staphylococcus sp		
<400> SEQUENCE: 125		
Met Lys Lys Leu Ile Ile Ser Leu Met Ala Val Met Leu Phe Leu Thr		
1	5	10 15
Gly Cys Gly Lys Ser Gln Glu Lys Ala Thr Leu Glu Lys Asp Ile Asp		
	20	25 30
Asn Leu Gln Lys Glu Asn Lys Glu Leu Lys Asp Lys Lys Glu Lys Leu		
	35	40 45
Gln Gln Glu Lys Glu Lys Leu Ala Asp Lys Gln Lys Asp Leu Glu Lys		
	50	55 60

-continued

---

Glu Val Lys Asp Leu Lys Pro Ser Lys Glu Asp Asn Lys Asp Asp Lys  
65 70 75 80

Lys Asp Glu Asp Lys Asn Lys Asp Lys Asp Lys Asp Lys Glu Ala Ser  
85 90 95

Gln Asp Lys Gln Ser Lys Asp Gln Thr Lys Ser Ser Asp Lys Asp Asn  
100 105 110

His Lys Lys Pro Thr Ser Ala Asp Lys Asp Gln Lys Ala Asn Asp Lys  
115 120 125

His Gln Ser  
130

<210> SEQ ID NO 126  
 <211> LENGTH: 192  
 <212> TYPE: PRT  
 <213> ORGANISM: Staphylococcus sp

<400> SEQUENCE: 126

Met Thr Lys Arg Pro Lys Arg Ile Leu Ala Thr Ile Ile Ile Phe Leu  
1 5 10 15

Ser Leu Leu Phe Thr Ile Ile Tyr Ile Asp Asp Ile Gln Lys Trp Phe  
20 25 30

Asn Gln Tyr Thr Asp Lys Leu Thr Gln Asn His Lys Gly Gln Gly His  
35 40 45

Ser Lys Trp Glu Asp Phe Phe Arg Gly Ser Arg Ile Thr Glu Thr Phe  
50 55 60

Gly Lys Tyr Gln His Ser Pro Phe Asp Gly Lys His Tyr Gly Ile Asp  
65 70 75 80

Phe Ala Leu Pro Lys Gly Thr Pro Leu Lys Ala Pro Thr Asn Gly Lys  
85 90 95

Val Thr Arg Ile Phe Asn Asn Glu Leu Gly Gly Lys Val Leu Gln Ile  
100 105 110

Ala Glu Asp Asn Gly Glu Tyr His Gln Trp Tyr Leu His Leu Asp Lys  
115 120 125

Tyr Asn Val Lys Val Gly Asp Arg Val Lys Ala Gly Asp Ile Ile Ala  
130 135 140

Tyr Ser Gly Asn Thr Gly Ile Gln Thr Thr Gly Ala His Leu His Phe  
145 150 155 160

Gln Arg Met Lys Gly Gly Val Gly Asn Ala Tyr Ala Glu Asp Pro Lys  
165 170 175

Pro Phe Ile Asp Gln Leu Pro Asp Gly Glu Arg Ser Leu Tyr Asp Leu  
180 185 190

<210> SEQ ID NO 127  
 <211> LENGTH: 505  
 <212> TYPE: PRT  
 <213> ORGANISM: Staphylococcus sp

<400> SEQUENCE: 127

Met Thr Gln Gln Gln Asn Asp Lys Arg Thr Leu Lys Asn Lys His Thr  
1 5 10 15

Tyr Gln Asn Glu Pro Leu Pro Asn Arg Lys Asp Phe Val Val Ser Phe  
20 25 30

Ile Thr Gly Ala Leu Val Gly Ser Ala Leu Gly Leu Tyr Phe Lys Asn  
35 40 45

-continued

---

Lys Val Tyr Gln Lys Ala Asp Asp Leu Lys Val Lys Glu Gln Glu Leu  
 50 55 60  
 Ser Gln Lys Phe Glu Glu Arg Lys Thr Gln Leu Glu Glu Thr Val Ala  
 65 70 75 80  
 Tyr Thr Lys Glu Arg Val Glu Gly Phe Leu Asn Lys Ser Lys Asn Glu  
 85 90 95  
 Gln Ala Ala Leu Lys Ala Gln Gln Ala Ala Ile Lys Glu Glu Ala Ser  
 100 105 110  
 Ala Asn Asn Leu Ser Asp Thr Ser Gln Glu Ala Gln Glu Ile Gln Glu  
 115 120 125  
 Ala Lys Arg Glu Ala Gln Ala Glu Ala Asp Lys Ser Val Ala Val Ser  
 130 135 140  
 Asn Lys Glu Ser Lys Ala Val Ala Leu Lys Ala Gln Gln Ala Ala Ile  
 145 150 155 160  
 Lys Glu Glu Ala Ser Ala Asn Asn Leu Ser Asp Thr Ser Gln Glu Ala  
 165 170 175  
 Gln Glu Ile Gln Glu Ala Lys Lys Glu Ala Gln Ala Glu Thr Asp Lys  
 180 185 190  
 Ser Ala Ala Val Ser Asn Glu Glu Pro Lys Ala Val Ala Leu Lys Ala  
 195 200 205  
 Gln Gln Ala Ala Ile Lys Glu Glu Ala Ser Ala Asn Asn Leu Ser Asp  
 210 215 220  
 Thr Ser Gln Glu Ala Gln Glu Val Gln Glu Ala Lys Lys Glu Ala Gln  
 225 230 235 240  
 Ala Glu Thr Asp Lys Ser Ala Ala Val Ser Asn Glu Glu Pro Lys Ala  
 245 250 255  
 Val Ala Leu Lys Ala Gln Gln Ala Ala Ile Lys Glu Glu Ala Ser Ala  
 260 265 270  
 Asn Asn Leu Ser Asp Ile Ser Gln Glu Ala Gln Glu Val Gln Glu Ala  
 275 280 285  
 Lys Lys Glu Ala Gln Ala Glu Lys Asp Ser Asp Thr Leu Thr Lys Asp  
 290 295 300  
 Ala Ser Ala Ala Lys Val Glu Val Ser Lys Pro Glu Ser Gln Ala Glu  
 305 310 315 320  
 Arg Leu Ala Asn Ala Ala Lys Gln Lys Gln Ala Lys Leu Thr Pro Gly  
 325 330 335  
 Ser Lys Glu Ser Gln Leu Thr Glu Ala Leu Phe Ala Glu Lys Pro Val  
 340 345 350  
 Ala Lys Asn Asp Leu Lys Glu Ile Pro Gln Leu Val Thr Lys Lys Asn  
 355 360 365  
 Asp Val Ser Glu Thr Glu Thr Val Asn Ile Asp Asn Lys Asp Thr Val  
 370 375 380  
 Lys Gln Lys Glu Ala Lys Phe Glu Asn Gly Val Ile Thr Arg Lys Ala  
 385 390 395 400  
 Asp Glu Lys Thr Thr Asn Asn Thr Ala Val Asp Lys Lys Ser Gly Lys  
 405 410 415  
 Gln Ser Lys Lys Thr Thr Pro Ser Asn Lys Arg Asn Ala Ser Lys Ala  
 420 425 430  
 Ser Thr Asn Lys Thr Ser Gly Gln Lys Lys Gln His Asn Lys Lys Ser  
 435 440 445  
 Ser Gln Gly Ala Lys Lys Gln Ser Ser Ser Ser Lys Ser Thr Gln Lys  
 450 455 460

-continued

---

```

Asn Asn Gln Thr Ser Asn Lys Asn Ser Lys Thr Thr Asn Ala Lys Ser
465                470                475                480

Ser Asn Ala Ser Lys Thr Pro Asn Ala Lys Val Glu Lys Ala Lys Ser
                485                490                495

Lys Ile Glu Lys Arg Thr Phe Asn Asp
                500                505

```

```

<210> SEQ ID NO 128
<211> LENGTH: 305
<212> TYPE: PRT
<213> ORGANISM: Staphylococcus sp

```

```

<400> SEQUENCE: 128

```

```

Met Phe Lys Arg Thr Lys Leu Ile Leu Ile Ala Thr Leu Leu Leu Ser
1                5                10                15

Gly Cys Ser Thr Thr Asn Asn Glu Ser Asn Lys Glu Thr Lys Ser Val
                20                25                30

Pro Glu Glu Met Glu Ala Ser Lys Tyr Val Gly Gln Gly Phe Gln Pro
                35                40                45

Pro Ala Glu Lys Asp Val Val Glu Phe Ala Lys Lys His Lys Asp Lys
                50                55                60

Ile Ala Lys Arg Gly Glu Gln Phe Phe Met Asp Asn Phe Gly Leu Lys
65                70                75                80

Val Lys Ala Thr Asn Val Val Gly Ser Gly Lys Gly Val Glu Val Phe
                85                90                95

Val His Cys Asp Asp His Asp Ile Val Phe Asn Ala Ser Ile Pro Phe
                100                105                110

Asp Lys Ser Ile Ile Glu Ser Asp Ser Ser Leu Arg Ser Glu Asp Lys
                115                120                125

Gly Asp Asp Met Ser Thr Leu Val Gly Thr Val Leu Ser Gly Phe Glu
                130                135                140

Tyr Arg Thr Gln Lys Glu Lys Tyr Asp Asn Leu Tyr Lys Phe Phe Lys
145                150                155                160

Asp Asn Glu Glu Lys Tyr Gln Tyr Thr Gly Phe Thr Lys Glu Ala Ile
                165                170                175

Asn Lys Thr Gln Asn Val Gly Tyr Lys Asn Glu Tyr Phe Tyr Ile Thr
                180                185                190

Tyr Ser Ser Arg Ser Leu Lys Glu Tyr Arg Lys Tyr Tyr Glu Pro Leu
                195                200                205

Ile His Lys Asn Asp Lys Glu Phe Lys Glu Gly Met Glu Gln Ala Arg
                210                215                220

Lys Glu Val Asn Tyr Ala Ala Asn Thr Asp Thr Val Thr Thr Leu Phe
225                230                235                240

Ser Thr Lys Glu Asn Phe Thr Lys Asp Asn Thr Val Asp Asp Val Ile
                245                250                255

Glu Leu Ser Asp Lys Leu Tyr Asn Phe Lys Asn Lys Pro Glu Lys Ser
                260                265                270

Thr Ile Thr Ile Gln Ile Gly Lys Pro Thr Ile Asn Thr Lys Lys Ala
                275                280                285

Phe Tyr Asp Asp Asn Asp Pro Ile Glu Tyr Gly Val Tyr Arg Lys Asp
                290                295                300

Glu
305

```

-continued

<210> SEQ ID NO 129  
 <211> LENGTH: 226  
 <212> TYPE: PRT  
 <213> ORGANISM: Staphylococcus sp

<400> SEQUENCE: 129

Met Lys Phe Lys Ala Ile Ala Lys Ala Ser Leu Ala Leu Gly Met Leu  
 1 5 10 15  
 Ala Thr Gly Val Ile Thr Ser Asn Val Gln Ser Val Gln Ala Lys Ala  
 20 25 30  
 Glu Val Lys Gln Gln Ser Glu Ser Glu Leu Lys His Tyr Tyr Asn Lys  
 35 40 45  
 Pro Ile Leu Glu Arg Lys Asn Val Thr Gly Phe Lys Tyr Thr Asp Glu  
 50 55 60  
 Gly Lys His Tyr Leu Glu Val Thr Val Gly Gln Gln His Ser Arg Ile  
 65 70 75 80  
 Thr Leu Leu Gly Ser Asp Lys Asp Lys Phe Lys Asp Gly Glu Asn Ser  
 85 90 95  
 Asn Ile Asp Val Phe Ile Leu Arg Glu Gly Asp Ser Arg Gln Ala Thr  
 100 105 110  
 Asn Tyr Ser Ile Gly Gly Val Thr Lys Ser Asn Ser Val Gln Tyr Ile  
 115 120 125  
 Asp Tyr Ile Asn Thr Pro Ile Leu Glu Ile Lys Lys Asp Asn Glu Asp  
 130 135 140  
 Val Leu Lys Asp Phe Tyr Tyr Ile Ser Lys Glu Asp Ile Ser Leu Lys  
 145 150 155 160  
 Glu Leu Asp Tyr Arg Leu Arg Glu Arg Ala Ile Lys Gln His Gly Leu  
 165 170 175  
 Tyr Ser Asn Gly Leu Lys Gln Gly Gln Ile Thr Ile Thr Met Asn Asp  
 180 185 190  
 Gly Thr Thr His Thr Ile Asp Leu Ser Gln Lys Leu Glu Lys Glu Arg  
 195 200 205  
 Met Gly Glu Ser Ile Asp Gly Thr Lys Ile Asn Lys Ile Leu Val Glu  
 210 215 220  
 Met Lys  
 225

<210> SEQ ID NO 130  
 <211> LENGTH: 231  
 <212> TYPE: PRT  
 <213> ORGANISM: Staphylococcus sp

<400> SEQUENCE: 130

Met Lys Met Lys Asn Ile Ala Lys Ile Ser Leu Leu Leu Gly Ile Leu  
 1 5 10 15  
 Ala Thr Gly Val Asn Thr Thr Thr Glu Lys Pro Val His Ala Glu Lys  
 20 25 30  
 Lys Pro Ile Val Ile Ser Glu Asn Ser Lys Lys Leu Lys Ala Tyr Tyr  
 35 40 45  
 Asn Gln Pro Ser Ile Glu Tyr Lys Asn Val Thr Gly Tyr Ile Ser Phe  
 50 55 60  
 Ile Gln Pro Ser Ile Lys Phe Met Asn Ile Ile Asp Gly Asn Ser Val  
 65 70 75 80

-continued

---

Asn Asn Ile Ala Leu Ile Gly Lys Asp Lys Gln His Tyr His Thr Gly  
                   85                                  90                                  95  
 Val His Arg Asn Leu Asn Ile Phe Tyr Val Asn Glu Asp Lys Arg Phe  
                   100                                  105                                  110  
 Glu Gly Ala Lys Tyr Ser Ile Gly Gly Ile Thr Ser Ala Asn Asp Lys  
                   115                                  120                                  125  
 Ala Val Asp Leu Ile Ala Glu Ala Arg Val Ile Lys Glu Asp His Thr  
                   130                                  135                                  140  
 Gly Glu Tyr Asp Tyr Asp Phe Phe Pro Phe Lys Ile Asp Lys Glu Ala  
                   145                                  150                                  155                                  160  
 Met Ser Leu Lys Glu Ile Asp Phe Lys Leu Arg Lys Tyr Leu Ile Asp  
                   165                                  170                                  175  
 Asn Tyr Gly Leu Tyr Gly Glu Met Ser Thr Gly Lys Ile Thr Val Lys  
                   180                                  185                                  190  
 Lys Lys Tyr Tyr Gly Lys Tyr Thr Phe Glu Leu Asp Lys Lys Leu Gln  
                   195                                  200                                  205  
 Glu Asp Arg Met Ser Asp Val Ile Asn Val Thr Asp Ile Asp Arg Ile  
                   210                                  215                                  220  
 Glu Ile Lys Val Leu Lys Ala  
                   225                                  230

&lt;210&gt; SEQ ID NO 131

&lt;211&gt; LENGTH: 356

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Staphylococcus sp

&lt;400&gt; SEQUENCE: 131

Met Lys Met Arg Thr Ile Ala Lys Thr Ser Leu Ala Leu Gly Leu Leu  
 1                  5                                  10                                  15  
 Thr Thr Gly Ala Ile Thr Val Thr Thr Gln Ser Val Lys Ala Glu Lys  
                   20                                  25                                  30  
 Ile Gln Ser Thr Lys Val Asp Lys Val Pro Thr Leu Lys Ala Glu Arg  
                   35                                  40                                  45  
 Leu Ala Met Ile Asn Ile Thr Ala Gly Ala Asn Ser Ala Thr Thr Gln  
                   50                                  55                                  60  
 Ala Ala Asn Thr Arg Gln Glu Arg Thr Pro Lys Leu Glu Lys Ala Pro  
                   65                                  70                                  75                                  80  
 Asn Thr Asn Glu Glu Lys Thr Ser Ala Ser Lys Ile Glu Lys Ile Ser  
                   85                                  90                                  95  
 Gln Pro Lys Gln Glu Glu Gln Lys Thr Leu Asn Ile Ser Ala Thr Pro  
                   100                                  105                                  110  
 Ala Pro Lys Gln Glu Gln Ser Gln Thr Thr Thr Glu Ser Thr Thr Pro  
                   115                                  120                                  125  
 Lys Thr Lys Val Thr Thr Pro Pro Ser Thr Asn Thr Pro Gln Pro Met  
                   130                                  135                                  140  
 Gln Ser Thr Lys Ser Asp Thr Pro Gln Ser Pro Thr Ile Lys Gln Ala  
                   145                                  150                                  155                                  160  
 Gln Thr Asp Met Thr Pro Lys Tyr Glu Asp Leu Arg Ala Tyr Tyr Thr  
                   165                                  170                                  175  
 Lys Pro Ser Phe Glu Phe Glu Lys Gln Phe Gly Phe Met Leu Lys Pro  
                   180                                  185                                  190  
 Trp Thr Thr Val Arg Phe Met Asn Val Ile Pro Asn Arg Phe Ile Tyr  
                   195                                  200                                  205

-continued

---

Lys Ile Ala Leu Val Gly Lys Asp Glu Lys Lys Tyr Lys Asp Gly Pro  
 210 215 220

Tyr Asp Asn Ile Asp Val Phe Ile Val Leu Glu Asp Asn Lys Tyr Gln  
 225 230 235 240

Leu Lys Lys Tyr Ser Val Gly Gly Ile Thr Lys Thr Asn Ser Lys Lys  
 245 250 255

Val Asn His Lys Val Glu Leu Ser Ile Thr Lys Lys Asp Asn Gln Gly  
 260 265 270

Met Ile Ser Arg Asp Val Ser Glu Tyr Met Ile Thr Lys Glu Glu Ile  
 275 280 285

Ser Leu Lys Glu Leu Asp Phe Lys Leu Arg Lys Gln Leu Ile Glu Lys  
 290 295 300

His Asn Leu Tyr Gly Asn Met Gly Ser Gly Thr Ile Val Ile Lys Met  
 305 310 315 320

Lys Asn Gly Gly Lys Tyr Thr Phe Glu Leu His Lys Lys Leu Gln Glu  
 325 330 335

His Arg Met Ala Asp Val Ile Asp Gly Thr Asn Ile Asp Asn Ile Glu  
 340 345 350

Val Asn Ile Lys  
 355

&lt;210&gt; SEQ ID NO 132

&lt;211&gt; LENGTH: 308

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Staphylococcus sp

&lt;400&gt; SEQUENCE: 132

Met Lys Ile Thr Thr Ile Ala Lys Thr Ser Leu Ala Leu Gly Leu Leu  
 1 5 10 15

Thr Thr Gly Val Ile Thr Thr Thr Thr Gln Ala Ala Asn Ala Thr Thr  
 20 25 30

Leu Ser Ser Thr Lys Val Glu Ala Pro Gln Ser Thr Pro Pro Ser Thr  
 35 40 45

Lys Ile Glu Ala Pro Gln Ser Lys Pro Asn Ala Thr Thr Pro Pro Ser  
 50 55 60

Thr Lys Val Glu Ala Pro Gln Gln Thr Ala Asn Ala Thr Thr Pro Pro  
 65 70 75 80

Ser Thr Lys Val Thr Thr Pro Pro Ser Thr Asn Thr Pro Gln Pro Met  
 85 90 95

Gln Ser Thr Lys Ser Asp Thr Pro Gln Ser Pro Thr Thr Lys Gln Val  
 100 105 110

Pro Thr Glu Ile Asn Pro Lys Phe Lys Asp Leu Arg Ala Tyr Tyr Thr  
 115 120 125

Lys Pro Ser Leu Glu Phe Lys Asn Glu Ile Gly Ile Ile Leu Lys Lys  
 130 135 140

Trp Thr Thr Ile Arg Phe Met Asn Val Val Pro Asp Tyr Phe Ile Tyr  
 145 150 155 160

Lys Ile Ala Leu Val Gly Lys Asp Asp Lys Lys Tyr Gly Glu Gly Val  
 165 170 175

His Arg Asn Val Asp Val Phe Val Val Leu Glu Glu Asn Asn Tyr Asn  
 180 185 190

Leu Glu Lys Tyr Ser Val Gly Gly Ile Thr Lys Ser Asn Ser Lys Lys  
 195 200 205

-continued

---

Val Asp His Lys Ala Gly Val Arg Ile Thr Lys Glu Asp Asn Lys Gly  
 210 215 220

Thr Ile Ser His Asp Val Ser Glu Phe Lys Ile Thr Lys Glu Gln Ile  
 225 230 235 240

Ser Leu Lys Glu Leu Asp Phe Lys Leu Arg Lys Gln Leu Ile Glu Lys  
 245 250 255

Asn Asn Leu Tyr Gly Asn Val Gly Ser Gly Lys Ile Val Ile Lys Met  
 260 265 270

Lys Asn Gly Gly Lys Tyr Thr Phe Glu Leu His Lys Lys Leu Gln Glu  
 275 280 285

Asn Arg Met Ala Asp Val Ile Asp Gly Thr Asn Ile Asp Asn Ile Glu  
 290 295 300

Val Asn Ile Lys  
 305

<210> SEQ ID NO 133  
 <211> LENGTH: 234  
 <212> TYPE: PRT  
 <213> ORGANISM: Staphylococcus sp

<400> SEQUENCE: 133

Met Lys Met Thr Ala Ile Ala Lys Ala Ser Leu Ala Leu Gly Ile Leu  
 1 5 10 15

Ala Thr Gly Thr Ile Thr Ser Leu His Gln Thr Val Asn Ala Ser Glu  
 20 25 30

His Lys Ala Lys Tyr Glu Asn Val Thr Lys Asp Ile Phe Asp Leu Arg  
 35 40 45

Asp Tyr Tyr Ser Gly Ala Ser Lys Glu Leu Lys Asn Val Thr Gly Tyr  
 50 55 60

Arg Tyr Ser Lys Gly Gly Lys His Tyr Leu Ile Phe Asp Lys Asn Arg  
 65 70 75 80

Lys Phe Thr Arg Val Gln Ile Phe Gly Lys Asp Ile Glu Arg Phe Lys  
 85 90 95

Ala Arg Lys Asn Pro Gly Leu Asp Ile Phe Val Val Lys Glu Ala Glu  
 100 105 110

Asn Arg Asn Gly Thr Val Phe Ser Tyr Gly Gly Val Thr Lys Lys Asn  
 115 120 125

Gln Asp Ala Tyr Tyr Asp Tyr Ile Asn Ala Pro Arg Phe Gln Ile Lys  
 130 135 140

Arg Asp Glu Gly Asp Gly Ile Ala Thr Tyr Gly Arg Val His Tyr Ile  
 145 150 155 160

Tyr Lys Glu Glu Ile Ser Leu Lys Glu Leu Asp Phe Lys Leu Arg Gln  
 165 170 175

Tyr Leu Ile Gln Asn Phe Asp Leu Tyr Lys Lys Phe Pro Lys Asp Ser  
 180 185 190

Lys Ile Lys Val Ile Met Lys Asp Gly Gly Tyr Tyr Thr Phe Glu Leu  
 195 200 205

Asn Lys Lys Leu Gln Thr Asn Arg Met Ser Asp Val Ile Asp Gly Arg  
 210 215 220

Asn Ile Glu Lys Ile Glu Ala Asn Ile Arg  
 225 230

<210> SEQ ID NO 134  
 <211> LENGTH: 231

-continued

---

```

<212> TYPE: PRT
<213> ORGANISM: Staphylococcus sp

<400> SEQUENCE: 134

Met Lys Leu Lys Thr Leu Ala Lys Ala Thr Leu Val Leu Gly Leu Leu
1          5          10          15
Ala Thr Gly Val Ile Thr Thr Glu Ser Gln Thr Val Lys Ala Ala Glu
          20          25          30
Ser Thr Gln Gly Gln His Asn Tyr Lys Ser Leu Lys Tyr Tyr Ser
          35          40          45
Lys Pro Ser Ile Glu Leu Lys Asn Leu Asp Gly Leu Tyr Arg Gln Lys
          50          55          60
Val Thr Asp Lys Gly Val Tyr Val Trp Lys Asp Arg Lys Asp Tyr Phe
65          70          75          80
Val Gly Leu Leu Gly Lys Asp Ile Glu Lys Tyr Pro Gln Gly Glu His
          85          90          95
Asp Lys Gln Asp Ala Phe Leu Val Ile Glu Glu Glu Thr Val Asn Gly
          100          105          110
Arg Gln Tyr Ser Ile Gly Gly Leu Ser Lys Thr Asn Ser Lys Glu Phe
          115          120          125
Ser Lys Glu Val Asp Val Lys Val Thr Arg Lys Ile Asp Glu Ser Ser
          130          135          140
Glu Lys Ser Lys Asp Ser Lys Phe Lys Ile Thr Lys Glu Glu Ile Ser
145          150          155          160
Leu Lys Glu Leu Asp Phe Lys Leu Arg Lys Lys Leu Met Glu Glu Glu
          165          170          175
Lys Leu Tyr Gly Ala Val Asn Asn Arg Lys Gly Lys Ile Val Val Lys
          180          185          190
Met Glu Asp Asp Lys Phe Tyr Thr Phe Glu Leu Thr Lys Lys Leu Gln
          195          200          205
Pro His Arg Met Gly Asp Thr Ile Asp Gly Thr Lys Ile Lys Glu Ile
          210          215          220
Asn Val Glu Leu Glu Tyr Lys
225          230

```

```

<210> SEQ ID NO 135
<211> LENGTH: 231
<212> TYPE: PRT
<213> ORGANISM: Staphylococcus sp

<400> SEQUENCE: 135

Met Lys Leu Lys Thr Leu Ala Lys Ala Thr Leu Ala Leu Gly Leu Leu
1          5          10          15
Thr Thr Gly Val Ile Thr Ser Glu Gly Gln Ala Val Gln Ala Lys Glu
          20          25          30
Lys Gln Glu Arg Val Gln His Leu Tyr Asp Ile Lys Asp Leu His Arg
          35          40          45
Tyr Tyr Ser Ser Glu Ser Phe Glu Phe Ser Asn Ile Ser Gly Lys Val
          50          55          60
Glu Asn Tyr Asn Gly Ser Asn Val Val Arg Phe Asn Gln Glu Asn Gln
65          70          75          80
Asn His Gln Leu Phe Leu Leu Gly Lys Asp Lys Glu Lys Tyr Lys Glu
          85          90          95
Gly Ile Glu Gly Lys Asp Val Phe Val Val Lys Glu Leu Ile Asp Pro

```

-continued

---

	100							105						110					
Asn	Gly	Arg	Leu	Ser	Thr	Val	Gly	Gly	Val	Thr	Lys	Lys	Asn	Asn	Lys				
	115						120					125							
Ser	Ser	Glu	Thr	Asn	Thr	His	Leu	Phe	Val	Asn	Lys	Val	Tyr	Gly	Gly				
	130					135				140									
Asn	Leu	Asp	Ala	Ser	Ile	Asp	Ser	Phe	Ser	Ile	Asn	Lys	Glu	Glu	Val				
145					150					155					160				
Ser	Leu	Lys	Glu	Leu	Asp	Phe	Lys	Ile	Arg	Gln	His	Leu	Val	Lys	Asn				
				165					170					175					
Tyr	Gly	Leu	Tyr	Lys	Gly	Thr	Thr	Lys	Tyr	Gly	Lys	Ile	Thr	Ile	Asn				
			180					185					190						
Leu	Lys	Asp	Gly	Glu	Lys	Gln	Glu	Ile	Asp	Leu	Gly	Asp	Lys	Leu	Gln				
		195					200					205							
Phe	Glu	Arg	Met	Gly	Asp	Val	Leu	Asn	Ser	Lys	Asp	Ile	Asn	Lys	Ile				
	210					215					220								
Glu	Val	Thr	Leu	Lys	Gln	Ile													
225					230														

<210> SEQ ID NO 136  
 <211> LENGTH: 232  
 <212> TYPE: PRT  
 <213> ORGANISM: Staphylococcus sp

<400> SEQUENCE: 136

Met	Lys	Phe	Thr	Val	Ile	Ala	Lys	Ala	Ile	Phe	Ile	Leu	Gly	Ile	Leu				
1				5					10					15					
Thr	Thr	Ser	Val	Met	Ile	Thr	Glu	Asn	Gln	Ser	Val	Asn	Ala	Lys	Gly				
		20						25					30						
Lys	Tyr	Glu	Lys	Met	Asn	Arg	Leu	Tyr	Asp	Thr	Asn	Lys	Leu	His	Gln				
		35					40					45							
Tyr	Tyr	Ser	Gly	Pro	Ser	Tyr	Glu	Leu	Thr	Asn	Val	Ser	Gly	Gln	Ser				
	50					55				60									
Gln	Gly	Tyr	Tyr	Asp	Ser	Asn	Val	Leu	Leu	Phe	Asn	Gln	Gln	Asn	Gln				
65				70						75					80				
Lys	Phe	Gln	Val	Phe	Leu	Leu	Gly	Lys	Asp	Glu	Asn	Lys	Tyr	Lys	Glu				
				85					90					95					
Lys	Thr	His	Gly	Leu	Asp	Val	Phe	Ala	Val	Pro	Glu	Leu	Val	Asp	Leu				
		100						105					110						
Asp	Gly	Arg	Ile	Phe	Ser	Val	Ser	Gly	Val	Thr	Lys	Lys	Asn	Val	Lys				
	115						120					125							
Ser	Ile	Phe	Glu	Ser	Leu	Arg	Thr	Pro	Asn	Leu	Leu	Val	Lys	Lys	Ile				
	130					135						140							
Asp	Asp	Lys	Asp	Gly	Phe	Ser	Ile	Asp	Glu	Phe	Phe	Phe	Ile	Gln	Lys				
145					150					155					160				
Glu	Glu	Val	Ser	Leu	Lys	Glu	Leu	Asp	Phe	Lys	Ile	Arg	Lys	Leu	Leu				
				165					170					175					
Ile	Lys	Lys	Tyr	Lys	Leu	Tyr	Glu	Gly	Ser	Ala	Asp	Lys	Gly	Arg	Ile				
		180						185					190						
Val	Ile	Asn	Met	Lys	Asp	Glu	Asn	Lys	Tyr	Glu	Ile	Asp	Leu	Ser	Asp				
		195					200					205							
Lys	Leu	Asp	Phe	Glu	Arg	Met	Ala	Asp	Val	Ile	Asn	Ser	Glu	Gln	Ile				
	210					215					220								

Lys Asn Ile Glu Val Asn Leu Lys



-continued

---

Leu Leu Pro Gly Asn Asp Lys Ser Lys Phe Gln Gln Arg Ser Tyr Glu  
                   85                                  90                                  95  
 Gly Leu Asp Val Phe Phe Val Gln Glu Lys Arg Asp Lys His Asp Ile  
                   100                                  105                                  110  
 Phe Tyr Thr Val Gly Gly Val Ile Gln Asn Asn Lys Thr Ser Gly Val  
                   115                                  120                                  125  
 Val Ser Ala Pro Ile Leu Asn Ile Ser Lys Glu Lys Gly Glu Asp Ala  
                   130                                  135                                  140  
 Phe Val Lys Gly Tyr Pro Tyr Tyr Ile Lys Lys Glu Lys Ile Thr Leu  
                   145                                  150                                  155                                  160  
 Lys Glu Leu Asp Tyr Lys Leu Arg Lys His Leu Ile Glu Lys Tyr Gly  
                                   165                                  170                                  175  
 Leu Tyr Lys Thr Ile Ser Lys Asp Gly Arg Val Lys Ile Ser Leu Lys  
                   180                                  185                                  190  
 Asp Gly Ser Phe Tyr Asn Leu Asp Leu Arg Ser Lys Leu Lys Phe Lys  
                   195                                  200                                  205  
 Tyr Met Gly Glu Val Ile Glu Ser Lys Gln Ile Lys Asp Ile Glu Val  
                   210                                  215                                  220  
 Asn Leu Lys  
 225

&lt;210&gt; SEQ ID NO 139

&lt;211&gt; LENGTH: 225

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Staphylococcus sp

&lt;400&gt; SEQUENCE: 139

Met Lys Leu Lys Asn Ile Ala Lys Ala Ser Leu Ala Leu Gly Ile Leu  
 1                  5                                  10                                  15  
 Thr Thr Gly Met Ile Thr Thr Thr Ala Gln Pro Val Lys Ala Ser Thr  
                   20                                  25                                  30  
 Leu Glu Val Arg Ser Gln Ala Thr Gln Asp Leu Ser Glu Tyr Tyr Asn  
                   35                                  40                                  45  
 Arg Pro Phe Phe Glu Tyr Thr Asn Gln Ser Gly Tyr Lys Glu Glu Gly  
                   50                                  55                                  60  
 Lys Val Thr Phe Thr Pro Asn Tyr Gln Leu Ile Asp Val Thr Leu Thr  
                   65                                  70                                  75                                  80  
 Gly Asn Glu Lys Gln Asn Phe Gly Glu Asp Ile Ser Asn Val Asp Ile  
                   85                                  90                                  95  
 Phe Val Val Arg Glu Asn Ser Asp Arg Ser Gly Asn Thr Ala Ser Ile  
                   100                                  105                                  110  
 Gly Gly Ile Thr Lys Thr Asn Gly Ser Asn Tyr Ile Asp Lys Val Lys  
                   115                                  120                                  125  
 Asp Val Asn Leu Ile Ile Thr Lys Asn Ile Asp Ser Val Thr Ser Thr  
                   130                                  135                                  140  
 Ser Thr Ser Ser Thr Tyr Thr Ile Asn Lys Glu Glu Ile Ser Leu Lys  
                   145                                  150                                  155                                  160  
 Glu Leu Asp Phe Lys Leu Arg Lys His Leu Ile Asp Lys His Asn Leu  
                   165                                  170                                  175  
 Tyr Lys Thr Glu Pro Lys Asp Ser Lys Ile Arg Ile Thr Met Lys Asp  
                   180                                  185                                  190  
 Gly Gly Phe Tyr Thr Phe Glu Leu Asn Lys Lys Leu Gln Thr His Arg  
                   195                                  200                                  205

-continued

---

Met Gly Asp Val Ile Asp Gly Arg Asn Ile Glu Lys Ile Glu Val Asn  
210 215 220

Leu  
225

<210> SEQ ID NO 140  
<211> LENGTH: 116  
<212> TYPE: PRT  
<213> ORGANISM: Staphylococcus sp

<400> SEQUENCE: 140

Met Lys Phe Lys Lys Tyr Ile Leu Thr Gly Thr Leu Ala Leu Leu Leu  
1 5 10 15  
Ser Ser Thr Gly Ile Ala Thr Ile Glu Gly Asn Lys Ala Asp Ala Ser  
20 25 30  
Ser Leu Asp Lys Tyr Leu Thr Glu Ser Gln Phe His Asp Lys Arg Ile  
35 40 45  
Ala Glu Glu Leu Arg Thr Leu Leu Asn Lys Ser Asn Val Tyr Ala Leu  
50 55 60  
Ala Ala Gly Ser Leu Asn Pro Tyr Tyr Lys Arg Thr Ile Met Met Asn  
65 70 75 80  
Glu Tyr Arg Ala Lys Ala Ala Leu Lys Lys Asn Asp Phe Val Ser Met  
85 90 95  
Ala Asp Ala Lys Val Ala Leu Glu Lys Ile Tyr Lys Glu Ile Asp Glu  
100 105 110  
Ile Ile Asn Arg  
115

<210> SEQ ID NO 141  
<211> LENGTH: 203  
<212> TYPE: PRT  
<213> ORGANISM: Staphylococcus sp

<400> SEQUENCE: 141

Met Phe Lys Lys Tyr Asp Ser Lys Asn Ser Ile Val Leu Lys Ser Ile  
1 5 10 15  
Leu Ser Leu Gly Ile Ile Tyr Gly Gly Thr Phe Gly Ile Tyr Pro Lys  
20 25 30  
Ala Asp Ala Ser Thr Gln Asn Ser Ser Val Gln Asp Lys Gln Leu  
35 40 45  
Gln Lys Val Glu Glu Val Pro Asn Asn Ser Glu Lys Ala Leu Val Lys  
50 55 60  
Lys Leu Tyr Asp Arg Tyr Ser Lys Asp Thr Ile Asn Gly Lys Ser Asn  
65 70 75 80  
Lys Ser Arg Asn Trp Val Tyr Ser Glu Arg Pro Leu Asn Glu Asn Gln  
85 90 95  
Val Arg Ile His Leu Glu Gly Thr Tyr Thr Val Ala Gly Arg Val Tyr  
100 105 110  
Thr Pro Lys Arg Asn Ile Thr Leu Asn Lys Glu Val Val Thr Leu Lys  
115 120 125  
Glu Leu Asp His Ile Ile Arg Phe Ala His Ile Ser Tyr Gly Leu Tyr  
130 135 140  
Met Gly Glu His Leu Pro Lys Gly Asn Ile Val Ile Asn Thr Lys Asp  
145 150 155 160

-continued

---

Gly Gly Lys Tyr Thr Leu Glu Ser His Lys Glu Leu Gln Lys Asp Arg  
 165 170 175

Glu Asn Val Lys Ile Asn Thr Ala Asp Ile Lys Asn Val Thr Phe Lys  
 180 185 190

Leu Val Lys Ser Val Asn Asp Ile Glu Gln Val  
 195 200

<210> SEQ ID NO 142  
 <211> LENGTH: 146  
 <212> TYPE: PRT  
 <213> ORGANISM: Staphylococcus sp

<400> SEQUENCE: 142

Met Asn Thr Lys Tyr Phe Leu Ala Ala Gly Ala Val Ile Thr Thr Leu  
 1 5 10 15

Ala Leu Gly Ala Cys Gly Asn Ser Asn Ser Gln Asp Gln Gly Asn Lys  
 20 25 30

Thr Glu Gln Lys Thr Lys Ser Glu Asp Ser Asn Val Lys Thr Asp Lys  
 35 40 45

Thr Lys His Leu Thr Gly Thr Phe Ser Ser Lys Asn Gly Glu Thr Val  
 50 55 60

Glu Gly Lys Ala Glu Ile Lys Asn Gly Lys Leu Met Leu Thr Asn Tyr  
 65 70 75 80

Lys Ser Ser Lys Gly Pro Asp Leu Tyr Val Tyr Leu Thr Lys Asn Gly  
 85 90 95

Asp Ile Lys Asn Gly Lys Glu Ile Ala Met Val Asp Tyr Asp Lys Glu  
 100 105 110

Lys Gln Thr Phe Asp Leu Lys Asn Val Asp Leu Ser Lys Tyr Asp Glu  
 115 120 125

Val Thr Ile Tyr Cys Lys Lys Ala His Val Ile Phe Gly Gly Ala Lys  
 130 135 140

Leu Lys  
 145

<210> SEQ ID NO 143  
 <211> LENGTH: 619  
 <212> TYPE: PRT  
 <213> ORGANISM: Staphylococcus sp

<400> SEQUENCE: 143

Met Pro Lys Asn Lys Ile Leu Ile Tyr Leu Leu Ser Thr Thr Leu Val  
 1 5 10 15

Leu Pro Thr Leu Val Ser Pro Thr Ala Tyr Ala Asp Thr Pro Gln Lys  
 20 25 30

Asp Thr Thr Ala Lys Thr Thr Ser His Asp Ser Lys Lys Ser Asn Asp  
 35 40 45

Asp Glu Thr Ser Lys Asp Thr Thr Ser Lys Asp Ile Asp Lys Ala Asp  
 50 55 60

Lys Asn Asn Thr Ser Asn Gln Asp Asn Asn Asp Lys Lys Phe Lys Thr  
 65 70 75 80

Ile Asp Asp Ser Thr Ser Asp Ser Asn Asn Ile Ile Asp Phe Ile Tyr  
 85 90 95

Lys Asn Leu Pro Gln Thr Asn Ile Asn Gln Leu Leu Thr Lys Asn Lys  
 100 105 110

Tyr Asp Asp Asn Tyr Ser Leu Thr Thr Leu Ile Gln Asn Leu Phe Asn

-continued

115				120				125							
Leu	Asn	Ser	Asp	Ile	Ser	Asp	Tyr	Glu	Gln	Pro	Arg	Asn	Gly	Glu	Lys
130						135					140				
Ser	Thr	Asn	Asp	Ser	Asn	Lys	Asn	Ser	Asp	Asn	Ser	Ile	Lys	Asn	Asp
145					150					155					160
Thr	Asp	Thr	Gln	Ser	Ser	Lys	Gln	Asp	Lys	Ala	Asp	Asn	Gln	Lys	Ala
			165						170					175	
Pro	Lys	Ser	Asn	Asn	Thr	Lys	Pro	Ser	Thr	Ser	Asn	Lys	Gln	Pro	Asn
			180						185				190		
Ser	Pro	Lys	Pro	Thr	Gln	Pro	Asn	Gln	Ser	Asn	Ser	Gln	Pro	Ala	Ser
		195					200					205			
Asp	Asp	Lys	Ala	Asn	Gln	Lys	Ser	Ser	Ser	Lys	Asp	Asn	Gln	Ser	Met
210						215					220				
Ser	Asp	Ser	Ala	Leu	Asp	Ser	Ile	Leu	Asp	Gln	Tyr	Ser	Glu	Asp	Ala
225					230					235					240
Lys	Lys	Thr	Gln	Lys	Asp	Tyr	Ala	Ser	Gln	Ser	Lys	Lys	Asp	Lys	Asn
			245						250					255	
Glu	Lys	Ser	Asn	Thr	Lys	Asn	Pro	Gln	Leu	Pro	Thr	Gln	Asp	Glu	Leu
			260						265				270		
Lys	His	Lys	Ser	Lys	Pro	Ala	Gln	Ser	Phe	Asn	Asn	Asp	Val	Asn	Gln
		275					280					285			
Lys	Asp	Thr	Arg	Ala	Thr	Ser	Leu	Phe	Glu	Thr	Asp	Pro	Ser	Ile	Ser
		290				295					300				
Asn	Asn	Asp	Asp	Ser	Gly	Gln	Phe	Asn	Val	Val	Asp	Ser	Lys	Asp	Thr
305					310					315					320
Arg	Gln	Phe	Val	Lys	Ser	Ile	Ala	Lys	Asp	Ala	His	Arg	Ile	Gly	Gln
			325						330					335	
Asp	Asn	Asp	Ile	Tyr	Ala	Ser	Val	Met	Ile	Ala	Gln	Ala	Ile	Leu	Glu
			340						345				350		
Ser	Asp	Ser	Gly	Arg	Ser	Ala	Leu	Ala	Lys	Ser	Pro	Asn	His	Asn	Leu
		355					360					365			
Phe	Gly	Ile	Lys	Gly	Ala	Phe	Glu	Gly	Asn	Ser	Val	Pro	Phe	Asn	Thr
		370				375					380				
Leu	Glu	Ala	Asp	Gly	Asn	Gln	Leu	Tyr	Ser	Ile	Asn	Ala	Gly	Phe	Arg
385					390					395					400
Lys	Tyr	Pro	Ser	Thr	Lys	Glu	Ser	Leu	Lys	Asp	Tyr	Ser	Asp	Leu	Ile
			405						410					415	
Lys	Asn	Gly	Ile	Asp	Gly	Asn	Arg	Thr	Ile	Tyr	Lys	Pro	Thr	Trp	Lys
			420						425				430		
Ser	Glu	Ala	Asp	Ser	Tyr	Lys	Asp	Ala	Thr	Ser	His	Leu	Ser	Lys	Thr
		435					440					445			
Tyr	Ala	Thr	Asp	Pro	Asn	Tyr	Ala	Lys	Lys	Leu	Asn	Ser	Ile	Ile	Lys
		450				455					460				
His	Tyr	Gln	Leu	Thr	Gln	Phe	Asp	Asp	Glu	Arg	Met	Pro	Asp	Leu	Asp
465					470					475					480
Lys	Tyr	Glu	Arg	Ser	Ile	Lys	Asp	Tyr	Asp	Asp	Ser	Ser	Asp	Glu	Phe
			485						490					495	
Lys	Pro	Phe	Arg	Glu	Val	Ser	Asp	Ser	Met	Pro	Tyr	Pro	His	Gly	Gln
			500						505				510		
Cys	Thr	Trp	Tyr	Val	Tyr	Asn	Arg	Met	Lys	Gln	Phe	Gly	Thr	Ser	Ile
		515					520					525			

-continued

---

Ser Gly Asp Leu Gly Asp Ala His Asn Trp Asn Asn Arg Ala Gln Tyr  
 530 535 540

Arg Asp Tyr Gln Val Ser His Thr Pro Lys Arg His Ala Ala Val Val  
 545 550 555 560

Phe Glu Ala Gly Gln Phe Gly Ala Asp Gln His Tyr Gly His Val Ala  
 565 570 575

Phe Val Glu Lys Val Asn Ser Asp Gly Ser Ile Val Ile Ser Glu Ser  
 580 585 590

Asn Val Lys Gly Leu Gly Ile Ile Ser His Arg Thr Ile Asn Ala Ala  
 595 600 605

Ala Ala Glu Glu Leu Ser Tyr Ile Thr Gly Lys  
 610 615

<210> SEQ ID NO 144  
 <211> LENGTH: 208  
 <212> TYPE: PRT  
 <213> ORGANISM: Staphylococcus sp

<400> SEQUENCE: 144

Met Lys Phe Gly Lys Thr Ile Ala Val Val Leu Ala Ser Ser Val Leu  
 1 5 10 15

Leu Ala Gly Cys Thr Thr Asp Lys Lys Glu Ile Lys Ala Tyr Leu Lys  
 20 25 30

Gln Val Asp Lys Ile Lys Asp Asp Glu Glu Pro Ile Lys Thr Val Gly  
 35 40 45

Lys Lys Ile Ala Glu Leu Asp Glu Lys Lys Lys Lys Leu Thr Glu Asp  
 50 55 60

Val Asn Ser Lys Asp Thr Ala Val Arg Gly Lys Ala Val Lys Asp Leu  
 65 70 75 80

Ile Lys Asn Ala Asp Asp Arg Leu Lys Glu Phe Glu Lys Glu Glu Asp  
 85 90 95

Ala Ile Lys Lys Ser Glu Gln Asp Phe Lys Lys Ala Lys Ser His Val  
 100 105 110

Asp Asn Ile Asp Asn Asp Val Lys Arg Lys Glu Val Lys Gln Leu Asp  
 115 120 125

Asp Val Leu Lys Glu Lys Tyr Lys Leu His Ser Asp Tyr Ala Lys Ala  
 130 135 140

Tyr Lys Lys Ala Val Asn Ser Glu Lys Thr Leu Phe Lys Tyr Leu Asn  
 145 150 155 160

Gln Asn Asp Ala Thr Gln Gln Gly Val Asn Glu Lys Ser Lys Ala Ile  
 165 170 175

Glu Gln Asn Tyr Lys Lys Leu Lys Glu Val Ser Asp Lys Tyr Thr Lys  
 180 185 190

Val Leu Asn Lys Val Gly Lys Glu Lys Gln Asp Val Asp Gln Phe Lys  
 195 200 205

<210> SEQ ID NO 145  
 <211> LENGTH: 105  
 <212> TYPE: PRT  
 <213> ORGANISM: Staphylococcus sp

<400> SEQUENCE: 145

Met Asn Lys Leu Leu Gln Ser Leu Ser Ala Leu Gly Val Ser Ala Thr  
 1 5 10 15

Leu Val Thr Pro Asn Leu Asn Ala Asp Ala Thr Thr Asn Thr Thr Pro

-continued

20				25				30							
Gln	Ile	Lys	Gly	Ala	Asn	Asp	Ile	Val	Ile	Lys	Lys	Gly	Gln	Asp	Tyr
		35					40					45			
Asn	Leu	Leu	Asn	Gly	Ile	Ser	Ala	Phe	Asp	Lys	Glu	Asp	Gly	Asp	Leu
		50				55					60				
Thr	Asp	Lys	Ile	Lys	Val	Asp	Gly	Gln	Ile	Asp	Thr	Ser	Lys	Ser	Gly
		65			70					75					80
Lys	Tyr	Gln	Ile	Lys	Tyr	His	Val	Thr	Asp	Ser	Asp	Gly	Ala	Ile	Lys
			85						90					95	
Ile	Ser	Thr	Arg	Tyr	Ile	Glu	Val	Lys							
			100				105								
<210> SEQ ID NO 146															
<211> LENGTH: 312															
<212> TYPE: PRT															
<213> ORGANISM: Staphylococcus sp															
<400> SEQUENCE: 146															
Met	Lys	Lys	Leu	Val	Pro	Leu	Leu	Leu	Ala	Leu	Leu	Leu	Leu	Val	Ala
			5						10					15	
Ala	Cys	Gly	Thr	Gly	Gly	Lys	Gln	Ser	Ser	Asp	Lys	Ser	Asn	Gly	Lys
			20						25				30		
Leu	Lys	Val	Val	Thr	Thr	Asn	Ser	Ile	Leu	Tyr	Asp	Met	Ala	Lys	Asn
		35				40					45				
Val	Gly	Gly	Asp	Asn	Val	Asp	Ile	His	Ser	Ile	Val	Pro	Val	Gly	Gln
		50				55					60				
Asp	Pro	His	Glu	Tyr	Glu	Val	Lys	Pro	Lys	Asp	Ile	Lys	Lys	Leu	Thr
		65			70					75					80
Asp	Ala	Asp	Val	Ile	Leu	Tyr	Asn	Gly	Leu	Asn	Leu	Glu	Thr	Gly	Asn
			85				90							95	
Gly	Trp	Phe	Glu	Lys	Ala	Leu	Glu	Gln	Ala	Gly	Lys	Ser	Leu	Lys	Asp
			100				105						110		
Lys	Lys	Val	Ile	Ala	Val	Ser	Lys	Asp	Val	Lys	Pro	Ile	Tyr	Leu	Asn
		115					120					125			
Gly	Glu	Glu	Gly	Asn	Lys	Asp	Lys	Gln	Asp	Pro	His	Ala	Trp	Leu	Ser
		130				135					140				
Leu	Asp	Asn	Gly	Ile	Lys	Tyr	Val	Lys	Thr	Ile	Gln	Gln	Thr	Phe	Ile
		145			150					155					160
Asp	Asn	Asp	Lys	Lys	His	Lys	Ala	Asp	Tyr	Glu	Lys	Gln	Gly	Asn	Lys
			165						170					175	
Tyr	Ile	Ala	Gln	Leu	Glu	Lys	Leu	Asn	Asn	Asp	Ser	Lys	Asp	Ser	Lys
		180					185						190		
Asp	Lys	Phe	Asn	Asp	Ile	Pro	Lys	Glu	Gln	Arg	Ala	Met	Ile	Thr	Ser
		195				200						205			
Glu	Gly	Ala	Phe	Lys	Tyr	Phe	Ser	Lys	Gln	Tyr	Gly	Ile	Thr	Pro	Gly
		210				215					220				
Tyr	Ile	Trp	Glu	Ile	Asn	Thr	Glu	Lys	Gln	Gly	Thr	Pro	Glu	Gln	Met
		225			230					235					240
Arg	Gln	Ala	Ile	Glu	Phe	Val	Lys	Lys	His	Lys	Leu	Lys	His	Leu	Leu
			245						250					255	
Val	Glu	Thr	Ser	Val	Asp	Lys	Lys	Ala	Met	Glu	Ser	Leu	Ser	Glu	Glu
			260						265					270	
Thr	Lys	Lys	Asp	Ile	Phe	Gly	Glu	Val	Tyr	Thr	Asp	Ser	Ile	Gly	Lys

-continued

---

275	280	285
Glu Gly Thr Lys Gly Asp Ser Tyr Tyr Lys Met Met Lys Ser Asn Ile 290	295	300
Glu Thr Val His Gly Ser Met Lys 305	310	
 <210> SEQ ID NO 147 <211> LENGTH: 646 <212> TYPE: PRT <213> ORGANISM: Staphylococcus sp		
 <400> SEQUENCE: 147		
Met Ser Ser Gln Lys Lys Lys Ile Ser Leu Phe Ala Phe Phe Leu Leu 1	5	10 15
Thr Val Ile Thr Ile Thr Leu Lys Thr Tyr Phe Ser Tyr Tyr Val Asp 20	25	30
Phe Ser Leu Gly Val Lys Gly Leu Val Gln Asn Leu Ile Leu Leu Met 35	40	45
Asn Pro Tyr Ser Leu Val Ala Leu Val Leu Ser Val Phe Leu Phe Phe 50	55	60
Lys Gly Lys Lys Ala Phe Trp Phe Met Phe Ile Gly Gly Phe Leu Leu 65	70	75 80
Thr Phe Leu Leu Tyr Ala Asn Val Val Tyr Phe Arg Phe Phe Ser Asp 85	90	95
Phe Leu Thr Phe Ser Thr Leu Asn Gln Val Gly Asn Val Glu Ser Met 100	105	110
Gly Gly Ala Val Ser Ala Ser Phe Lys Trp Tyr Asp Phe Val Tyr Phe 115	120	125
Ile Asp Thr Leu Val Tyr Leu Phe Ile Leu Ile Phe Lys Thr Lys Trp 130	135	140
Leu Asp Thr Lys Ala Phe Ser Lys Lys Phe Val Pro Val Val Met Ala 145	150	155 160
Ala Ser Val Ala Leu Phe Phe Leu Asn Leu Ala Phe Ala Glu Thr Asp 165	170	175
Arg Pro Glu Leu Leu Thr Arg Thr Phe Asp His Lys Tyr Leu Val Lys 180	185	190
Tyr Leu Gly Pro Tyr Asn Phe Thr Val Tyr Asp Gly Val Lys Thr Ile 195	200	205
Glu Asn Asn Gln Gln Lys Ala Leu Ala Ser Glu Asp Asp Leu Thr Lys 210	215	220
Val Leu Asn Tyr Thr Lys Gln Arg Gln Thr Glu Pro Asn Pro Glu Tyr 225	230	235 240
Tyr Gly Val Ala Lys Lys Lys Asn Ile Ile Lys Ile His Leu Glu Ser 245	250	255
Phe Gln Thr Phe Leu Ile Asn Lys Lys Val Asn Gly Lys Glu Val Thr 260	265	270
Pro Phe Leu Asn Lys Leu Ser Ser Gly Lys Glu Gln Phe Thr Tyr Phe 275	280	285
Pro Asn Phe Phe His Gln Thr Gly Gln Gly Lys Thr Ser Asp Ser Glu 290	295	300
Phe Thr Met Asp Asn Ser Leu Tyr Gly Leu Pro Gln Gly Ser Ala Phe 305	310	315 320
Ser Leu Lys Gly Asp Asn Thr Tyr Gln Ser Leu Pro Ala Ile Leu Asp		

-continued

			325						330					335			
Gln	Lys	Gln	Gly	Tyr	Lys	Ser	Asp	Val	Met	His	Gly	Asp	Tyr	Lys	Thr		
			340					345					350				
Phe	Trp	Asn	Arg	Asp	Gln	Val	Tyr	Lys	His	Phe	Gly	Ile	Asp	Lys	Phe		
		355					360					365					
Tyr	Asp	Ala	Thr	Tyr	Tyr	Asp	Met	Ser	Asp	Lys	Asn	Val	Val	Asn	Leu		
	370					375					380						
Gly	Leu	Lys	Asp	Lys	Ile	Phe	Phe	Lys	Asp	Ser	Ala	Asn	Tyr	Gln	Ala		
385				390					395						400		
Lys	Met	Lys	Ser	Pro	Phe	Tyr	Ser	His	Leu	Ile	Thr	Leu	Thr	Asn	His		
				405					410					415			
Tyr	Pro	Phe	Thr	Leu	Asp	Glu	Lys	Asp	Ala	Thr	Ile	Glu	Lys	Ser	Asn		
			420					425					430				
Thr	Gly	Asp	Ala	Thr	Val	Asp	Gly	Tyr	Ile	Gln	Thr	Ala	Arg	Tyr	Leu		
		435					440					445					
Asp	Glu	Ala	Leu	Glu	Glu	Tyr	Ile	Asn	Asp	Leu	Lys	Lys	Lys	Gly	Leu		
	450					455					460						
Tyr	Asp	Asn	Ser	Val	Ile	Met	Ile	Tyr	Gly	Asp	His	Tyr	Gly	Ile	Ser		
465				470						475					480		
Glu	Asn	His	Asn	Asn	Ala	Met	Glu	Lys	Leu	Leu	Gly	Glu	Lys	Ile	Thr		
			485						490					495			
Pro	Ala	Lys	Phe	Thr	Asp	Leu	Asn	Arg	Thr	Gly	Phe	Trp	Ile	Lys	Ile		
			500					505					510				
Pro	Gly	Lys	Ser	Gly	Gly	Ile	Asn	Asn	Glu	Tyr	Ala	Gly	Gln	Val	Asp		
		515					520					525					
Val	Met	Pro	Thr	Ile	Leu	His	Leu	Ala	Gly	Ile	Asp	Thr	Lys	Asn	Tyr		
	530					535					540						
Leu	Met	Phe	Gly	Thr	Asp	Leu	Phe	Ser	Lys	Gly	His	Asn	Gln	Val	Val		
545				550						555					560		
Pro	Phe	Arg	Asn	Gly	Asp	Phe	Ile	Thr	Lys	Asp	Tyr	Lys	Tyr	Val	Asn		
			565						570					575			
Gly	Lys	Ile	Tyr	Ser	Asn	Lys	Asn	Asn	Glu	Leu	Ile	Thr	Thr	Gln	Pro		
			580					585					590				
Ala	Asp	Phe	Glu	Lys	Asn	Lys	Lys	Gln	Val	Glu	Lys	Asp	Leu	Glu	Met		
		595				600						605					
Ser	Asp	Asn	Val	Leu	Asn	Gly	Asp	Leu	Phe	Arg	Phe	Tyr	Lys	Asn	Pro		
	610					615					620						
Asp	Phe	Lys	Lys	Val	Asn	Pro	Ser	Lys	Tyr	Lys	Tyr	Glu	Thr	Gly	Pro		
625				630						635					640		
Lys	Ala	Asn	Ser	Lys	Lys												
				645													

&lt;210&gt; SEQ ID NO 148

&lt;211&gt; LENGTH: 173

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Staphylococcus sp

&lt;400&gt; SEQUENCE: 148

Met	Ile	Asn	Ile	Ile	Ser	Ala	Ile	Gly	Ser	Ile	Gly	Thr	Phe	Ile	Met
1			5						10					15	

Ala	Leu	Phe	Tyr	Phe	Val	Ser	Val	Ser	Val	Gln	Leu	Tyr	Gln	Met	Lys
		20					25						30		

Ile	Ser	Phe	Leu	Pro	Ala	Leu	Gly	Phe	Asn	Gln	Ile	Leu	Leu	Glu	Arg
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

-continued

---

```

      35          40          45
Glu Glu Asp Gln Leu Asn Ile Met Asn Ser Ala Thr Glu Glu His His
   50                    55                    60
His Lys Asp Tyr Ile Lys Leu Tyr Asn Leu Gly Gly Gly Ala Ala Lys
  65                    70                    75                    80
Lys Ile Ala Ile Glu Val Leu Leu Gly Lys Asp Lys Val Ile Gln Lys
                    85                    90                    95
Lys Tyr Val His Ile Leu Pro Ser Lys Glu Gly Tyr Met Leu Pro Ile
                    100                    105                    110
Asn Lys Asn Val Tyr Glu Glu Leu Glu Arg Thr Ile Glu Asn Asn Gly
                    115                    120                    125
His Glu Ala Asp Leu Asn Val Arg Met Thr Tyr Tyr His Asn Val Ser
                    130                    135                    140
Arg Lys Gln Gln Glu Val Ile Leu Lys Gly Gln Ile Asp Arg Phe Asn
 145                    150                    155                    160
Thr Tyr Asn Asn Lys Glu Ile Tyr Asp Leu Gln Phe Ile
                    165                    170

```

&lt;210&gt; SEQ ID NO 149

&lt;211&gt; LENGTH: 156

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Staphylococcus sp

&lt;400&gt; SEQUENCE: 149

```

Met Lys Arg Lys Val Leu Val Leu Thr Met Gly Val Ile Cys Ala Thr
 1                    5                    10                    15
Gln Leu Trp His Ser Asn His Ala Asn Ala Leu Val Thr Glu Ser Gly
                    20                    25                    30
Ala Asn Asp Thr Lys Gln Phe Thr Glu Ile Val Ser Glu Glu Lys Val
                    35                    40                    45
Ile Thr Val Glu His Ala Gln Ile Asn Ile Phe Gln Ser Asn Ser Asn
                    50                    55                    60
Ser Asn Leu Met Glu Phe Asn Ile Leu Thr Met Gly Gly Lys Ser Gly
 65                    70                    75                    80
Ala Met Val Gly Tyr Ser Glu Ile Asp Ser Ser His Phe Thr Asp Arg
                    85                    90                    95
Asp Lys Arg Val Ile Arg Arg Asp His Val Lys Glu Ala Gln Ser Leu
                    100                    105                    110
Val Glu Asn Tyr Lys Asp Thr Gln Ser Ala Asp Ala Arg Met Lys Ala
                    115                    120                    125
Lys Gln Lys Val Asn Thr Leu Ser Lys Pro His Gln Asn Tyr Phe Asn
                    130                    135                    140
Lys Gln Ile Asp Lys Val Tyr Asn Gly Leu Gln Arg
 145                    150                    155

```

&lt;210&gt; SEQ ID NO 150

&lt;211&gt; LENGTH: 133

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Staphylococcus sp

&lt;400&gt; SEQUENCE: 150

```

Met Lys Lys Asn Ile Thr Lys Thr Ile Ile Ala Ser Thr Val Ile Ala
 1                    5                    10                    15
Ala Gly Leu Leu Thr Gln Thr Asn Asp Ala Lys Ala Phe Phe Ser Tyr
                    20                    25                    30

```

-continued

---

Glu Trp Lys Gly Leu Glu Ile Ala Lys Asn Leu Ala Asp Gln Ala Lys  
           35                                  40                                  45  
 Lys Asp Asp Glu Arg Ile Asp Lys Leu Met Lys Glu Ser Asp Lys Asn  
           50                                  55                                  60  
 Leu Thr Pro Tyr Lys Ala Glu Thr Val Asn Asp Leu Tyr Leu Ile Val  
   65                                  70                                  75                                  80  
 Lys Lys Leu Ser Gln Gly Asp Val Lys Lys Ala Val Val Arg Ile Lys  
                                   85                                  90                                  95  
 Asp Gly Gly Pro Arg Asp Tyr Tyr Thr Phe Asp Leu Thr Arg Pro Leu  
                                   100                                  105                                  110  
 Glu Glu Asn Arg Lys Asn Ile Lys Val Val Lys Asn Gly Glu Ile Asp  
                                   115                                  120                                  125  
 Ser Ile Thr Trp Tyr  
           130

<210> SEQ ID NO 151  
 <211> LENGTH: 274  
 <212> TYPE: PRT  
 <213> ORGANISM: Staphylococcus sp

<400> SEQUENCE: 151

Met Tyr Pro Asn Trp Gly Gln Tyr Lys Arg Ala Asp Leu Ile Gly Gln  
   1                                  5                                  10                                  15  
 Ser Ser Tyr Ile Lys Asn Asn Asp Val Val Ile Phe Asn Glu Ala Phe  
                                   20                                  25                                  30  
 Asp Asn Gly Ala Ser Asp Lys Leu Leu Ser Asn Val Lys Lys Glu Tyr  
                                   35                                  40                                  45  
 Pro Tyr Gln Thr Pro Val Leu Gly Arg Ser Gln Ser Gly Trp Asp Lys  
                                   50                                  55                                  60  
 Thr Glu Gly Ser Tyr Ser Ser Thr Val Ala Glu Asp Gly Gly Val Ala  
   65                                  70                                  75                                  80  
 Ile Val Ser Lys Tyr Pro Ile Lys Glu Lys Ile Gln His Val Phe Lys  
                                   85                                  90                                  95  
 Ser Gly Cys Gly Phe Asp Asn Asp Ser Asn Lys Gly Phe Val Tyr Thr  
                                   100                                  105                                  110  
 Lys Ile Glu Lys Asn Gly Lys Asn Val His Val Ile Gly Thr His Thr  
                                   115                                  120                                  125  
 Gln Ser Glu Asp Ser Arg Cys Gly Ala Gly His Asp Arg Lys Ile Arg  
                                   130                                  135                                  140  
 Ala Glu Gln Met Lys Glu Ile Ser Asp Phe Val Lys Lys Lys Asn Ile  
   145                                  150                                  155                                  160  
 Pro Lys Asp Glu Thr Val Tyr Ile Gly Gly Asp Leu Asn Val Asn Lys  
                                   165                                  170                                  175  
 Gly Thr Pro Glu Phe Lys Asp Met Leu Lys Asn Leu Asn Val Asn Asp  
                                   180                                  185                                  190  
 Val Leu Tyr Ala Gly His Asn Ser Thr Trp Asp Pro Gln Ser Asn Ser  
                                   195                                  200                                  205  
 Ile Ala Lys Tyr Asn Tyr Pro Asn Gly Lys Pro Glu His Leu Asp Tyr  
                                   210                                  215                                  220  
 Ile Phe Thr Asp Lys Asp His Lys Gln Pro Lys Gln Leu Val Asn Glu  
   225                                  230                                  235                                  240  
 Val Val Thr Glu Lys Pro Lys Pro Trp Asp Val Tyr Ala Phe Pro Tyr  
                                   245                                  250                                  255

-continued

---

Tyr Tyr Val Tyr Asn Asp Phe Ser Asp His Tyr Pro Ile Lys Ala Tyr  
 260 265 270

Ser Lys

&lt;210&gt; SEQ ID NO 152

&lt;211&gt; LENGTH: 390

&lt;212&gt; TYPE: PRT

&lt;213&gt; ORGANISM: Staphylococcus sp

&lt;400&gt; SEQUENCE: 152

Met Leu Glu Phe Glu Gln Gly Phe Asn His Leu Ala Thr Leu Lys Val  
 1 5 10 15

Ile Gly Val Gly Gly Gly Asn Asn Ala Val Asn Arg Met Ile Asp  
 20 25 30

His Gly Met Asn Asn Val Glu Phe Ile Ala Ile Asn Thr Asp Gly Gln  
 35 40 45

Ala Leu Asn Leu Ser Lys Ala Glu Ser Lys Ile Gln Ile Gly Glu Lys  
 50 55 60

Leu Thr Arg Gly Leu Gly Ala Gly Ala Asn Pro Glu Ile Gly Lys Lys  
 65 70 75 80

Ala Ala Glu Glu Ser Arg Glu Gln Ile Glu Asp Ala Ile Gln Gly Ala  
 85 90 95

Asp Met Val Phe Val Thr Ser Gly Met Gly Gly Gly Thr Gly Thr Gly  
 100 105 110

Ala Ala Pro Val Val Ala Lys Ile Ala Lys Glu Met Gly Ala Leu Thr  
 115 120 125

Val Gly Val Val Thr Arg Pro Phe Ser Phe Glu Gly Arg Lys Arg Gln  
 130 135 140

Thr Gln Ala Ala Ala Gly Val Glu Ala Met Lys Ala Ala Val Asp Thr  
 145 150 155 160

Leu Ile Val Ile Pro Asn Asp Arg Leu Leu Asp Ile Val Asp Lys Ser  
 165 170 175

Thr Pro Met Met Glu Ala Phe Lys Glu Ala Asp Asn Val Leu Arg Gln  
 180 185 190

Gly Val Gln Gly Ile Ser Asp Leu Ile Ala Val Ser Gly Glu Val Asn  
 195 200 205

Leu Asp Phe Ala Asp Val Lys Thr Ile Met Ser Asn Gln Gly Ser Ala  
 210 215 220

Leu Met Gly Ile Gly Val Ser Ser Gly Glu Asn Arg Ala Val Glu Ala  
 225 230 235 240

Ala Lys Lys Ala Ile Ser Ser Pro Leu Leu Glu Thr Ser Ile Val Gly  
 245 250 255

Ala Gln Gly Val Leu Met Asn Ile Thr Gly Gly Glu Ser Leu Ser Leu  
 260 265 270

Phe Glu Ala Gln Glu Ala Ala Asp Ile Val Gln Asp Ala Ala Asp Glu  
 275 280 285

Asp Val Asn Met Ile Phe Gly Thr Val Ile Asn Pro Glu Leu Gln Asp  
 290 295 300

Glu Ile Val Val Thr Val Ile Ala Thr Gly Phe Asp Asp Lys Pro Thr  
 305 310 315 320

Ser His Gly Arg Lys Ser Gly Ser Thr Gly Phe Gly Thr Ser Val Asn  
 325 330 335

-continued

---

Thr Ser Ser Asn Ala Thr Ser Lys Asp Glu Ser Phe Thr Ser Asn Ser  
 340 345 350

Ser Asn Ala Gln Ala Thr Asp Ser Val Ser Glu Arg Thr His Thr Thr  
 355 360 365

Lys Glu Asp Asp Ile Pro Ser Phe Ile Arg Asn Arg Glu Glu Arg Arg  
 370 375 380

Ser Arg Arg Thr Arg Arg  
 385 390

<210> SEQ ID NO 153  
 <211> LENGTH: 104  
 <212> TYPE: PRT  
 <213> ORGANISM: Staphylococcus sp

<400> SEQUENCE: 153

Met Ala Ile Val Lys Val Thr Asp Ala Asp Phe Asp Ser Lys Val Glu  
 1 5 10 15

Ser Gly Val Gln Leu Val Asp Phe Trp Ala Thr Trp Cys Gly Pro Cys  
 20 25 30

Lys Met Ile Ala Pro Val Leu Glu Leu Ala Ala Asp Tyr Glu Gly  
 35 40 45

Lys Ala Asp Ile Leu Lys Leu Asp Val Asp Glu Asn Pro Ser Thr Ala  
 50 55 60

Ala Lys Tyr Glu Val Met Ser Ile Pro Thr Leu Ile Val Phe Lys Asp  
 65 70 75 80

Gly Gln Pro Val Asp Lys Val Val Gly Phe Gln Pro Lys Glu Asn Leu  
 85 90 95

Ala Glu Val Leu Asp Lys His Leu  
 100

<210> SEQ ID NO 154  
 <211> LENGTH: 189  
 <212> TYPE: PRT  
 <213> ORGANISM: Staphylococcus sp

<400> SEQUENCE: 154

Met Ser Leu Ile Asn Lys Glu Ile Leu Pro Phe Thr Ala Gln Ala Phe  
 1 5 10 15

Asp Pro Lys Lys Asp Gln Phe Lys Glu Val Thr Gln Glu Asp Leu Lys  
 20 25 30

Gly Ser Trp Ser Val Val Cys Phe Tyr Pro Ala Asp Phe Ser Phe Val  
 35 40 45

Cys Pro Thr Glu Leu Glu Asp Leu Gln Asn Gln Tyr Glu Glu Leu Gln  
 50 55 60

Lys Leu Gly Val Asn Val Phe Ser Val Ser Thr Asp Thr His Phe Val  
 65 70 75 80

His Lys Ala Trp His Asp His Ser Asp Ala Ile Ser Lys Ile Thr Tyr  
 85 90 95

Thr Met Ile Gly Asp Pro Ser Gln Thr Ile Thr Arg Asn Phe Asp Val  
 100 105 110

Leu Asp Glu Ala Thr Gly Leu Ala Gln Arg Gly Thr Phe Ile Ile Asp  
 115 120 125

Pro Asp Gly Val Val Gln Ala Ser Glu Ile Asn Ala Asp Gly Ile Gly  
 130 135 140

Arg Asp Ala Ser Thr Leu Ala His Lys Ile Lys Ala Ala Gln Tyr Val

-continued

---

```

145          150          155          160
Arg Lys Asn Pro Gly Glu Val Cys Pro Ala Lys Trp Glu Glu Gly Ala
          165          170          175

Lys Thr Leu Gln Pro Gly Leu Asp Leu Val Gly Lys Ile
          180          185

<210> SEQ ID NO 155
<211> LENGTH: 207
<212> TYPE: PRT
<213> ORGANISM: Staphylococcus sp

<400> SEQUENCE: 155

Met Ala Met Ile Lys Met Ser Pro Glu Glu Leu Arg Ala Lys Ser Gln
1          5          10          15

Ser Tyr Gly Gln Gly Ser Asp Gln Ile Arg Gln Ile Leu Ser Asp Leu
          20          25          30

Thr Arg Ala Gln Gly Glu Leu Ala Ala Asn Trp Glu Gly Gln Ala Phe
          35          40          45

Ser Arg Phe Glu Glu Gln Phe Gln Gln Leu Ser Pro Lys Val Glu Lys
          50          55          60

Phe Ala Gln Leu Leu Glu Glu Ile Lys Gln Gln Leu Asn Ser Thr Ala
65          70          75          80

Asp Ala Val Gln Glu Gln Asp Gln Gln Leu Ser Asn Asn Phe Gly Leu
          85          90          95

Gln Ala Ser Gly Gly Gly Ser Met Gly Gly Tyr Lys Gly Leu Lys Ala
          100         105         110

Asp Gly Gly Lys Val Asp Gln Ala Lys Gln Leu Ala Ala Lys Thr Ala
          115         120         125

Lys Asp Ile Glu Ala Cys Gln Lys Gln Thr Gln Gln Leu Ala Glu Tyr
          130         135         140

Ile Glu Gly Ser Asp Trp Glu Gly Gln Phe Ala Asn Lys Val Lys Asp
145         150         155         160

Val Leu Leu Leu Met Ala Lys Phe Gln Glu Glu Leu Val Gln Pro Met
          165         170         175

Ala Asp His Gln Lys Ala Ile Asp Asn Leu Ser Gln Asn Leu Ala Lys
          180         185         190

Tyr Asp Thr Leu Ser Ile Lys Gln Gly Leu Asp Arg Val Asn Pro
          195         200         205

```

---

1. An immunogenic composition comprising an isolated Protein A (SpA) specific antibody and a bacterial antigen, wherein the Protein A specific antibody enhances an immune response to the bacterial antigen.

2. The composition of claim 1, wherein the antibody is a polyclonal antibody, a monoclonal antibody, or an antibody fragment.

3. The composition of claim 1, wherein the bacterial antigen is comprised in or on a bacteria.

4. The composition of claim 3, wherein the bacteria is an attenuated bacteria.

5. The composition of claim 1, wherein the bacterial antigen is a staphylococcal antigen.

6. The composition of claim 5, wherein the staphylococcal antigen is selected from the group consisting of: FnBpA, FnBpB, LukD, LukE, LukF, SasA, SasD, SasG, SasI, SasK, SpA (and variants thereof), Eap, Ebh, Emp, EsaB, EsaC,

EsxA, EsxB, SdrC, SdrD, SdrE, IsdA, IsdB, ClfA, ClfB, Coa, IsdC, SasF, vWbp, vWh and immunogenic fragments thereof.

7. A vaccine comprising the composition of claim 1 and a pharmaceutically acceptable excipient.

8. A method of making a vaccine comprising the steps of mixing antibody and antigens to make the composition of claim 1.

9. A method of preventing or treating staphylococcal infection comprising the step of administering the vaccine of claim 7 to a patient in need thereof.

10. (canceled)

11. A method for treating a bacterial infection in a subject comprising providing to a subject having, suspected of having or at risk of developing a bacterial infection effective amounts of an isolated Protein A (SpA) specific antibody and one or more bacterial antigens.

**12.** The method of claim **11**, wherein the one or more bacterial antigens are comprised in or on a bacteria.

**13.** The method of claim **12**, wherein the bacteria is an attenuated bacteria.

**14.** The method of claim **13**, wherein the attenuated bacteria is a staphylococcal bacteria.

**15.** (canceled)

**16.** The method of claim **11** wherein the bacterial antigen is a staphylococcal antigen.

**17.** The method of claim **16**, wherein the staphylococcal antigen is selected from the group consisting of: FnBpA, FnBpB, LukD, LukE, LukF, SasA, SasD, SasG, Sasi, SasK, SpA (and variants thereof), Eap, Ebh, Emp, EsaB, EsaC, EsxA, EsxB, SdrC, SdrD, SdrE, IsdA, IsdB, ClfA, ClfB, Coa, Hla (e.g., H35 mutants), IsdC, SasF, vWbp, vWh and immunogenic fragments thereof.

**18.-20.** (canceled)

**21.** The method of claim **11**, wherein the Protein A (SpA) specific antibody and the one or more bacterial antigens are provided in the same composition.

**22.-23.** (canceled)

**24.** A method for enhancing an immune response against a bacterium in a subject comprising providing to the subject effective amounts of an isolated Protein A (SpA) specific antibody and one or more antigens from the bacterium.

**25.** The method of claim **24**, wherein the one or more antigens are comprised in or on a bacteria.

**26.-34.** (canceled)

**35.** A method of eliciting an immune response in a subject comprising administering a SpA variant polypeptide to the subject before or after administering one or more bacterial antigens to the subject.

**36.** (canceled)

**37.** The method of claim **35**, wherein the SpA variant comprises a variant A domain having an amino acid substitution at position(s) 7, 8, 34, and/or 35 of SEQ ID NO:4; a variant B domain having an amino acid substitution at posi-

tion(s) 7, 8, 34; and/or 35 of SEQ ID NO:6; a variant C domain having an amino acid substitution at position(s) 7, 8, 34, and/or 35 of SEQ ID NO:5; a variant D domain having an amino acid substitution at position(s) 9, 10, 36, and/or 37 of SEQ ID NO:2; and/or a variant E domain having an amino acid substitution at position(s) 6, 7, 33, and/or 34 of SEQ ID NO:3.

**38.** The method of claim **35**, wherein the one or more bacterial antigens are one or more staphylococcal antigens.

**39.** The method of claim **38**, wherein the one or more staphylococcal antigens are selected from FnBpA, FnBpB, LukD, LukE, LukF, SasA, SasD, SasG, Sasi, SasK, SpA (and variants thereof), Eap, Ebh, Emp, EsaB, EsaC, EsxA, EsxB, SdrC, SdrD, SdrE, IsdA, IsdB, ClfA, ClfB, Coa, Hla (e.g., H35 mutants), IsdC, SasF, vWbp; or vWh antigens.

**40.** The method of claim **38** wherein the one or more staphylococcal antigens are selected from staOO1, sta002, sta003, sta004, sta005, sta006, sta007, sta008, sta009, staO10, staO11, sta012, sta013, sta014, sta015, sta016, sta017, sta018, sta019, sta020, sta021, sta022, sta023, sta024, sta025, sta026, sta027, sta028, sta029, sta030, sta031, sta032, sta033, sta034, sta035, sta036, sta037, sta038, sta039, sta040, sta041, sta042, sta043, sta044, sta045, sta046, sta047, sta048, sta049, sta050, sta051, sta052, sta053, sta054, sta055, sta056, sta057, sta058, sta059, sta060, sta061, sta062, sta063, sta064, sta065, sta066, sta067, sta068, sta069, sta070, sta071, sta072, sta073, sta074, sta075, sta076, sta077, sta078, sta079, sta080, sta081, sta082, sta083, sta084, sta085, sta086, sta087, sta088, sta089, sta090, sta091, sta092, sta093, sta094, sta095, sta096, sta097, sta098, sta099, sta100, sta101, sta102, sta103, sta104, sta105, sta106, sta107, sta108, sta109, sta110, sta111, sta112, sta113, sta114, sta115, sta116, sta117, sta118, sta119, sta120, or EsxAB hybrid polypeptide or immunogenic fragment thereof to the subject.

**41.-42.** (canceled)

\* \* \* \* \*